

# CVI Melles Griot Test Plate List by Radius

## Capabilities

FabExpress™

High speed CNC lens generating, polishing, and centering systems

Conventional pitch polishers

Magneto-Rheological Finishing (MRF™)

Digital phase-measuring interferometers

Radius (mm)	Diameter (mm)	Type Code	CVI Melles Griot Part Number	Radius (mm)	Diameter (mm)	Type Code	CVI Melles Griot Part Number	Radius (mm)	Diameter (mm)	Type Code	CVI Melles Griot Part Number
0.00	13.5	0	CMR-7.7-13.5	5.54	10.0	0	CMR-5.5-10	7.36	25.4	1	CMC-7.4-25.4-CX
0.00	38.0	1	CMR--38-CX	5.66	17.5	-1	CMR-5.7-17.5-CC	7.37	12.0	1	CMR-7.4-12-
1.68	6.4	0	CMC-1.7-6.4	5.69	11.4	0	CMR-5.7-11.4	7.48	14.0	-1	CMR-7.5-14-CC
2.18	4.0	0	CMR-2.2-4	5.75	9.0	0	CMR-5.7-9	7.51	3.2	-1	CMC-7.5-3.2-CC
2.30	3.2	0	CMC-2.3-3.2	5.75	13.0	-1	CMR-5.8-13-CC	7.51	6.4	0	CMC-7.5-6.4
2.36	4.0	0	CMR-2.4-4	5.83	12.7	1	CMC-5.8-12.7-CX	7.60	9.5	-1	CMR-7.6-9.5-CC
2.37	4.7	0	CMR-2.4-4.7	5.84	25.4	0	CMC-5.8-25.4	7.60	15.0	1	CMR-7.6-15-CX
2.46	3.2	0	CMC-2.5-3.2	5.95	8.0	0	CMR-5.9-8	7.61	9.5	-1	CMR-7.6-9.5-CC
2.69	5.0	0	CMR-2.7-5	6.00	12.0	1	CMR-6-12-CX	7.63	12.7	0	CMC-7.6-12.7
3.01	5.0	0	CMR-3-5	6.02	8.0	0	CMR-6-8	7.65	19.1	0	CMC-7.7-19.1
3.06	6.4	0	CMC-3.1-6.4	6.12	12.0	-1	CMR-6.1-12-CC	7.66	12.7	0	CMC-7.7-12.7
3.09	6.4	0	CMC-3.1-6.4	6.24	9.5	0	CMC-6.2-9.5	7.70	12.0	0	CMR-7.7-12
3.18	6.0	0	CMK-3.2-6	6.28	19.1	0	CMC-6.3-19.1	7.70	14.0	0	CMR-7.7-14
3.25	6.4	1	CMC-3.3-6.4-CX	6.32	12.7	0	CMC-6.3-12.7	7.71	12.6	0	CMK-7.7-12.6
3.52	12.7	-1	CMC-3.5-12.7-CC	6.34	12.0	0	CMR-6.3-12	7.78	12.8	0	CMR-7.8-12.8
3.56	3.2	-1	CMC-3.6-3.2-CC	6.36	25.4	0	CMC-6.4-25.4	7.80	12.5	1	CMR-7.8-12.5-CX
3.60	6.0	0	CMR-3.6-6	6.37	12.7	0	CMC-6.4-12.7	7.80	12.5	1	CMR-7.8-12.5-CX
3.60	13.0	-1	CMR-3.6-13-CC	6.40	9.5	0	CMK-6.4-9.5	7.80	12.5	0	CMR-7.8-12.5
3.76	12.7	0	CMC-3.8-12.7	6.43	10.0	1	CMR-6.4-10-CX	7.89	13.0	0	CMR-7.9-13
3.81	10.0	-1	CMR-3.8-10-CC	6.48	11.0	-1	CMR-6.5-11-CC	7.92	12.7	0	CMC-7.9-12.7
3.81	10.0	-1	CMR-3.8-10-CC	6.56	25.4	0	CMC-6.6-25.4	8.02	13.0	0	CMR-8-13
3.91	7.7	1	CMR-3.9-7.7-CX	6.57	12.0	-1	CMR-6.6-12-CC	8.07	15.9	1	CMR-8.1-15.9-CX
3.94	6.0	0	CMR-3.9-6	6.63	25.4	0	CMC-6.6-25.4	8.08	12.7	0	CMR-8.1-12.7
4.10	7.5	0	CMK-4.1-7.5	6.65	9.5	1	CMR-6.6-9.5-CX	8.08	10.5	0	CMR-8.1-10.5
4.16	8.0	0	CMR-4.2-8	6.68	13.5	0	CMK-6.7-13.5	8.08	15.5	0	CMR-8.1-15.5
4.24	8.0	0	CMR-4.2-8	6.70	18.4	-1	CMR-6.7-18.4-CC	8.11	19.1	1	CMC-8.1-19.1-CX
4.30	8.0	0	CMK-4.3-8	6.75	13.5	0	CMR-6.8-13.5	8.13	14.0	0	CMR-8.1-14
4.38	6.0	0	CMR-4.4-6	6.80	11.0	0	CMR-6.8-11	8.17	12.5	0	CMR-8.2-12.5
4.38	6.4	-1	CMC-4.4-6.4-CC	6.80	6.4	-1	CMC-6.8-6.4-CC	8.20	12.5	0	CMR-8.2-12.5
4.50	6.4	0	CMC-4.5-6.4	6.80	12.7	0	CMC-6.8-12.7	8.22	15.9	0	CMC-8.2-15.9
4.55	8.0	0	CMR-4.6-8	6.83	25.4	0	CMC-6.8-25.4	8.26	8.0	0	CMR-8.3-8
4.57	6.4	0	CMC-4.6-6.4	6.83	11.0	0	CMR-6.8-11	8.28	12.5	0	CMR-8.3-12.5
4.80	6.4	-1	CMC-4.8-6.4-CC	6.83	25.4	-1	CMC-6.8-25.4-CC	8.31	13.0	0	CMR-8.3-13
4.89	9.5	0	CMC-4.9-9.5	6.84	12.7	0	CMC-6.8-12.7	8.32	15.9	-1	CMC-8.3-15.9-CC
4.95	10.0	0	CMR-5-10	6.87	9.5	0	CMR-6.9-9.5	8.32	12.7	1	CMC-8.3-12.7-CX
5.00	7.5	0	CMK-5-7.5	6.91	12.7	0	CMC-6.9-12.7	8.38	19.1	0	CMC-8.4-19.1
5.03	3.2	-1	CMC-5-3.2-CC	6.97	9.5	0	CMR-7-9.5	8.48	14.3	0	CMR-8.5-14.3
5.05	8.0	0	CMR-5-8	6.99	10.0	-1	CMR-7-10-CC	8.52	15.0	1	CMR-8.5-15-CX
5.08	9.5	0	CMC-5.1-9.5	7.00	12.7	0	CMC-7-12.7	8.52	16.0	0	CMR-8.5-16
5.10	9.0	0	CMR-5.1-9	7.00	14.0	1	CMR-7-14-CX	8.52	19.0	-1	CMR-8.5-19-CC
5.10	9.0	0	CMR-5.1-9	7.02	13.0	0	CMR-7-13	8.52	26.0	-1	CMR-8.5-26-CC
5.15	9.6	0	CMK-5.2-9.6	7.02	9.5	-1	CMC-7-9.5-CC	8.54	12.7	0	CMC-8.5-12.7
5.17	3.2	-1	CMC-5.2-3.2-CC	7.10	12.7	-1	CMC-7.1-12.7-CC	8.59	7.0	1	CMR-8.6-7-CX
5.20	9.6	0	CMK-5.2-9.6	7.10	8.0	0	CMR-7.1-8	8.59	22.0	-1	CMR-8.6-22-CC
5.21	9.5	0	CMR-5.2-9.5	7.21	9.5	0	CMR-7.2-9.5	8.59	22.0	-1	CMR-8.6-22-CC
5.38	7.1	-1	CMR-5.4-7.1-CC	7.21	12.8	0	CMR-7.2-12.8	8.61	14.8	0	CMK-8.6-14.8
5.38	9.4	-1	CMR-5.4-9.4-CC	7.22	12.5	-1	CMR-7.2-12.5-CC	8.67	17.4	-1	CMR-8.7-17.4-CC
5.38	10.0	0	CMR-5.4-10	7.26	19.1	0	CMC-7.3-19.1	8.67	19.0	-1	CMR-8.7-19-CC
5.41	9.0	0	CMR-5.4-9	7.27	19.1	0	CMC-7.3-19.1	8.69	13.0	0	CMR-8.7-13
5.49	7.0	0	CMR-5.5-7	7.28	12.0	0	CMR-7.3-12	8.70	22.2	0	CMC-8.7-22.2
5.50	7.7	0	CMK-5.5-7.7	7.32	14.6	0	CMK-7.3-14.6	8.79	12.7	0	CMC-8.8-12.7
5.53	9.5	-1	CMR-5.5-9.5-CC	7.35	14.5	0	CMR-7.4-14.5	8.81	12.7	0	CMC-8.8-12.7

Type Code: -1 = Concave, 1 = Convex, 0 = both Concave & Convex

Type Code: -1 = Concave, 1 = Convex, 0 = both Concave & Convex

Type Code: -1 = Concave, 1 = Convex, 0 = both Concave & Convex

Radius (mm)	Diameter (mm)	Type Code	CVI Melles Griot Part Number
8.81	14.9	0	CMK-8.8-14.9
8.84	22.2	-1	CMC-8.8-22.2-CC
8.90	13.0	1	CMR-8.9-13-CX
8.95	12.7	0	CMC-8.9-12.7
8.96	22.0	-1	CMR-9-22-CC
8.97	9.5	0	CMC-9-9.5
8.97	7.0	1	CMR-9-7-CX
8.98	14.0	0	CMR-9-14
8.99	15.9	0	CMC-9-15.9
9.00	18.0	1	CMR-9-18-CX
9.01	10.0	0	CMR-9-10
9.01	10.5	0	CMR-9-10.5
9.06	12.0	0	CMR-9-1-12
9.14	15.0	0	CMR-9-1-15
9.15	10.0	1	CMR-9-1-10-CX
9.15	14.3	-1	CMR-9.2-14.3-CC
9.15	15.0	0	CMR-9-1-15
9.16	14.5	0	CMR-9.2-14.5
9.16	18.0	0	CMR-9.2-18
9.17	12.7	0	CMC-9.2-12.7
9.17	18.3	0	CMR-9.2-18.3
9.20	15.0	0	CMR-9.2-15
9.26	15.0	0	CMK-9.3-15
9.28	15.9	0	CMC-9.3-15.9
9.28	16.0	0	CMR-9.3-16
9.30	16.0	0	CMR-9.3-16
9.30	17.0	0	CMR-9.3-17
9.31	1.0	1	CMR-9.3-1-CX
9.31	18.6	0	CMR-9.3-18.6
9.36	10.8	0	CMR-9.4-10.8
9.40	12.7	0	CMC-9.4-12.7
9.42	15.0	0	CMK-9.4-15
9.47	12.0	0	CMR-9.5-12
9.47	15.0	0	CMR-9.5-15
9.47	15.0	-1	CMR-9.5-15-CC
9.51	25.4	0	CMC-9.5-25.4
9.53	19.1	0	CMC-9.5-19.1
9.55	11.0	0	CMR-9.6-11
9.56	16.0	0	CMR-9.6-16
9.57	12.0	-1	CMR-9.6-12-CC
9.57	12.5	1	CMR-9.6-12.5-CX
9.57	12.5	1	CMR-9.6-12.5-CX
9.57	19.1	0	CMC-9.6-19.1
9.59	12.7	0	CMC-9.6-12.7
9.72	14.0	0	CMR-9.7-14
9.72	14.3	1	CMR-9.7-14.3-CX
9.74	16.0	-1	CMR-9.7-16-CC
9.76	15.0	1	CMR-9.8-15-CX
9.76	16.0	1	CMR-9.8-16-CX
9.77	20.2	-1	CMR-9.8-20-2-CC
9.78	15.0	0	CMK-9.8-15
9.79	19.1	0	CMC-9.8-19.1
9.81	15.0	0	CMR-9.8-15
9.82	15.0	0	CMK-9.8-15
9.83	13.0	1	CMR-9.8-13-CX
9.88	12.7	0	CMC-9.9-12.7
9.91	25.4	0	CMC-9.9-25.4
9.91	15.9	-1	CMC-9.9-15.9-CC
9.94	16.0	-1	CMR-9.9-16-CC
9.95	12.7	0	CMC-9.9-12.7
9.96	18.0	0	CMR-10-18
9.98	14.0	0	CMR-10-14
9.98	38.1	0	CMC-10-38.1
9.98	19.1	0	CMC-10-19.1
9.98	25.4	0	CMC-10-25.4
10.01	12.0	0	CMR-10-12
10.02	15.0	0	CMK-10-15
10.04	19.0	-1	CMR-10-19-CC

Type Code: -1 = Concave, 1 = Convex, 0 = both Concave & Convex

Radius (mm)	Diameter (mm)	Type Code	CVI Melles Griot Part Number
10.06	19.0	1	CMR-10.1-19-CX
10.06	19.0	0	CMR-10.1-19
10.11	15.9	-1	CMC-10.1-15.9-CC
10.11	25.4	0	CMC-10.1-25.4
10.12	15.9	-1	CMC-10.1-15.9-CC
10.13	25.4	0	CMC-10.1-25.4
10.18	12.7	0	CMC-10.2-12.7
10.18	12.0	0	CMR-10.2-12
10.19	15.0	0	CMR-10.2-15
10.19	16.0	0	CMR-10.2-16
10.19	17.0	0	CMR-10.2-17
10.25	15.0	0	CMK-10.2-15
10.29	12.7	0	CMC-10.3-12.7
10.30	18.0	0	CMR-10.3-18
10.31	15.9	0	CMC-10.3-15.9
10.33	19.1	0	CMA-10.3-19.1
10.39	15.0	0	CMR-10.4-15
10.39	21.0	-1	CMR-10.4-21-CC
10.40	19.0	0	CMR-10.4-19
10.41	19.0	0	CMR-10.4-19
10.48	18.0	0	CMR-10.5-18
10.49	19.0	0	CMR-10.5-19
10.52	19.1	1	CMC-10.5-19.1-CX
10.53	15.0	0	CMK-10.5-15
10.54	12.7	0	CMC-10.5-12.7
10.54	12.7	0	CMC-10.5-12.7
10.57	19.1	0	CMC-10.6-19.1
10.60	17.5	0	CMR-10.6-17.5
10.62	12.5	1	CMR-10.6-12.5-CX
10.62	12.5	-1	CMR-10.6-12.5-CC
10.63	14.0	1	CMR-10.6-14-CX
10.74	19.1	0	CMC-10.7-19.1
10.77	15.0	0	CMK-10.8-15
10.79	15.0	0	CMR-10.8-15
10.80	19.1	0	CMA-10.8-19.1
10.88	19.1	0	CMR-10.9-19.1
10.90	17.0	0	CMR-10.9-17
10.90	19.0	1	CMR-10.9-19-CX
10.94	15.0	0	CMK-10.9-15
11.00	12.7	0	CMC-11-12.7
11.00	22.0	1	CMR-11-22-CX
11.00	19.1	0	CMC-11-19.1
11.13	19.1	0	CMC-11.1-19.1
11.30	17.0	0	CMR-11.3-17
11.32	15.8	1	CMR-11.3-15.8-CX
11.32	17.0	-1	CMR-11.3-17-CC
11.33	21.8	0	CMK-11.3-21.8
11.33	15.4	0	CMR-11.3-15.4
11.37	13.0	0	CMR-11.4-13
11.38	15.9	0	CMC-11.4-15.9
11.49	SPHERE	1	CMA-11.5-SPHERE-CX
11.53	19.1	0	CMC-11.5-19.1
11.54	20.0	0	CMK-11.5-20
11.57	15.0	0	CMR-11.6-15
11.57	19.0	0	CMR-11.6-19
11.57	20.0	0	CMR-11.6-20
11.58	15.9	0	CMR-11.6-15.9
11.58	18.0	-1	CMR-11.6-18-CC
11.63	15.9	0	CMC-11.6-15.9
11.66	22.2	0	CMC-11.7-22.2
11.70	19.1	0	CMC-11.7-19.1
11.72	12.4	0	CMR-11.7-12.4
11.76	18.0	0	CMR-11.8-18
11.77	16.0	0	CMR-11.8-16
11.79	22.2	0	CMC-11.8-22.2
11.81	25.4	0	CMC-11.8-25.4
11.84	19.1	0	CMC-11.8-19.1
11.85	20.1	0	CMK-11.9-20.1

Type Code: -1 = Concave, 1 = Convex, 0 = both Concave & Convex

Radius (mm)	Diameter (mm)	Type Code	CVI Melles Griot Part Number
11.89	15.9	0	CMC-11.9-15.9
12.00	19.0	0	CMR-12-19
12.00	24.0	1	CMR-12-24-CX
12.03	22.2	0	CMC-12-22.2
12.03	16.0	0	CMR-12-16
12.03	16.0	1	CMR-12-16-CX
12.03	17.4	-1	CMR-12-17.4-CC
12.03	23.0	0	CMK-12-23
12.07	19.1	0	CMC-12.1-19.1
12.12	15.0	1	CMR-12.1-15-CX
12.16	12.7	0	CMC-12.2-12.7
12.20	23.0	0	CMK-12.2-23
12.30	15.0	0	CMR-12.3-15
12.36	9.5	0	CMC-12.4-9.5
12.38	24.0	0	CMK-12.4-24
12.45	25.4	0	CMC-12.4-25.4
12.46	14.0	0	CMR-12.5-14
12.50	24.0	0	CMK-12.5-24
12.50	19.1	0	CMC-12.5-19.1
12.51	23.0	0	CMK-12.5-23
12.51	16.5	0	CMR-12.5-16.5
12.51	19.0	0	CMR-12.5-19
12.59	15.0	0	CMR-12.6-15
12.59	15.4	1	CMR-12.6-15.4-CX
12.59	18.0	1	CMR-12.6-18-CX
12.62	19.0	0	CMR-12.6-19
12.64	31.7	-1	CMR-12.6-31.7-CC
12.67	12.7	0	CMC-12.7-12.7
12.69	15.9	0	CMC-12.7-15.9
12.69	24.0	0	CMK-12.7-24
12.70	25.4	0	CMC-12.7-25.4
12.75	25.4	0	CMC-12.8-25.4
12.79	19.1	0	CMC-12.8-19.1
12.84	19.0	0	CMR-12.8-19
12.85	10.0	0	CMR-12.8-10
12.85	17.5	1	CMR-12.9-17.5-CX
12.86	17.4	0	CMR-12.9-17.4
12.92	24.0	0	CMK-12.9-24
12.95	22.2	0	CMC-13-22.2
12.99	11.0	1	CMR-13-11-CX
13.01	17.0	-1	CMR-13-17-CC
13.02	17.3	0	CMR-13-17.3
13.03	12.6	0	CMR-13-12.6
13.03	22.4	0	CMR-13-22.4
13.06	19.0	0	CMR-13.1-19
13.08	25.4	0	CMC-13.1-25.4
13.08	22.2	0	CMC-13.1-22.2
13.11	24.0	0	CMK-13.1-24
13.11	22.2	0	CMC-13.1-22.2
13.11	20.0	0	CMR-13.1-20
13.14	17.4	0	CMR-13.1-17.4
13.14	20.8	0	CMR-13.1-20.8
13.15	30.0	0	CMK-13.1-30
13.18	15.9	0	CMC-13.2-15.9
13.24	21.4	0	CMR-13.2-21.4
13.26	22.2	0	CMC-13.3-22.2
13.26	25.0	-1	CMR-13.3-25-CC
13.26	25.4	-1	CMR-13.3-25.4-CC
13.29	17.4	0	CMR-13.3-17.4
13.31	15.9	-1	CMC-13.3-15.9-CC
13.33	26.0	0	CMK-13.3-26
13.35	22.0	0	CMR-13.3-22
13.36	17.6	1	CMR-13.4-17.6-CX
13.42	18.8	0	CMR-13.4-18.8
13.43	19.0	0	CMR-13.4-19
13.44	19.0	0	CMR-13.4-19
13.50	16.0	1	CMR-13.5-16-CX
13.50	33.3	-1	CMR-13.5-33.3-CC

Type Code: -1 = Concave, 1 = Convex, 0 = both Concave & Convex

Radius (mm)	Diameter (mm)	Type Code	CVI Melles Griot Part Number
13.53	19.1	0	CMA-13.5-19.1
13.54	22.0	0	CMR-13.5-22
13.56	18.0	1	CMR-13.6-18-CX
13.59	24.0	0	CMR-13.6-24
13.61	25.4	-1	CMC-13.6-25.4-CC
13.64	26.0	0	CMK-13.6-26
13.65	19.1	0	CMC-13.6-19.1
13.65	16.0	1	CMR-13.7-16-CX
13.66	21.5	-1	CMR-13.7-21.5-CC
13.67	22.2	0	CMC-13.7-22.2
13.67	SPHERE	1	CMA-13.7-SPHERE-CX
13.69	25.4	0	CMC-13.7-25.4
13.70	21.0	0	CMR-13.7-21
13.72	19.0	0	CMR-13.7-19
13.74	23.0	0	CMR-13.7-23
13.80	SPHERE	1	CMA-13.8-SPHERE-CX
13.92	31.8	0	CMC-13.9-31.8
13.92	25.4	0	CMC-13.9-25.4
13.95	12.7	0	CMC-13.9-12.7
13.97	25.4	0	CMA-14-25.4
14.01	26.0	0	CMK-14-26
14.01	20.0	0	CMR-14-20
14.02	14.0	0	CMR-14-14
14.13	25.4	0	CMC-14.1-25.4
14.25	16.0	0	CMR-14.2-16
14.30	22.2	0	CMC-14.3-22.2
14.40	23.0	0	CMK-14.4-23
14.42	25.5	-1	CMR-14.4-25.5-CC
14.48	19.1	-1	CMC-14.5-19.1-CC
14.60	16.0	0	CMR-14.6-16
14.61	25.5	0	CMR-14.6-25.5
14.62	20.4	1	CMR-14.6-20.4-CX
14.66	12.7	0	CMC-14.7-12.7
14.73	25.4	0	CMC-14.7-25.4
14.78	19.1	0	CMC-14.8-19.1
14.89	19.0	0	CMR-14.9-19
14.93	26.0	0	CMK-14.9-26
14.94	25.4	0	CMC-14.9-25.4
14.99	15.9	0	CMC-15-15.9
15.01	25.6	1	CMR-15-25.6-CX
15.01	25.4	0	CMC-15-25.4
15.02	11.0	-1	CMR-15-11-CC
15.02	11.0	-1	CMR-15-11-CC
15.02	11.0	-1	CMR-15-11-CC
15.02	22.0	0	CMR-15-22
15.03	25.4	0	CMC-15-25.4
15.07	25.4	0	CMC-15.1-25.4
15.09	20.0	0	CMR-15.1-20
15.10	25.4	1	CMR-15.1-25.4-CX
15.12	21.4	0	CMR-15.1-21.4
15.13	12.0	0	CMR-15.1-12
15.14	31.8	0	CMC-15.1-31.8
15.17	19.1	0	CMC-15.2-19.1
15.17	25.4	0	CMC-15.2-25.4
15.18	25.4	0	CMR-15.2-25.4
15.21	20.0	0	CMR-15.2-20
15.25	25.4	0	CMC-15.3-25.4
15.26	20.0	0	CMR-15.3-20
15.28	26.0	0	CMK-15.3-26
15.28	39.0	-1	CMR-15.3-39-CC
15.35	17.4	-1	CMR-15.4-17.4-CC
15.35	25.4	0	CMC-15.4-25.4
15.37	SPHERE	1	CMA-15.4-SPHERE-CX
15.37	17.4	0	CMR-15.4-17.4
15.44	19.1	0	CMC-15.4-19.1
15.50	24.0	0	CMK-15.5-24
15.52	15.9	-1	CMC-15.5-15.9-CC
15.54	21.3	1	CMR-15.5-21.3-CX

Type Code: -1 = Concave, 1 = Convex, 0 = both Concave & Convex

Radius (mm)	Diameter (mm)	Type Code	CVI Melles Griot Part Number
15.57	25.4	0	CMC-15.6-25.4
15.57	24.0	0	CMK-15.6-24
15.60	25.4	0	CMC-15.6-25.4
15.61	7.7	1	CMR-15.6-7.7-CX
15.61	7.7	1	CMR-15.6-7.7-CX
15.74	21.0	0	CMR-15.7-21
15.75	25.4	0	CMC-15.7-25.4
15.86	25.4	0	CMC-15.9-25.4
15.88	25.4	0	CMC-15.9-25.4
15.90	26.0	0	CMR-15.9-26
15.91	26.0	0	CMR-15.9-26
15.93	25.0	0	CMR-15.9-25
16.00	25.9	0	CMK-16-25.9
16.08	25.4	0	CMC-16.1-25.4
16.13	25.4	0	CMC-16.1-25.4
16.13	22.2	0	CMC-16.1-22.2
16.14	17.0	1	CMR-16.1-17-CX
16.18	31.8	0	CMC-16.2-31.8
16.20	20.8	0	CMR-16.2-20.8
16.21	26.0	-1	CMR-16.2-26-CC
16.31	25.4	0	CMC-16.3-25.4
16.32	26.0	0	CMK-16.3-26
16.34	25.4	0	CMR-16.3-25.4
16.34	28.0	0	CMR-16.3-28
16.35	25.0	0	CMR-16.3-25
16.45	31.8	0	CMC-16.4-31.8
16.49	23.3	0	CMR-16.5-23.3
16.49	26.0	0	CMR-16.5-26
16.55	24.0	0	CMR-16.5-24
16.55	24.0	0	CMR-16.5-24
16.57	26.0	0	CMK-16.6-26
16.64	28.6	0	CMC-16.6-28.6
16.74	22.2	0	CMC-16.7-22.2
16.79	19.0	0	CMR-16.8-19
16.80	20.2	0	CMR-16.8-20.2
16.85	21.0	0	CMR-16.9-21
16.90	28.6	0	CMC-16.9-28.6
16.99	25.4	0	CMC-17-25.4
16.99	19.1	0	CMC-17-19.1
17.03	25.0	0	CMR-17-25
17.04	19.1	0	CMC-17-19.1
17.10	25.4	0	CMA-17.1-25.4
17.10	31.0	0	CMR-17.1-31
17.11	25.4	0	CMC-17.1-25.4
17.12	32.0	0	CMK-17.1-32
17.15	25.4	0	CMC-17.1-25.4
17.20	19.1	0	CMA-17.2-19.1
17.21	18.0	0	CMR-17.2-18
17.27	25.4	0	CMC-17.3-25.4
17.32	25.0	0	CMR-17.3-25
17.33	19.0	0	CMR-17.3-19
17.33	20.0	0	CMR-17.3-20
17.39	19.1	0	CMC-17.4-19.1
17.40	28.6	0	CMC-17.4-28.6
17.44	25.0	0	CMR-17.4-25
17.45	25.0	0	CMR-17.4-25
17.48	25.4	0	CMC-17.5-25.4
17.48	31.8	0	CMC-17.5-31.8
17.52	1.0	-1	CMR-17.5-1-CC
17.55	22.2	0	CMC-17.6-22.2
17.61	25.4	-1	CMC-17.6-25.4-CC
17.61	19.1	0	CMC-17.6-19.1
17.61	25.4	0	CMC-17.6-25.4
17.61	25.4	0	CMC-17.6-25.4
17.66	19.1	0	CMC-17.7-19.1
17.67	28.6	-1	CMC-17.7-28.6-CC
17.70	27.1	0	CMR-17.7-27.1
17.79	26.0	-1	CMR-17.8-26-CC

Type Code: -1 = Concave, 1 = Convex, 0 = both Concave & Convex

Radius (mm)	Diameter (mm)	Type Code	CVI Melles Griot Part Number
17.83	25.4	0	CMC-17.8-25.4
17.85	18.0	-1	CMR-17.9-18-CC
17.86	25.5	1	CMR-17.9-25.5-CX
17.89	27.0	0	CMR-17.9-27
17.91	22.2	1	CMC-17.9-22.2-CX
17.91	25.4	0	CMC-17.9-25.4
17.92	25.0	0	CMR-17.9-25
17.93	26.0	-1	CMR-17.9-26-CC
17.95	26.0	0	CMR-17.9-26
17.98	31.8	0	CMC-18-31.8
17.99	25.9	0	CMK-18-25.9
18.00	25.4	0	CMC-18-25.4
18.01	28.6	0	CMC-18-28.6
18.03	34.9	0	CMC-18-34.9
18.05	25.4	0	CMR-18.1-25.4
18.11	22.2	0	CMC-18.1-22.2
18.12	25.4	0	CMC-18.1-25.4
18.19	25.4	0	CMC-18.2-25.4
18.24	25.7	0	CMR-18.2-25.7
18.29	25.4	0	CMC-18.3-25.4
18.29	31.8	0	CMC-18.3-31.8
18.30	22.0	0	CMR-18.3-22
18.30	28.6	0	CMC-18.3-28.6
18.34	26.9	1	CMR-18.3-26.9-CX
18.34	31.0	0	CMR-18.3-31
18.44	25.4	0	CMC-18.4-25.4
18.47	38.1	0	CMC-18.5-38.1
18.53	25.9	0	CMK-18.5-25.9
18.55	20.0	0	CMR-18.5-20
18.55	25.0	0	CMR-18.5-25
18.56	31.8	0	CMC-18.6-31.8
18.60	25.4	0	CMA-18.6-25.4
18.64	31.8	0	CMC-18.6-31.8
18.64	38.1	0	CMC-18.6-38.1
18.66	31.8	0	CMC-18.7-31.8
18.70	38.1	0	CMC-18.7-38.1
18.74	36.0	0	CMR-18.7-36
18.77	25.4	0	CMC-18.8-25.4
18.81	26.0	0	CMK-18.8-26
18.85	16.0	-1	CMR-18.8-16-CC
18.86	24.0	1	CMR-18.9-24-CX
18.96	31.8	0	CMC-19-31.8
18.97	25.4	0	CMC-19-25.4
18.99	25.0	-1	CMR-19-25-CC
18.99	25.0	1	CMR-19-25-CX
18.99	25.0	1	CMR-19-25-CX
19.03	9.5	-1	CMC-19-9.5-CC
19.04	25.4	0	CMC-19-25.4
19.08	25.5	0	CMR-19.1-25.5
19.11	25.8	0	CMK-19.1-25.8
19.13	34.9	0	CMC-19.1-34.9
19.14	25.0	1	CMR-19.1-25-CX
19.14	25.0	-1	CMR-19.1-25-CC
19.14	25.3	1	CMR-19.1-25.3-CX
19.17	19.0	0	CMR-19.2-19
19.18	28.6	0	CMC-19.2-28.6
19.20	25.4	0	CMC-19.2-25.4
19.35	38.1	-1	CMC-19.4-38.1-CC
19.38	31.8	1	CMC-19.4-31.8-CX
19.46	25.8	0	CMK-19.5-25.8
19.46	25.4	0	CMC-19.5-25.4
19.54	22.2	0	CMC-19.5-22.2
19.54	32.0	0	CMR-19.5-32
19.55	25.4	0	CMC-19.5-25.4
19.55	24.9	0	CMR-19.5-24.9
19.58	25.3	0	CMR-19.6-25.3
19.58	27.0	0	CMR-19.6-27
19.60	25.8	0	CMK-19.6-25.8
19.64	25.0	0	CMR-19.6-25

Type Code: -1 = Concave, 1 = Convex, 0 = both Concave & Convex

Radius (mm)	Diameter (mm)	Type Code	CVI Melles Griot Part Number
19.69	25.4	0	CMC-19.7-25.4
19.71	38.1	0	CMC-19.7-38.1
19.74	31.8	0	CMC-19.7-31.8
19.75	31.8	0	CMC-19.8-31.8
19.76	25.4	-1	CMC-19.8-25.4-CC
19.77	22.0	-1	CMR-19.8-22-CC
19.78	25.0	0	CMR-19.8-25
19.79	25.4	0	CMC-19.8-25.4
19.79	25.4	-1	CMC-19.8-25.4-CC
19.82	19.1	0	CMC-19.8-19.1
19.84	25.4	0	CMC-19.8-25.4
19.84	25.4	0	CMC-19.8-25.4
19.89	25.4	0	CMR-19.9-25.4
19.91	25.4	0	CMC-19.9-25.4
19.92	25.4	0	CMR-19.9-25.4
19.92	25.4	-1	CMR-19.9-25.4-CC
19.92	25.7	-1	CMR-19.9-25.7-CC
19.96	25.5	0	CMR-20-25.5
20.00	25.0	0	CMR-20-25
20.05	38.1	0	CMC-20-38.1
20.07	12.7	-1	CMC-20.1-12.7-CC
20.08	22.2	0	CMC-20.1-22.2
20.10	25.8	0	CMK-20.1-25.8
20.19	25.4	0	CMC-20.2-25.4
20.23	25.0	0	CMR-20.2-25
20.27	35.0	-1	CMR-20.3-35-CC
20.36	36.0	0	CMR-20.4-36
20.38	25.4	0	CMC-20.4-25.4
20.40	31.8	1	CMA-20.4-31.8-CX
20.41	34.9	0	CMK-20.4-34.9
20.43	30.0	0	CMK-20.4-30
20.50	25.4	0	CMC-20.5-25.4
20.51	25.0	0	CMR-20.5-25
20.52	30.0	0	CMK-20.5-30
20.56	25.0	0	CMR-20.6-25
20.58	28.6	0	CMC-20.6-28.6
20.59	20.0	-1	CMR-20.6-20-CC
20.60	23.0	1	CMR-20.6-23-CX
20.60	24.0	0	CMR-20.6-24
20.60	25.4	0	CMA-20.6-25.4
20.62	28.6	0	CMC-20.6-28.6
20.65	25.4	0	CMC-20.7-25.4
20.67	31.5	0	CMR-20.7-31.5
20.68	28.6	0	CMC-20.7-28.6
20.82	16.0	1	CMR-20.8-16-CX
20.82	31.5	1	CMR-20.8-31.5-CX
20.84	30.0	0	CMK-20.8-30
20.85	35.0	0	CMR-20.9-35
20.85	35.0	-1	CMR-20.8-35-CC
20.88	35.0	0	CMR-20.9-35
20.96	28.6	0	CMC-21-28.6
20.97	31.8	0	CMC-21-31.8
20.98	25.5	0	CMR-21-25.5
21.00	29.0	0	CMR-21-29
21.01	22.2	0	CMC-21-22.2
21.08	40.6	0	CMA-21.1-40.6
21.10	38.1	0	CMC-21.1-38.1
21.14	25.5	0	CMR-21.1-25.5
21.18	25.3	0	CMR-21.2-25.3
21.18	33.0	1	CMR-21.2-33-CX
21.19	25.4	0	CMC-21.2-25.4
21.24	36.2	0	CMK-21.2-36.2
21.28	38.0	0	CMR-21.3-38
21.28	12.7	0	CMC-21.3-12.7
21.34	42.0	0	CMR-21.3-42
21.35	38.1	0	CMA-21.3-38.1
21.36	31.8	0	CMC-21.4-31.8
21.40	36.2	0	CMK-21.4-36.2

Type Code: -1 = Concave, 1 = Convex, 0 = both Concave & Convex

Radius (mm)	Diameter (mm)	Type Code	CVI Melles Griot Part Number
21.44	25.0	0	CMR-21.4-25
21.46	25.4	0	CMC-21.5-25.4
21.48	25.0	0	CMR-21.5-25
21.49	31.8	0	CMC-21.5-31.8
21.49	25.0	1	CMR-21.5-25-CX
21.52	25.0	1	CMR-21.5-25-CX
21.52	25.0	-1	CMR-21.5-25-CC
21.53	15.0	1	CMR-21.5-15-CX
21.59	25.4	-1	CMC-21.6-25.4-CC
21.60	25.0	0	CMR-21.6-25
21.64	22.2	0	CMC-21.6-22.2
21.65	25.0	-1	CMR-21.6-25-CC
21.65	25.4	0	CMR-21.6-25.4
21.66	43.0	-1	CMR-21.7-43-CC
21.69	25.4	0	CMC-21.7-25.4
21.70	20.0	0	CMR-21.7-20
21.70	32.0	0	CMR-21.7-32
21.70	39.5	0	CMR-21.7-39.5
21.72	25.4	0	CMC-21.7-25.4
21.72	38.1	0	CMC-21.7-38.1
21.73	33.0	0	CMR-21.7-33
21.73	43.0	0	CMR-21.7-43
21.80	28.6	0	CMC-21.8-28.6
21.82	25.4	0	CMC-21.8-25.4
21.90	27.0	0	CMR-21.9-27
21.92	22.2	0	CMR-21.9-22.2
21.93	11.0	0	CMR-21.9-11
22.00	15.9	1	CMC-22-15.9-CX
22.02	50.8	0	CMC-22-50.8
22.02	32.0	0	CMR-22-32
22.02	25.4	0	CMC-22-25.4
22.02	25.4	0	CMC-22-25.4
22.05	44.5	0	CMC-22-44.5
22.06	25.0	-1	CMR-22.1-25-CC
22.07	25.0	0	CMR-22.1-25
22.10	19.1	0	CMC-22.1-19.1
22.10	25.4	0	CMC-22.1-25.4
22.11	25.8	0	CMK-22.1-25.8
22.13	25.8	0	CMR-22.1-25.8
22.14	31.7	0	CMR-22.1-31.7
22.14	40.3	0	CMR-22.1-40.3
22.28	31.8	0	CMC-22.3-31.8
22.29	38.1	0	CMC-22.3-38.1
22.33	15.9	0	CMC-22.3-15.9
22.39	19.8	1	CMR-22.4-19.8-CX
22.40	33.0	0	CMR-22.4-33
22.40	25.4	0	CMC-22.4-25.4
22.41	26.0	0	CMR-22.4-26
22.47	38.1	0	CMC-22.5-38.1
22.58	25.4	0	CMC-22.6-25.4
22.58	31.8	0	CMC-22.6-31.8
22.59	40.3	0	CMR-22.6-40.3
22.60	48.1	-1	CMR-22.6-48.1-CC
22.65	40.3	0	CMR-22.6-40.3
22.66	25.3	0	CMR-22.7-25.3
22.75	26.0	1	CMR-22.8-26-CX
22.75	26.5	0	CMR-22.7-26.5
22.76	34.9	0	CMC-22.8-34.9
22.77	30.0	0	CMK-22.8-30
22.87	37.9	0	CMR-22.9-37.9
22.91	38.1	0	CMC-22.9-38.1
22.92	44.0	0	CMK-22.9-44
22.93	16.0	-1	CMR-22.9-16-CC
22.94	31.8	0	CMC-22.9-31.8
22.99	38.1	0	CMC-23-38.1
23.01	25.0	0	CMR-23-25
23.04	31.8	0	CMA-23-31.8
23.06	24.0	0	CMR-23.1-24

Type Code: -1 = Concave, 1 = Convex, 0 = both Concave & Convex

Radius (mm)	Diameter (mm)	Type Code	CVI Melles Griot Part Number
23.09	25.4	0	CMC-23.1-25.4
23.15	32.3	0	CMR-23.2-32.3
23.16	31.8	0	CMC-23.2-31.8
23.20	44.0	0	CMK-23.2-44
23.20	25.0	0	CMR-23.2-25
23.20	25.0	0	CMR-23.2-25
23.21	25.0	0	CMR-23.2-25
23.21	25.8	1	CMR-23.2-25.8-CX
23.28	44.0	0	CMK-23.3-44
23.39	25.0	0	CMR-23.4-25
23.43	44.0	0	CMK-23.4-44
23.44	28.6	0	CMC-23.4-28.6
23.51	28.0	0	CMR-23.5-28
23.52	15.0	0	CMR-23.5-15
23.54	25.3	1	CMR-23.5-25.3-CX
23.55	28.0	-1	CMR-23.6-28-CC
23.57	40.6	0	CMA-23.6-40.6
23.59	38.0	0	CMR-23.6-38
23.61	38.0	0	CMR-23.6-38
23.61	38.0	0	CMR-23.6-38
23.65	42.0	-1	CMR-23.7-42-CC
23.67	28.0	0	CMR-23.7-28
23.69	34.9	0	CMC-23.7-34.9
23.70	44.5	0	CMC-23.7-44.5
23.72	31.8	0	CMC-23.7-31.8
23.75	22.2	0	CMC-23.7-22.2
23.77	25.0	0	CMR-23.8-25
23.77	25.4	0	CMC-23.8-25.4
23.78	28.6	0	CMC-23.8-28.6
23.91	44.0	0	CMK-23.9-44
23.93	31.8	0	CMC-23.9-31.8
23.93	25.0	0	CMR-23.9-25
23.93	25.4	0	CMR-23.9-25.4
23.93	26.0	0	CMR-23.9-26
23.94	38.1	-1	CMC-23.9-38.1-CC
23.96	31.8	0	CMC-24-31.8
23.99	16.0	-1	CMR-24-16-CC
24.00	22.0	-1	CMR-24-22-CC
24.00	29.0	0	CMR-24-29
24.00	38.1	0	CMC-24-38.1
24.01	25.0	1	CMR-24-25-CX
24.01	25.4	-1	CMR-24-25.4-CC
24.02	25.0	1	CMR-24-25-CX
24.06	35.0	-1	CMR-24.1-35-CC
24.06	38.1	0	CMC-24.1-38.1
24.07	38.0	0	CMR-24.1-38
24.09	25.4	0	CMR-24.1-25.4
24.18	25.0	-1	CMR-24.2-25-CC
24.18	25.0	0	CMR-24.2-25
24.18	25.2	0	CMR-24.2-25.2
24.20	38.1	0	CMC-24.2-38.1
24.22	43.8	0	CMK-24.2-43.8
24.23	28.6	0	CMC-24.2-28.6
24.26	25.0	0	CMR-24.3-25
24.26	25.4	0	CMR-24.3-25.4
24.31	31.8	0	CMC-24.3-31.8
24.33	43.8	0	CMK-24.3-43.8
24.33	31.8	0	CMC-24.3-31.8
24.41	40.3	0	CMR-24.4-40.3
24.45	31.0	0	CMR-24.5-31
24.54	50.8	0	CMC-24.5-50.8
24.54	32.0	0	CMR-24.5-32
24.57	43.8	0	CMK-24.6-43.8
24.62	25.5	0	CMR-24.6-25.5
24.62	25.7	-1	CMR-24.6-25.7-CC
24.63	22.0	0	CMR-24.6-22
24.63	25.6	1	CMR-24.6-25.6-CX
24.64	25.4	0	CMC-24.6-25.4

Type Code: -1 = Concave, 1 = Convex, 0 = both Concave & Convex

Radius (mm)	Diameter (mm)	Type Code	CVI Melles Griot Part Number
24.66	30.0	0	CMR-24.7-30
24.69	31.8	1	CMC-24.7-31.8-CX
24.69	38.1	0	CMC-24.7-38.1
24.69	28.6	0	CMC-24.7-28.6
24.71	28.6	0	CMC-24.7-28.6
24.74	38.1	0	CMC-24.7-38.1
24.81	22.2	0	CMC-24.8-22.2
24.82	22.2	0	CMC-24.8-22.2
24.82	28.6	0	CMC-24.8-28.6
24.82	25.4	0	CMC-24.8-25.4
24.96	31.6	0	CMR-25-31.6
24.97	38.0	0	CMR-25-38
24.99	25.0	0	CMR-25-25
24.99	44.5	0	CMC-25-44.5
25.00	43.2	0	CMA-25-43.2
25.00	46.0	0	CMK-25-46
25.01	46.0	0	CMK-25-46
25.02	50.0	-1	CMR-25-50-CC
25.02	50.0	-1	CMR-25-50-CC
25.02	52.0	-1	CMR-25-52-CC
25.03	19.0	0	CMR-25-19
25.03	37.0	0	CMR-25-37
25.07	31.8	0	CMC-25.1-31.8
25.07	25.4	0	CMC-25.1-25.4
25.10	25.3	0	CMR-25.1-25.3
25.11	25.4	-1	CMR-25.1-25.4-CC
25.13	30.0	0	CMR-25.1-30
25.19	25.3	-1	CMR-25.2-25.3-CC
25.19	40.0	0	CMR-25.2-40
25.19	22.2	0	CMC-25.2-22.2
25.20	45.0	0	CMK-25.2-45
25.22	34.5	0	CMR-25.2-34.5
25.28	43.2	-1	CMA-25.3-43.2-CC
25.29	47.6	0	CMC-25.3-47.6
25.29	38.0	0	CMR-25.3-38
25.30	31.6	-1	CMR-25.3-31.6-CC
25.33	25.3	-1	CMR-25.3-25.3-CC
25.37	44.5	0	CMC-25.4-44.5
25.46	28.0	0	CMR-25.5-28
25.48	38.1	0	CMC-25.5-38.1
25.56	25.2	0	CMR-25.6-25.2
25.59	36.0	0	CMR-25.6-36
25.59	38.1	0	CMC-25.6-38.1
25.61	25.0	0	CMR-25.6-25
25.61	25.4	0	CMR-25.6-25.4
25.67	25.4	0	CMC-25.7-25.4
25.67	28.6	0	CMC-25.7-28.6
25.70	34.9	0	CMC-25.7-34.9
25.76	33.0	0	CMR-25.8-33
25.78	25.0	-1	CMR-25.8-25-CC
25.78	25.0	0	CMR-25.8-25
25.78	30.0	-1	CMR-25.8-30-CC
25.78	39.0	0	CMR-25.8-39
25.78	38.1	0	CMA-25.8-38.1
25.80	41.3	0	CMC-25.8-41.3
25.84	46.0	0	CMK-25.8-46
25.87	25.0	0	CMR-25.9-25
25.88	41.3	1	CMC-25.9-41.3-CX
25.88	30.0	0	CMR-25.9-30
25.88	38.0	0	CMR-25.9-38
25.92	38.1	0	CMC-25.9-38.1
25.92	41.3	-1	CMC-25.9-41.3-CC
25.93	41.3	0	CMC-25.9-41.3
25.93	44.5	0	CMC-25.9-44.5
25.94	38.0	0	CMR-25.9-38
25.98	33.0	-1	CMR-26-33-CC
26.03	25.5	0	CMR-26-25.5
26.03	25.7	0	CMR-26-25.7

Type Code: -1 = Concave, 1 = Convex, 0 = both Concave & Convex

Radius (mm)	Diameter (mm)	Type Code	CVI Melles Griot Part Number
26.06	34.9	0	CMC-26.1-34.9
26.14	38.1	0	CMC-26.1-38.1
26.16	25.4	0	CMC-26.2-25.4
26.19	44.5	0	CMC-26.2-44.5
26.21	50.0	0	CMK-26.2-50
26.21	31.8	0	CMC-26.2-31.8
26.21	27.0	1	CMR-26.2-27-CX
26.21	35.0	0	CMR-26.2-35
26.22	44.5	0	CMC-26.2-44.5
26.23	40.0	0	CMR-26.2-40
26.29	50.8	0	CMC-26.3-50.8
26.29	41.3	0	CMC-26.3-41.3
26.39	31.8	0	CMA-26.4-31.8
26.42	44.5	0	CMC-26.4-44.5
26.52	38.1	0	CMC-26.5-38.1
26.58	31.8	0	CMC-26.6-31.8
26.58	18.9	0	CMR-26.6-18.9
26.58	38.0	1	CMR-26.6-38-CX
26.58	40.0	0	CMR-26.6-40
26.58	40.1	-1	CMR-26.6-40.1-CC
26.58	42.8	-1	CMR-26.6-42.8-CC
26.64	44.5	0	CMC-26.6-44.5
26.73	25.6	1	CMR-26.7-25.6-CX
26.73	40.0	0	CMR-26.7-40
26.74	38.2	-1	CMR-26.7-38.2-CC
26.77	28.6	0	CMC-26.8-28.6
26.80	35.0	-1	CMR-26.8-35-CC
26.86	38.1	0	CMC-26.9-38.1
26.92	28.6	0	CMC-26.9-28.6
26.94	25.0	0	CMR-26.9-25
27.00	28.6	0	CMC-27-28.6
27.00	34.9	0	CMC-27-34.9
27.01	19.0	0	CMR-27-19
27.10	44.5	0	CMA-27.1-44.5
27.10	44.5	0	CMC-27.1-44.5
27.22	44.5	0	CMA-27.2-44.5
27.23	25.4	0	CMC-27.2-25.4
27.23	44.5	0	CMC-27.2-44.5
27.27	25.7	0	CMR-27.3-25.7
27.28	45.0	0	CMK-27.3-45
27.31	56.5	-1	CMR-27.3-56.5-CC
27.38	38.1	0	CMC-27.4-38.1
27.39	40.0	0	CMR-27.4-40
27.40	50.8	0	CMA-27.4-50.8
27.46	44.5	0	CMC-27.5-44.5
27.50	30.0	0	CMR-27.5-30
27.56	44.5	0	CMC-27.6-44.5
27.68	26.0	0	CMR-27.7-26
27.74	30.0	0	CMR-27.7-30
27.76	44.5	0	CMC-27.8-44.5
27.82	40.0	1	CMR-27.8-40-CX
27.84	25.4	0	CMR-27.8-25.4
27.84	45.0	0	CMK-27.8-45
27.85	25.0	0	CMR-27.9-25
27.94	41.3	0	CMC-27.9-41.3
28.02	30.5	0	CMR-28-30.5
28.02	32.5	-1	CMR-28-32.5-CC
28.09	44.5	0	CMC-28.1-44.5
28.09	40.0	-1	CMR-28.1-40-CC
28.11	25.0	0	CMR-28.1-25
28.12	50.8	0	CMA-28.1-50.8
28.12	25.5	-1	CMR-28.1-25.5-CC
28.13	25.4	-1	CMR-28.1-25.4-CC
28.21	38.1	0	CMC-28.2-38.1
28.21	25.5	0	CMR-28.2-25.5
28.21	25.5	1	CMR-28.2-25.5-CX
28.21	40.5	-1	CMR-28.2-40.5-CC
28.22	44.5	0	CMC-28.2-44.5

Type Code: -1 = Concave, 1 = Convex, 0 = both Concave & Convex

Radius (mm)	Diameter (mm)	Type Code	CVI Melles Griot Part Number
28.22	12.7	-1	CMC-28.2-12.7-CC
28.28	25.0	0	CMR-28.3-25
28.31	20.0	0	CMR-28.3-20
28.31	25.5	-1	CMR-28.3-25.5-CC
28.32	44.5	0	CMC-28.3-44.5
28.34	44.5	0	CMC-28.3-44.5
28.47	38.1	0	CMC-28.5-38.1
28.48	45.0	0	CMR-28.5-45
28.48	12.7	0	CMC-28.5-12.7
28.49	19.0	1	CMR-28.5-19-CX
28.50	44.5	0	CMC-28.5-44.5
28.50	38.0	0	CMR-28.5-38
28.55	38.1	0	CMC-28.5-38.1
28.55	40.0	0	CMR-28.6-40
28.55	40.0	1	CMR-28.6-40-CX
28.55	40.3	1	CMR-28.6-40.3-CX
28.55	40.3	1	CMR-28.6-40.3-CX
28.56	28.6	-1	CMC-28.6-28.6-CC
28.60	44.5	0	CMC-28.6-44.5
28.63	31.8	0	CMC-28.6-31.8
28.65	31.5	1	CMR-28.6-31.5-CX
28.70	44.0	1	CMR-28.7-44-CX
28.70	38.1	0	CMA-28.7-38.1
28.79	25.7	0	CMR-28.8-25.7
28.79	38.1	0	CMC-28.8-38.1
28.87	50.8	0	CMC-28.9-50.8
28.90	45.0	0	CMK-28.9-45
29.01	50.8	0	CMC-29-50.8
29.05	44.5	0	CMC-29.1-44.5
29.07	44.5	0	CMC-29.1-44.5
29.16	43.0	0	CMR-29.2-43
29.20	45.0	0	CMK-29.2-45
29.25	36.0	1	CMR-29.3-36-CX
29.25	44.0	0	CMR-29.2-44
29.26	41.3	0	CMC-29.3-41.3
29.29	44.5	0	CMC-29.3-44.5
29.45	25.0	-1	CMR-29.5-25-CC
29.46	38.0	0	CMR-29.5-38
29.46	40.0	0	CMR-29.5-40
29.49	38.1	0	CMA-29.5-38.1
29.51	57.2	0	CMC-29.5-57.2
29.56	38.1	0	CMC-29.6-38.1
29.57	50.8	0	CMA-29.6-50.8
29.62	38.1	0	CMC-29.6-38.1
29.63	37.7	0	CMR-29.6-37.7
29.64	26.0	0	CMR-29.6-26
29.70	22.2	0	CMC-29.7-22.2
29.74	44.5	0	CMC-29.7-44.5
29.78	24.0	0	CMR-29.8-24
29.80	44.5	0	CMC-29.8-44.5
29.80	45.1	0	CMK-29.8-45.1
29.87	19.1	0	CMC-29.9-19.1
29.94	38.1	0	CMC-29.9-38.1
29.94	30.0	0	CMR-29.9-30
29.94	40.0	0	CMR-29.9-40
29.97	34.9	0	CMC-30-34.9
29.97	54.0	0	CMC-30-54
29.97	45.0	0	CMK-30-45
29.97	50.8	0	CMC-30-50.8
29.98	38.1	0	CMC-30-38.1
29.98	34.0	0	CMR-30-34
30.02	35.0	0	CMR-30-35
30.10	50.8	0	CMA-30.1-50.8
30.18	38.1	0	CMC-30.2-38.1
30.25	30.0	0	CMR-30.2-30
30.28	35.0	0	CMR-30.3-35
30.39	31.8	0	CMC-30.4-31.8
30.40	44.5	0	CMC-30.4-44.5

Type Code: -1 = Concave, 1 = Convex, 0 = both Concave & Convex

Radius (mm)	Diameter (mm)	Type Code	CVI Melles Griot Part Number
30.41	40.0	0	CMR-30.4-40
30.41	42.0	0	CMR-30.4-42
30.43	44.5	0	CMC-30.4-44.5
30.48	44.5	0	CMC-30.5-44.5
30.49	44.3	0	CMR-30.5-44.3
30.54	30.5	0	CMC-30.5-30.5
30.57	38.0	0	CMR-30.6-38
30.61	50.0	1	CMR-30.6-50-CX
30.62	53.4	0	CMR-30.6-53.4
30.62	45.0	0	CMC-30.6-45
30.68	38.1	0	CMC-30.7-38.1
30.69	25.4	0	CMC-30.7-25.4
30.71	1.0	-1	CMR-30.7-1-CC
30.72	32.0	-1	CMR-30.7-32-CC
30.86	50.8	0	CMC-30.9-50.8
30.90	45.0	1	CMR-30.9-45-CX
30.90	57.2	0	CMA-30.9-57.2
30.90	44.8	0	CMK-30.9-44.8
30.96	54.0	0	CMC-31-54
30.96	50.8	0	CMA-31-50.8
30.97	35.0	0	CMR-31-35
31.06	31.0	-1	CMR-31.1-31-CC
31.13	31.5	-1	CMR-31.1-31.5-CC
31.19	38.0	0	CMR-31.2-38
31.19	38.0	0	CMR-31.2-38
31.19	34.9	0	CMC-31.2-34.9
31.20	45.0	0	CMK-31.2-45
31.27	33.0	0	CMR-31.3-33
31.27	12.7	-1	CMC-31.3-12.7-CC
31.39	24.0	-1	CMR-31.4-24-CC
31.39	31.8	0	CMC-31.4-31.8
31.40	25.4	0	CMC-31.4-25.4
31.40	45.0	0	CMK-31.4-45
31.50	50.8	0	CMC-31.5-50.8
31.50	35.0	1	CMR-31.5-35-CX
31.50	37.0	0	CMR-31.5-37
31.50	38.0	0	CMR-31.5-38
31.59	38.0	-1	CMR-31.6-38-CC
31.60	50.8	0	CMA-31.6-50.8
31.60	51.5	0	CMR-31.6-51.5
31.66	15.0	1	CMR-31.7-15-CX
31.66	37.0	1	CMR-31.7-37-CX
31.66	38.0	-1	CMR-31.7-38-CC
31.67	36.4	-1	CMR-31.7-36.4-CC
31.71	31.8	0	CMR-31.7-31.8
31.72	38.1	0	CMC-31.7-38.1
31.75	35.0	0	CMR-31.8-35
31.75	38.1	0	CMC-31.8-38.1
31.75	50.8	0	CMC-31.8-50.8
31.80	38.1	0	CMA-31.8-38.1
31.82	25.0	-1	CMR-31.8-25-CC
31.82	30.0	0	CMR-31.8-30
31.83	44.5	0	CMC-31.8-44.5
31.83	54.0	0	CMR-31.8-54
31.90	45.0	0	CMK-31.9-45
32.00	41.3	0	CMR-32-41.3
32.00	53.4	0	CMR-32-53.4
32.00	43.2	0	CMA-32-43.2
32.03	38.0	0	CMR-32-38
32.03	38.1	0	CMC-32-38.1
32.08	40.3	-1	CMR-32.1-40.3-CC
32.14	25.4	0	CMC-32.1-25.4
32.16	40.2	0	CMR-32.2-40.2
32.18	53.5	0	CMR-32.2-53.5
32.18	55.0	-1	CMR-32.2-55-CC
32.19	25.4	-1	CMR-32.2-25.4-CC
32.19	55.0	0	CMR-32.2-55
32.38	42.8	0	CMR-32.4-42.8

Type Code: -1 = Concave, 1 = Convex, 0 = both Concave & Convex

Radius (mm)	Diameter (mm)	Type Code	CVI Melles Griot Part Number
32.45	50.5	0	CMR-32.5-50.5
32.49	57.2	0	CMC-32.5-57.2
32.52	44.6	0	CMK-32.5-44.6
32.52	41.3	0	CMC-32.5-41.3
32.58	24.2	-1	CMR-32.6-24.2-CC
32.59	54.6	-1	CMR-32.6-54.6-CC
32.61	45.0	0	CMR-32.6-45
32.61	38.1	0	CMA-32.6-38.1
32.63	34.9	0	CMC-32.6-34.9
32.66	47.6	0	CMC-32.7-47.6
32.69	50.8	0	CMA-32.7-50.8
32.69	57.5	0	CMK-32.7-57.5
32.72	44.5	0	CMC-32.7-44.5
32.74	34.9	0	CMC-32.7-34.9
32.76	35.0	0	CMR-32.8-35
32.77	44.5	0	CMR-32.8-44.5
32.81	35.0	0	CMR-32.8-35
32.84	30.0	0	CMR-32.8-30
32.90	20.0	0	CMR-32.9-20
32.90	38.0	0	CMR-32.9-38
32.96	50.8	0	CMC-33-50.8
32.99	50.8	0	CMC-33-50.8
32.99	47.6	-1	CMC-33-47.6-CC
32.99	50.8	0	CMC-33-50.8
33.00	50.8	0	CMA-33-50.8
33.02	44.5	0	CMC-33-44.5
33.03	38.2	1	CMR-33-38.2-CX
33.03	57.0	-1	CMR-33-57-CC
33.08	44.6	0	CMK-33.1-44.6
33.12	40.2	-1	CMR-33.1-40.2-CC
33.14	50.8	0	CMC-33.1-50.8
33.18	44.0	0	CMR-33.2-44
33.18	46.0	0	CMR-33.2-46
33.32	44.5	0	CMC-33.3-44.5
33.35	45.0	0	CMK-33.3-45
33.43	44.5	0	CMC-33.4-44.5
33.50	50.7	0	CMR-33.5-50.7
33.59	50.8	0	CMA-33.6-50.8
33.65	31.6	0	CMR-33.6-31.6
33.65	38.0	-1	CMR-33.6-38-CC
33.68	54.0	0	CMC-33.7-54
33.70	38.1	0	CMA-33.7-38.1
33.72	45.0	0	CMK-33.7-45
33.72	44.5	0	CMC-33.7-44.5
33.77	44.5	0	CMC-33.8-44.5
33.78	44.5	0	CMC-33.8-44.5
33.79	38.1	0	CMC-33.8-38.1
33.81	38.1	0	CMC-33.8-38.1
33.83	41.3	0	CMC-33.8-41.3
33.88	44.5	0	CMC-33.9-44.5
33.92	40.0	1	CMR-33.9-40-CX
33.93	31.8	0	CMC-33.9-31.8
33.93	44.5	0	CMC-33.9-44.5
33.97	40.0	1	CMR-34-40-CX
33.98	50.0	0	CMR-34-50
33.98	50.7	-1	CMR-34-50.7-CC
33.98	45.0	0	CMK-34-45
33.99	38.1	0	CMC-34-38.1
33.99	54.0	0	CMR-34-54
34.04	50.8	0	CMC-34-50.8
34.04	12.7	0	CMC-34-12.7
34.08	50.8	0	CMC-34.1-50.8
34.13	32.0	0	CMR-34.1-32
34.13	32.0	0	CMR-34.1-32
34.14	50.8	0	CMC-34.1-50.8
34.17	40.0	-1	CMR-34.2-40-CC
34.24	44.5	0	CMC-34.2-44.5
34.26	50.0	0	CMR-34.3-50

Type Code: -1 = Concave, 1 = Convex, 0 = both Concave & Convex

Radius (mm)	Diameter (mm)	Type Code	CVI Melles Griot Part Number
34.31	64.0	0	CMK-34.3-64
34.33	54.0	0	CMR-34.3-54
34.36	25.5	0	CMR-34.4-25.5
34.36	25.5	0	CMR-34.4-25.5
34.42	45.7	0	CMA-34.4-45.7
34.42	30.5	0	CMR-34.4-30.5
34.42	40.0	1	CMR-34.4-40-CX
34.44	44.5	0	CMC-34.4-44.5
34.50	41.3	0	CMC-34.5-41.3
34.55	42.0	0	CMR-34.5-42
34.55	51.0	0	CMR-34.6-51
34.67	38.1	0	CMA-34.7-38.1
34.72	34.9	0	CMC-34.7-34.9
34.77	25.4	0	CMR-34.8-25.4
34.83	55.0	-1	CMR-34.8-55-CC
34.84	55.0	-1	CMR-34.8-55-CC
34.91	40.0	0	CMR-34.9-40
34.92	45.0	0	CMK-34.9-45
34.96	53.5	0	CMR-35-53.5
34.98	50.8	0	CMC-35-50.8
34.98	57.2	0	CMC-35-57.2
34.99	22.0	1	CMR-35-22-CX
35.00	50.8	0	CMA-35-50.8
35.08	50.8	0	CMC-35.1-50.8
35.16	44.5	0	CMC-35.2-44.5
35.21	40.0	1	CMR-35.2-40-CX
35.23	44.5	0	CMC-35.2-44.5
35.25	45.0	0	CMK-35.3-45
35.33	25.0	-1	CMR-35.3-25-CC
35.35	50.8	0	CMC-35.3-50.8
35.42	30.0	0	CMR-35.4-30
35.48	19.1	0	CMC-35.5-19.1
35.56	22.2	0	CMC-35.6-22.2
35.56	50.8	0	CMC-35.6-50.8
35.59	45.0	0	CMK-35.6-45
35.61	31.8	0	CMC-35.6-31.8
35.64	50.8	0	CMC-35.6-50.8
35.65	30.0	0	CMR-35.6-30
35.71	44.5	0	CMC-35.7-44.5
35.76	40.0	1	CMR-35.8-40-CX
35.81	50.8	0	CMC-35.8-50.8
35.90	70.0	0	CMK-35.9-70
36.00	50.8	0	CMA-36-50.8
36.01	51.4	0	CMR-36-51.4
36.02	45.7	0	CMA-36-45.7
36.05	54.0	-1	CMC-36.1-54-CC
36.10	64.0	0	CMK-36.1-64
36.13	44.5	0	CMC-36.1-44.5
36.14	35.5	0	CMR-36.1-35.5
36.14	50.5	0	CMR-36.1-50.5
36.14	44.5	0	CMC-36.1-44.5
36.16	38.1	0	CMC-36.2-38.1
36.30	40.0	0	CMR-36.3-40
36.31	28.6	0	CMC-36.3-28.6
36.33	28.0	0	CMR-36.3-28
36.37	25.4	0	CMC-36.4-25.4
36.40	40.0	1	CMR-36.4-40-CX
36.40	45.0	1	CMR-36.4-45-CX
36.40	60.0	0	CMR-36.4-60
36.40	64.0	0	CMK-36.4-64
36.41	20.0	-1	CMR-36.4-20-CC
36.41	35.0	0	CMR-36.4-35
36.42	54.0	0	CMC-36.4-54
36.43	32.0	1	CMR-36.4-32-CX
36.44	56.0	0	CMR-36.4-56
36.47	58.0	0	CMR-36.5-58
36.47	54.0	0	CMC-36.5-54
36.49	40.0	0	CMR-36.5-40

Type Code: -1 = Concave, 1 = Convex, 0 = both Concave & Convex

Radius (mm)	Diameter (mm)	Type Code	CVI Melles Griot Part Number
36.52	25.5	0	CMR-36.5-25.5
36.52	51.0	0	CMR-36.5-51
36.57	41.3	0	CMC-36.6-41.3
36.68	30.5	0	CMC-36.7-30.5
36.69	44.0	0	CMR-36.7-44
36.77	54.0	1	CMR-36.8-54-CX
36.78	55.0	0	CMR-36.8-55
36.86	55.0	0	CMR-36.9-55
36.87	63.0	0	CMR-36.9-63
36.88	20.0	-1	CMR-36.9-20-CC
36.88	39.5	0	CMR-36.9-39.5
36.88	74.0	0	CMR-36.9-74
36.88	38.1	0	CMA-36.9-38.1
36.91	41.0	0	CMR-36.9-41
36.94	19.1	0	CMC-36.9-19.1
36.97	40.0	0	CMR-37-40
36.98	64.0	0	CMK-37-64
36.98	38.0	0	CMR-37-38
37.00	50.0	-1	CMR-37-50-CC
37.01	25.4	0	CMC-37-25.4
37.04	19.1	0	CMC-37-19.1
37.06	44.5	0	CMC-37.1-44.5
37.14	33.0	0	CMK-37.1-33
37.15	50.0	0	CMR-37.2-50
37.16	25.4	0	CMC-37.2-25.4
37.20	36.0	1	CMR-37.2-36-CX
37.20	54.0	0	CMR-37.2-54
37.21	39.0	0	CMR-37.2-39
37.29	50.8	0	CMC-37.3-50.8
37.42	51.0	0	CMR-37.4-51
37.44	63.5	0	CMR-37.4-63.5
37.46	42.8	0	CMR-37.5-42.8
37.47	50.8	0	CMC-37.5-50.8
37.47	71.1	0	CMC-37.5-71.1
37.47	44.0	0	CMR-37.5-44
37.47	50.0	0	CMR-37.5-50
37.50	64.0	0	CMK-37.5-64
37.52	44.5	0	CMC-37.5-44.5
37.54	60.3	0	CMC-37.5-60.3
37.56	50.0	0	CMR-37.6-50
37.59	50.0	0	CMR-37.6-50
37.59	55.0	0	CMR-37.6-55
37.59	54.0	0	CMC-37.6-54
37.73	31.0	0	CMR-37.7-31
37.74	31.0	1	CMR-37.7-31-CX
37.74	41.0	-1	CMR-37.7-41-CC
37.81	50.0	1	CMR-37.8-50-CX
37.89	54.0	0	CMR-37.9-54
37.92	44.5	0	CMC-37.9-44.5
37.92	50.8	0	CMC-37.9-50.8
37.94	30.0	0	CMR-37.9-30
37.98	38.1	0	CMC-38-38.1
38.00	50.8	0	CMA-38-50.8
38.07	20.0	-1	CMR-38.1-20-CC
38.07	44.5	0	CMC-38.1-44.5
38.10	64.0	0	CMK-38.1-64
38.12	25.4	0	CMC-38.1-25.4
38.13	25.4	0	CMC-38.1-25.4
38.13	31.8	0	CMC-38.1-31.8
38.15	47.6	-1	CMC-38.2-47.6-CC
38.15	57.2	1	CMC-38.2-57.2-CX
38.20	50.5	0	CMR-38.2-50.5
38.20	58.0	0	CMR-38.2-58
38.30	44.5	0	CMC-38.3-44.5
38.38	34.9	0	CMC-38.4-34.9
38.45	25.5	0	CMR-38.5-25.5
38.45	55.0	0	CMR-38.5-55
38.46	35.0	0	CMR-38.5-35

Type Code: -1 = Concave, 1 = Convex, 0 = both Concave & Convex

Radius (mm)	Diameter (mm)	Type Code	CVI Melles Griot Part Number
38.46	54.0	-1	CMR-38.5-54-CC
38.61	64.0	0	CMK-38.6-64
38.63	64.0	0	CMK-38.6-64
38.66	54.0	1	CMR-38.7-54-CX
38.66	56.0	-1	CMR-38.7-56-CC
38.68	51.0	0	CMR-38.7-51
38.68	64.0	1	CMR-38.7-64-CX
38.69	30.0	0	CMR-38.7-30
38.69	50.0	-1	CMR-38.7-50-CC
38.84	41.3	0	CMC-38.8-41.3
38.84	57.2	0	CMC-38.8-57.2
38.89	70.0	0	CMK-38.9-70
38.91	34.9	0	CMC-38.9-34.9
38.91	63.5	0	CMC-38.9-63.5
38.92	28.6	0	CMC-38.9-28.6
39.02	50.0	0	CMR-39-50
39.02	60.0	0	CMR-39-60
39.06	15.0	-1	CMR-39.1-15-CC
39.06	35.0	0	CMR-39.1-35
39.13	44.5	0	CMC-39.1-44.5
39.19	57.0	0	CMR-39.2-57
39.20	64.0	0	CMK-39.2-64
39.32	44.5	0	CMC-39.3-44.5
39.36	54.0	0	CMC-39.4-54
39.36	57.2	0	CMC-39.4-57.2
39.37	50.8	0	CMA-39.4-50.8
39.50	31.8	0	CMC-39.5-31.8
39.50	50.0	1	CMR-39.5-50-CX
39.52	60.3	0	CMC-39.5-60.3
39.54	52.0	0	CMR-39.5-52
39.55	63.5	0	CMC-39.5-63.5
39.63	40.0	0	CMR-39.6-40
39.64	50.8	0	CMC-39.6-50.8
39.72	38.0	0	CMR-39.7-38
39.73	50.8	0	CMA-39.7-50.8
39.74	40.0	-1	CMR-39.7-40-CC
39.74	54.0	1	CMR-39.7-54-CX
39.74	58.0	0	CMR-39.7-58
39.78	50.8	0	CMC-39.8-50.8
39.80	64.0	0	CMK-39.8-64
39.81	55.0	1	CMR-39.8-55-CX
39.85	50.0	0	CMR-39.9-50
39.88	44.5	0	CMC-39.9-44.5
39.89	25.4	0	CMR-39.9-25.4
39.89	50.0	1	CMR-39.9-50-CX
39.95	55.0	0	CMR-40-55
39.98	35.0	-1	CMR-40-35-CC
39.98	48.0	1	CMR-40-48-CX
39.98	50.0	-1	CMR-40-50-CC
39.98	50.8	0	CMC-40-50.8
40.01	25.4	0	CMC-40-25.4
40.03	19.1	1	CMC-40-19.1-CX
40.03	40.0	0	CMR-40-40
40.18	64.0	0	CMK-40.2-64
40.18	63.5	0	CMC-40.2-63.5
40.28	57.2	0	CMC-40.3-57.2
40.30	38.1	0	CMC-40.3-38.1
40.31	50.0	0	CMR-40.3-50
40.34	63.5	0	CMA-40.3-63.5
40.35	50.0	0	CMR-40.4-50
40.40	35.0	0	CMR-40.4-35
40.44	47.6	0	CMC-40.4-47.6
40.47	30.0	0	CMR-40.5-30
40.49	50.8	0	CMC-40.5-50.8
40.60	50.6	0	CMR-40.6-50.6
40.62	50.0	0	CMR-40.6-50
40.62	50.0	0	CMR-40.6-50
40.63	34.9	0	CMC-40.6-34.9

Type Code: -1 = Concave, 1 = Convex, 0 = both Concave & Convex

Radius (mm)	Diameter (mm)	Type Code	CVI Melles Griot Part Number
40.69	25.4	0	CMC-40.7-25.4
40.77	55.0	0	CMR-40.8-55
40.82	64.0	0	CMR-40.8-64
40.87	44.5	0	CMC-40.9-44.5
40.89	41.3	0	CMC-40.9-41.3
40.90	50.8	0	CMC-40.9-50.8
40.90	38.1	0	CMA-40.9-38.1
40.97	57.2	0	CMC-41-57.2
40.99	34.9	0	CMC-41-34.9
41.01	50.0	0	CMR-41-50
41.02	54.0	0	CMR-41-54
41.04	25.0	0	CMR-41-25
41.04	55.0	0	CMR-41-55
41.05	35.8	1	CMR-41-35.8-CX
41.07	50.8	0	CMC-41.1-50.8
41.10	54.0	0	CMC-41.1-54
41.12	44.5	0	CMC-41.1-44.5
41.15	25.0	0	CMR-41.2-25
41.16	63.5	0	CMC-41.2-63.5
41.18	50.0	0	CMR-41.2-50
41.18	64.0	0	CMR-41.2-64
41.21	63.6	0	CMK-41.2-63.6
41.25	63.5	0	CMA-41.2-63.5
41.25	58.0	0	CMR-41.2-58
41.31	41.3	0	CMC-41.3-41.3
41.40	44.5	0	CMC-41.4-44.5
41.45	50.8	0	CMC-41.5-50.8
41.48	54.0	0	CMC-41.5-54
41.49	50.8	0	CMC-41.5-50.8
41.50	63.9	0	CMK-41.5-63.9
41.55	34.9	0	CMC-41.6-34.9
41.56	57.2	0	CMC-41.6-57.2
41.58	19.2	-1	CMR-41.6-19.2-CC
41.58	23.5	0	CMR-41.6-23.5
41.60	51.0	0	CMR-41.6-51
41.63	44.5	0	CMC-41.6-44.5
41.66	50.8	0	CMA-41.7-50.8
41.73	31.8	0	CMC-41.7-31.8
41.75	20.0	0	CMR-41.8-20
41.76	43.0	-1	CMR-41.8-43-CC
41.86	31.8	0	CMC-41.9-31.8
41.86	60.0	-1	CMR-41.9-60-CC
41.89	50.8	0	CMA-41.9-50.8
41.91	34.9	0	CMC-41.9-34.9
42.01	54.0	0	CMC-42-54
42.09	20.0	-1	CMR-42.1-20-CC
42.09	57.2	0	CMR-42.1-57.2
42.11	35.0	0	CMR-42.1-35
42.13	63.5	0	CMA-42.1-63.5
42.15	50.8	0	CMC-42.1-50.8
42.16	33.9	1	CMR-42.2-33.9-CX
42.16	57.2	-1	CMC-42.2-57.2-CC
42.18	63.5	0	CMA-42.2-63.5
42.24	44.5	0	CMC-42.2-44.5
42.32	27.0	-1	CMR-42.3-27-CC
42.34	63.5	0	CMC-42.3-63.5
42.39	64.0	0	CMK-42.4-64
42.41	50.8	0	CMC-42.4-50.8
42.44	41.3	0	CMC-42.4-41.3
42.46	50.8	0	CMC-42.5-50.8
42.49	53.9	0	CMR-42.5-53.9
42.60	54.6	0	CMR-42.6-54.6
42.62	63.5	0	CMA-42.6-63.5
42.62	37.0	0	CMR-42.6-37
42.65	54.0	0	CMC-42.6-54
42.73	66.0	-1	CMR-42.7-66-CC
42.76	29.9	1	CMR-42.8-29.9-CX
42.76	30.0	1	CMR-42.8-30-CX

Type Code: -1 = Concave, 1 = Convex, 0 = both Concave & Convex

Radius (mm)	Diameter (mm)	Type Code	CVI Melles Griot Part Number
42.76	52.0	0	CMR-42.8-52
42.76	53.0	0	CMR-42.8-53
42.77	50.8	0	CMC-42.8-50.8
42.84	35.8	1	CMR-42.8-35.8-CX
42.84	50.0	-1	CMR-42.8-50-CC
42.84	60.3	0	CMC-42.8-60.3
42.90	44.5	0	CMC-42.9-44.5
42.95	57.8	0	CMR-42.9-57.8
42.95	63.9	0	CMR-42.9-63.9
42.98	63.5	0	CMA-43-63.5
42.99	28.0	-1	CMR-43-28-CC
42.99	53.4	0	CMR-43-53.4
42.99	59.9	0	CMR-43-59.9
43.06	30.0	-1	CMR-43.1-30-CC
43.13	44.5	0	CMC-43.1-44.5
43.15	22.2	0	CMC-43.2-22.2
43.18	34.9	0	CMC-43.2-34.9
43.20	64.0	0	CMK-43.2-64
43.20	58.0	0	CMR-43.2-58
43.21	55.0	0	CMR-43.2-55
43.23	38.1	0	CMC-43.2-38.1
43.31	50.8	0	CMC-43.3-50.8
43.41	50.8	0	CMC-43.4-50.8
43.43	55.0	0	CMR-43.4-55
43.44	50.0	-1	CMR-43.4-50-CC
43.44	54.0	0	CMR-43.4-54
43.44	63.5	0	CMC-43.4-63.5
43.46	57.2	0	CMC-43.5-57.2
43.55	54.0	0	CMC-43.5-54
43.70	63.0	1	CMR-43.7-63-CX
43.70	64.0	-1	CMR-43.7-64-CC
43.70	63.5	0	CMC-43.7-63.5
43.70	50.8	0	CMA-43.7-50.8
43.76	50.0	0	CMR-43.8-50
43.76	63.0	-1	CMR-43.8-63-CC
43.78	50.0	-1	CMR-43.8-50-CC
43.78	52.0	0	CMR-43.8-52
43.82	64.0	0	CMK-43.8-64
43.90	53.0	0	CMR-43.9-53
43.96	41.2	0	CMR-44-41.2
43.96	63.0	-1	CMR-44-63-CC
43.98	70.0	-1	CMR-44-70-CC
44.00	54.0	0	CMR-44-54
44.01	50.0	1	CMR-44-50-CX
44.09	27.0	0	CMR-44.1-27
44.12	64.0	0	CMK-44.1-64
44.12	50.8	0	CMC-44.1-50.8
44.18	34.0	0	CMR-44.2-34
44.25	31.8	0	CMC-44.2-31.8
44.31	54.0	0	CMR-44.3-54
44.32	49.0	0	CMR-44.3-49
44.32	50.8	0	CMC-44.3-50.8
44.37	50.8	0	CMC-44.4-50.8
44.43	51.5	0	CMR-44.4-51.5
44.50	57.2	-1	CMC-44.5-57.2-CC
44.50	92.1	0	CMC-44.5-92.1
44.51	45.0	0	CMR-44.5-45
44.52	38.1	0	CMC-44.5-38.1
44.61	64.0	0	CMK-44.6-64
44.63	57.2	1	CMC-44.6-57.2-CX
44.64	50.0	0	CMR-44.6-50
44.70	50.8	0	CMC-44.7-50.8
44.70	53.0	0	CMR-44.7-53
44.70	54.0	0	CMC-44.7-54
44.71	23.0	1	CMR-44.7-23-CX
44.71	56.0	-1	CMR-44.7-56-CC
44.71	64.0	1	CMR-44.7-64-CX
44.71	64.0	0	CMR-44.7-64

Type Code: -1 = Concave, 1 = Convex, 0 = both Concave & Convex

Radius (mm)	Diameter (mm)	Type Code	CVI Melles Griot Part Number
44.81	38.1	0	CMC-44.8-38.1
44.83	58.3	0	CMR-44.8-58.3
44.83	63.5	0	CMA-44.8-63.5
44.87	54.0	0	CMR-44.9-54
44.88	54.0	0	CMR-44.9-54
44.88	54.0	0	CMC-44.9-54
44.93	44.5	1	CMR-44.9-44.5-CX
44.97	44.5	0	CMC-45-44.5
45.07	25.0	0	CMR-45.1-25
45.14	16.0	1	CMR-45.1-16-CX
45.14	40.0	1	CMR-45.1-40-CX
45.17	25.4	0	CMC-45.2-25.4
45.18	57.2	0	CMC-45.2-57.2
45.22	28.6	0	CMC-45.2-28.6
45.23	53.0	0	CMR-45.2-53
45.26	38.1	0	CMC-45.3-38.1
45.33	34.9	1	CMC-45.3-34.9-CX
45.34	53.0	0	CMR-45.3-53
45.34	54.6	0	CMR-45.3-54.6
45.38	50.0	-1	CMR-45.4-50-CC
45.47	31.8	0	CMC-45.5-31.8
45.47	54.0	0	CMC-45.5-54
45.48	60.3	0	CMC-45.5-60.3
45.52	60.3	0	CMC-45.5-60.3
45.59	63.0	0	CMR-45.6-63
45.59	64.0	0	CMR-45.6-64
45.64	76.2	0	CMA-45.6-76.2
45.70	44.0	0	CMR-45.7-44
45.70	50.5	1	CMR-45.7-50.5-CX
45.72	64.0	0	CMK-45.7-64
45.72	50.8	0	CMA-45.7-50.8
45.72	54.0	0	CMC-45.7-54
45.73	50.8	0	CMC-45.7-50.8
45.86	39.0	1	CMR-45.9-39-CX
45.87	52.0	0	CMK-45.9-52
45.87	56.0	0	CMR-45.9-56
45.97	50.8	0	CMC-46-50.8
46.00	76.2	0	CMA-46-76.2
46.00	44.5	0	CMC-46-44.5
46.02	63.5	0	CMC-46-63.5
46.06	20.0	0	CMR-46.1-20
46.08	63.5	0	CMA-46.1-63.5
46.13	40.0	0	CMR-46.1-40
46.13	63.0	0	CMR-46.1-63
46.19	64.0	0	CMR-46.2-64
46.27	45.0	0	CMK-46.3-45
46.28	50.8	0	CMC-46.3-50.8
46.30	50.8	0	CMC-46.3-50.8
46.30	63.5	0	CMC-46.3-63.5
46.38	54.5	0	CMR-46.4-54.5
46.38	54.0	0	CMC-46.4-54
46.40	38.1	0	CMA-46.4-38.1
46.47	69.9	0	CMC-46.5-69.9
46.51	80.0	0	CMK-46.5-80
46.53	38.0	0	CMR-46.5-38
46.54	50.0	0	CMR-46.5-50
46.61	54.0	-1	CMC-46.6-54-CC
46.65	34.9	0	CMC-46.7-34.9
46.86	54.6	0	CMR-46.9-54.6
46.86	57.0	0	CMR-46.9-57
46.96	63.9	-1	CMR-47-63.9-CC
47.00	64.0	0	CMK-47-64
47.02	57.2	0	CMC-47-57.2
47.13	50.8	0	CMC-47.1-50.8
47.16	50.8	0	CMC-47.2-50.8
47.17	63.9	0	CMR-47.2-63.9
47.29	38.1	0	CMC-47.3-38.1
47.39	64.0	0	CMK-47.4-64

Type Code: -1 = Concave, 1 = Convex, 0 = both Concave & Convex

Radius (mm)	Diameter (mm)	Type Code	CVI Melles Griot Part Number
47.63	20.2	1	CMR-47.6-20.2-CX
47.63	56.0	0	CMR-47.6-56
47.63	64.0	0	CMR-47.6-64
47.64	25.0	0	CMR-47.6-25
47.65	38.1	0	CMC-47.7-38.1
47.78	64.0	0	CMK-47.8-64
47.81	63.0	0	CMR-47.8-63
47.83	44.5	0	CMC-47.8-44.5
47.86	63.5	0	CMA-47.9-63.5
47.88	38.1	0	CMA-47.9-38.1
47.93	54.0	0	CMC-47.9-54
47.98	76.2	0	CMA-48-76.2
47.98	38.1	-1	CMC-48-38.1-CC
47.99	50.0	0	CMR-48-50
47.99	50.6	0	CMR-48-50.6
48.08	63.5	0	CMC-48.1-63.5
48.36	44.5	0	CMC-48.4-44.5
48.38	66.7	0	CMC-48.4-66.7
48.51	45.0	0	CMR-48.5-45
48.52	63.5	0	CMC-48.5-63.5
48.52	54.0	-1	CMR-48.5-54-CC
48.52	64.0	0	CMK-48.5-64
48.53	50.7	0	CMR-48.5-50.7
48.55	63.0	0	CMR-48.6-63
48.55	64.0	0	CMR-48.6-64
48.60	50.0	-1	CMR-48.6-50-CC
48.60	53.0	0	CMR-48.6-53
48.62	55.0	1	CMR-48.6-55-CX
48.62	55.0	0	CMR-48.6-55
48.62	31.8	0	CMC-48.6-31.8
48.64	31.8	0	CMC-48.6-31.8
48.67	57.2	0	CMC-48.7-57.2
48.67	54.0	0	CMR-48.7-54
48.92	64.0	0	CMK-48.9-64
48.96	64.0	0	CMR-49-64
49.02	54.0	0	CMC-49-54
49.20	64.0	0	CMR-49.2-64
49.32	76.0	0	CMK-49.3-76
49.32	76.2	0	CMA-49.3-76.2
49.33	44.5	0	CMC-49.3-44.5
49.56	58.0	0	CMR-49.6-58
49.57	50.8	0	CMC-49.6-50.8
49.61	50.0	0	CMR-49.6-50
49.61	78.0	0	CMR-49.6-78
49.61	90.0	-1	CMR-49.6-90-CC
49.63	63.0	0	CMR-49.6-63
49.63	64.0	0	CMR-49.6-64
49.63	64.0	0	CMR-49.6-64
49.63	63.5	0	CMC-49.6-63.5
49.69	53.2	0	CMR-49.7-53.2
49.73	57.2	0	CMC-49.7-57.2
49.76	50.8	0	CMC-49.8-50.8
49.81	54.0	0	CMC-49.8-54
49.82	38.1	0	CMC-49.8-38.1
49.94	63.5	0	CMC-49.9-63.5
49.99	50.8	0	CMC-50-50.8
50.00	38.1	0	CMA-50-38.1
50.01	43.0	-1	CMR-50-43-CC
50.01	64.0	0	CMR-50-64
50.01	90.0	0	CMK-50-90
50.09	67.9	-1	CMC-50.1-67.9-CC
50.09	63.5	0	CMR-50.1-63.5
50.10	40.0	0	CMR-50.1-40
50.10	51.0	0	CMR-50.1-51
50.10	31.8	0	CMC-50.1-31.8
50.19	57.2	1	CMC-50.2-57.2-CX
50.29	50.8	0	CMC-50.3-50.8
50.31	54.0	0	CMR-50.3-54

Type Code: -1 = Concave, 1 = Convex, 0 = both Concave & Convex

Radius (mm)	Diameter (mm)	Type Code	CVI Melles Griot Part Number
50.31	58.0	0	CMR-50.3-58
50.37	60.3	0	CMC-50.4-60.3
50.38	63.5	0	CMC-50.4-63.5
50.38	44.5	0	CMC-50.4-44.5
50.50	64.7	0	CMK-50.5-64.7
50.57	64.0	0	CMR-50.6-64
50.58	38.1	0	CMC-50.6-38.1
50.60	76.2	0	CMA-50.6-76.2
50.67	63.5	0	CMC-50.7-63.5
50.67	54.0	0	CMC-50.7-54
50.68	38.1	0	CMC-50.7-38.1
50.71	63.5	0	CMC-50.7-63.5
50.77	54.0	0	CMR-50.8-54
50.77	64.0	-1	CMR-50.8-64-CC
50.80	50.8	0	CMC-50.8-50.8
50.83	57.2	0	CMC-50.8-57.2
50.88	50.8	0	CMC-50.9-50.8
50.93	22.0	-1	CMR-50.9-22-CC
50.94	44.5	0	CMC-50.9-44.5
50.96	54.0	0	CMR-51-54
51.06	50.8	0	CMC-51.1-50.8
51.10	77.0	0	CMK-51.1-77
51.11	25.0	0	CMR-51.1-25
51.11	63.0	0	CMR-51.1-63
51.15	38.1	0	CMA-51.1-38.1
51.18	57.2	0	CMC-51.2-57.2
51.21	50.0	1	CMR-51.2-50-CX
51.21	50.0	1	CMR-51.2-50-CX
51.22	63.0	-1	CMR-51.2-63-CC
51.23	64.0	0	CMR-51.2-64
51.26	57.2	0	CMC-51.3-57.2
51.29	57.2	0	CMC-51.3-57.2
51.30	54.0	0	CMC-51.3-54
51.30	57.2	0	CMC-51.3-57.2
51.32	54.0	0	CMC-51.3-54
51.33	40.0	0	CMR-51.3-40
51.33	56.0	1	CMR-51.3-56-CX
51.36	60.3	0	CMC-51.4-60.3
51.43	63.5	0	CMC-51.4-63.5
51.50	64.0	0	CMK-51.5-64
51.55	63.5	0	CMC-51.5-63.5
51.58	50.0	0	CMR-51.6-50
51.58	57.0	0	CMR-51.6-57
51.59	76.2	0	CMA-51.6-76.2
51.61	50.8	0	CMA-51.6-50.8
51.63	62.0	-1	CMR-51.6-62-CC
51.66	76.0	0	CMR-51.7-76
51.68	64.0	0	CMK-51.7-64
51.71	60.3	0	CMC-51.7-60.3
51.81	64.0	0	CMK-51.8-64
52.02	50.8	0	CMC-52-50.8
52.04	54.0	0	CMC-52-54
52.06	63.0	1	CMR-52.1-63-CX
52.07	54.7	0	CMR-52.1-54.7
52.17	63.5	0	CMC-52.2-63.5
52.20	69.9	0	CMA-52.2-69.9
52.28	50.8	0	CMC-52.3-50.8
52.31	38.1	0	CMC-52.3-38.1
52.32	57.2	0	CMC-52.3-57.2
52.33	73.0	0	CMR-52.3-73
52.36	77.0	0	CMK-52.4-77
52.38	50.0	0	CMR-52.4-50
52.39	63.0	0	CMR-52.4-63
52.39	64.0	0	CMR-52.4-64
52.39	64.0	0	CMR-52.4-64
52.56	50.0	0	CMR-52.6-50
52.57	57.2	0	CMC-52.6-57.2
52.75	63.5	0	CMC-52.8-63.5

Type Code: -1 = Concave, 1 = Convex, 0 = both Concave & Convex

Radius (mm)	Diameter (mm)	Type Code	CVI Melles Griot Part Number
52.79	51.0	0	CMR-52.8-51
52.80	25.4	-1	CMC-52.8-25.4-CC
52.85	54.5	0	CMR-52.9-54.5
52.90	60.3	0	CMC-52.9-60.3
52.93	51.0	1	CMR-52.9-51-CX
52.98	54.0	0	CMC-53-54
53.01	50.0	0	CMR-53-50
53.01	53.0	0	CMR-53-53
53.02	63.0	0	CMR-53-63
53.04	50.8	-1	CMC-53-50.8-CC
53.04	37.0	-1	CMR-53-37-CC
53.07	50.0	0	CMR-53.1-50
53.07	64.0	1	CMR-53.1-64-CX
53.09	54.0	0	CMC-53.1-54
53.09	95.3	0	CMC-53.1-95.3
53.10	60.3	-1	CMC-53.1-60.3-CC
53.15	50.0	0	CMR-53.2-50
53.16	63.0	0	CMR-53.2-63
53.19	73.0	0	CMC-53.2-73
53.28	63.5	0	CMA-53.3-63.5
53.39	50.8	0	CMC-53.4-50.8
53.55	85.9	-1	CMR-53.6-85.9-CC
53.56	63.0	0	CMR-53.6-63
53.57	50.8	0	CMC-53.6-50.8
53.61	53.0	0	CMR-53.6-53
53.70	54.0	0	CMC-53.7-54
53.76	64.0	1	CMR-53.8-64-CX
53.77	63.0	0	CMR-53.8-63
53.85	63.5	0	CMC-53.8-63.5
53.89	45.0	0	CMR-53.9-45
53.92	51.0	0	CMR-53.9-51
53.97	54.0	1	CMR-54-54-CX
53.97	63.0	0	CMR-54-63
53.98	64.0	0	CMR-54-64
54.03	63.5	0	CMC-54-63.5
54.07	63.7	0	CMR-54.1-63.7
54.12	83.0	0	CMK-54.1-83
54.15	50.8	0	CMC-54.2-50.8
54.16	76.2	0	CMA-54.2-76.2
54.17	53.4	0	CMR-54.2-53.4
54.18	44.5	0	CMC-54.2-44.5
54.19	50.0	0	CMR-54.2-50
54.19	54.8	1	CMR-54.2-54.8-CX
54.27	63.5	0	CMC-54.3-63.5
54.29	63.5	0	CMC-54.3-63.5
54.33	63.5	0	CMC-54.3-63.5
54.36	58.0	0	CMR-54.4-58
54.37	27.0	1	CMR-54.4-27-CX
54.38	27.0	0	CMR-54.4-27
54.41	50.0	0	CMR-54.4-50
54.48	63.5	0	CMC-54.5-63.5
54.49	57.5	1	CMR-54.5-57.5-CX
54.54	25.0	-1	CMR-54.5-25-CC
54.55	50.0	0	CMR-54.5-50
54.56	57.2	0	CMC-54.6-57.2
54.59	44.8	0	CMR-54.6-44.8
54.59	57.2	0	CMC-54.6-57.2
54.61	50.8	0	CMC-54.6-50.8
54.63	53.0	-1	CMR-54.6-53-CC
54.66	54.0	0	CMC-54.7-54
54.67	53.4	0	CMR-54.7-53.4
54.69	64.0	-1	CMR-54.7-64-CC
54.70	57.2	0	CMC-54.7-57.2
54.70	25.5	0	CMR-54.7-25.5
54.74	63.9	0	CMR-54.7-63.9
54.74	57.2	0	CMC-54.7-57.2
54.75	44.5	0	CMA-54.7-44.5
54.75	50.8	1	CMC-54.8-50.8-CX

Type Code: -1 = Concave, 1 = Convex, 0 = both Concave & Convex

Radius (mm)	Diameter (mm)	Type Code	CVI Melles Griot Part Number
54.78	64.0	-1	CMR-54.8-64-CC
54.79	52.0	0	CMR-54.8-52
54.79	63.7	-1	CMR-54.8-63.7-CC
54.85	40.0	0	CMR-54.9-40
54.85	54.7	1	CMR-54.9-54.7-CX
54.85	63.5	0	CMC-54.9-63.5
54.94	76.2	0	CMC-54.9-76.2
55.03	50.0	0	CMR-55-50
55.04	54.0	0	CMC-55-54
55.04	57.2	0	CMC-55-57.2
55.10	77.0	0	CMK-55.1-77
55.21	76.2	0	CMC-55.2-76.2
55.40	82.6	0	CMC-55.4-82.6
55.46	44.0	0	CMR-55.5-44
55.48	45.0	0	CMR-55.5-45
55.59	38.1	0	CMC-55.6-38.1
55.60	63.5	0	CMC-55.6-63.5
55.65	50.8	0	CMC-55.7-50.8
55.73	63.5	0	CMC-55.7-63.5
55.84	61.0	0	CMR-55.8-61
55.88	50.8	0	CMC-55.9-50.8
55.95	63.5	0	CMC-55.9-63.5
56.06	40.0	0	CMR-56.1-40
56.11	77.0	0	CMK-56.1-77
56.13	63.5	0	CMC-56.1-63.5
56.14	32.5	1	CMR-56.1-32.5-CX
56.14	76.0	0	CMR-56.1-76
56.18	63.5	0	CMC-56.2-63.5
56.22	63.5	0	CMC-56.2-63.5
56.23	77.0	0	CMK-56.2-77
56.24	57.2	0	CMC-56.2-57.2
56.27	60.0	0	CMR-56.3-60
56.27	63.0	0	CMR-56.3-63
56.27	64.0	0	CMR-56.3-64
56.30	64.0	0	CMR-56.3-64
56.31	81.3	0	CMA-56.3-81.3
56.38	31.8	0	CMC-56.4-31.8
56.39	69.9	1	CMC-56.4-69.9-CX
56.41	44.0	0	CMR-56.4-44
56.52	40.0	1	CMR-56.5-40-CX
56.52	40.0	-1	CMR-56.5-40-CC
56.62	57.2	0	CMC-56.6-57.2
56.62	44.5	0	CMC-56.6-44.5
56.64	57.2	0	CMC-56.6-57.2
56.64	50.8	0	CMC-56.6-50.8
56.64	76.2	0	CMC-56.6-76.2
56.69	50.8	0	CMC-56.7-50.8
56.82	77.0	0	CMK-56.8-77
56.83	50.0	0	CMR-56.8-50
56.83	64.0	0	CMR-56.8-64
56.84	25.0	-1	CMR-56.8-25-CC
56.95	63.5	0	CMC-56.9-63.5
57.00	80.0	0	CMK-57-80
57.04	63.5	0	CMC-57-63.5
57.10	63.0	1	CMR-57.1-63-CX
57.11	64.0	0	CMR-57.1-64
57.11	64.0	0	CMR-57.1-64
57.13	63.5	0	CMC-57.1-63.5
57.18	44.5	0	CMC-57.2-44.5
57.18	50.8	0	CMC-57.2-50.8
57.19	65.0	0	CMR-57.2-65
57.33	20.0	-1	CMR-57.3-20-CC
57.34	55.0	0	CMR-57.3-55
57.34	63.0	1	CMR-57.3-63-CX
57.34	63.0	0	CMR-57.3-63
57.34	63.0	1	CMR-57.3-63-CX
57.34	63.0	1	CMR-57.3-63-CX
57.39	76.2	0	CMC-57.4-76.2

Type Code: -1 = Concave, 1 = Convex, 0 = both Concave & Convex

Radius (mm)	Diameter (mm)	Type Code	CVI Melles Griot Part Number
57.44	54.0	0	CMC-57.4-54
57.48	63.5	0	CMC-57.5-63.5
57.54	50.0	0	CMR-57.5-50
57.55	60.0	0	CMR-57.6-60
57.56	38.1	0	CMA-57.6-38.1
57.57	60.0	0	CMR-57.6-60
57.76	54.0	0	CMR-57.8-54
57.81	57.2	0	CMC-57.8-57.2
57.82	51.0	1	CMR-57.8-51-CX
57.82	55.0	0	CMR-57.8-55
57.82	74.0	-1	CMR-57.8-74-CC
57.91	54.0	0	CMC-57.9-54
57.94	54.9	0	CMR-57.9-54.9
57.96	63.5	0	CMC-58-63.5
58.10	50.8	0	CMC-58.1-50.8
58.12	50.8	0	CMC-58.1-50.8
58.12	50.0	-1	CMR-58.1-50-CC
58.12	63.0	0	CMR-58.1-63
58.14	63.5	0	CMC-58.1-63.5
58.19	63.5	0	CMA-58.2-63.5
58.21	64.0	0	CMK-58.2-64
58.22	84.0	1	CMR-58.2-84-CX
58.40	25.6	0	CMR-58.4-25.6
58.40	63.8	0	CMR-58.4-63.8
58.51	50.8	0	CMC-58.5-50.8
58.57	76.0	0	CMC-58.6-76
58.60	54.0	0	CMC-58.6-54
58.62	41.3	-1	CMC-58.6-41.3-CC
58.73	55.0	0	CMR-58.7-55
58.78	50.6	0	CMR-58.8-50.6
58.79	50.8	0	CMC-58.8-50.8
58.90	34.9	0	CMC-58.9-34.9
58.90	38.1	0	CMC-58.9-38.1
58.90	41.3	0	CMC-58.9-41.3
58.91	50.4	-1	CMR-58.9-50.4-CC
58.93	68.0	-1	CMR-58.9-68-CC
59.15	50.8	0	CMC-59.2-50.8
59.18	60.3	0	CMC-59.2-60.3
59.20	55.0	1	CMR-59.2-55-CX
59.24	63.6	0	CMR-59.2-63.6
59.26	76.2	0	CMA-59.3-76.2
59.26	44.5	0	CMC-59.3-44.5
59.26	57.2	0	CMC-59.3-57.2
59.28	64.0	1	CMR-59.3-64-CX
59.28	67.0	0	CMR-59.3-67
59.28	67.0	1	CMR-59.3-67-CX
59.28	60.3	0	CMC-59.3-60.3
59.31	38.1	1	CMC-59.3-38.1-CX
59.31	50.8	0	CMC-59.3-50.8
59.31	63.0	0	CMR-59.3-63
59.31	63.5	0	CMC-59.3-63.5
59.58	63.9	0	CMR-59.6-63.9
59.64	60.3	0	CMC-59.6-60.3
59.64	101.6	0	CMC-59.6-101.6
59.71	63.5	0	CMC-59.7-63.5
59.72	22.2	0	CMC-59.7-22.2
59.72	54.0	0	CMC-59.7-54
59.74	63.5	0	CMC-59.7-63.5
59.78	57.6	0	CMR-59.8-57.6
59.80	75.0	0	CMR-59.8-75
59.82	39.8	0	CMR-59.8-39.8
59.86	54.4	0	CMR-59.9-54.4
59.86	55.6	-1	CMR-59.9-55.6-CC
59.87	69.9	0	CMC-59.9-69.9
59.87	55.5	-1	CMR-59.9-55.5-CC
59.89	50.8	0	CMC-59.9-50.8
59.99	32.0	1	CMR-60-32-CX
59.99	77.1	1	CMR-60-77.1-CX

Type Code: -1 = Concave, 1 = Convex, 0 = both Concave & Convex

Radius (mm)	Diameter (mm)	Type Code	CVI Melles Griot Part Number
60.00	63.9	0	CMR-60-63.9
60.04	80.0	0	CMK-60-80
60.07	57.2	0	CMC-60.1-57.2
60.16	51.0	0	CMR-60.2-51
60.19	64.0	0	CMR-60.2-64
60.26	63.5	0	CMA-60.3-63.5
60.28	19.2	1	CMR-60.3-19.2-CX
60.31	47.6	-1	CMC-60.3-47.6-CC
60.33	80.0	0	CMK-60.3-80
60.40	60.3	0	CMC-60.4-60.3
60.43	57.2	0	CMC-60.4-57.2
60.44	54.4	0	CMR-60.4-54.4
60.52	54.4	0	CMR-60.5-54.4
60.55	73.9	-1	CMR-60.5-73.9-CC
60.55	77.0	0	CMR-60.6-77
60.55	76.2	-1	CMA-60.6-76.2-CC
60.57	37.9	0	CMR-60.6-37.9
60.61	76.2	0	CMA-60.6-76.2
60.63	50.8	0	CMC-60.6-50.8
60.73	40.0	0	CMR-60.7-40
60.73	64.9	0	CMR-60.7-64.9
60.75	63.5	0	CMR-60.8-63.5
60.76	50.8	0	CMC-60.8-50.8
60.79	54.0	0	CMR-60.8-54
60.80	76.2	0	CMA-60.8-76.2
60.83	83.0	0	CMK-60.8-83
60.83	63.5	0	CMC-60.8-63.5
60.90	63.5	0	CMR-60.9-63.5
60.96	53.8	1	CMR-61-53.8-CX
61.02	52.0	0	CMR-61-52
61.03	76.6	1	CMR-61-76.6-CX
61.04	54.8	0	CMR-61-54.8
61.04	76.5	0	CMR-61-76.5
61.05	77.0	0	CMK-61.1-77
61.14	53.9	0	CMR-61.1-53.9
61.19	60.0	0	CMR-61.2-60
61.23	63.7	0	CMR-61.2-63.7
61.23	64.2	1	CMR-61.2-64.2-CX
61.43	76.2	0	CMC-61.4-76.2
61.46	25.4	0	CMR-61.5-25.4
61.46	54.3	0	CMR-61.5-54.3
61.52	86.4	0	CMA-61.5-86.4
61.52	43.0	-1	CMR-61.5-43-CC
61.54	76.2	0	CMC-61.5-76.2
61.65	66.0	-1	CMR-61.6-66-CC
61.66	63.5	0	CMC-61.7-63.5
61.68	45.0	0	CMK-61.7-45
61.70	50.8	0	CMA-61.7-50.8
61.81	77.0	0	CMK-61.8-77
61.97	63.5	0	CMC-62-63.5
62.00	37.9	0	CMR-62-37.9
62.00	55.0	0	CMR-62-55
62.01	80.0	0	CMK-62-80
62.01	55.0	0	CMR-62-55
62.01	64.0	1	CMR-62-64-CX
62.03	28.1	-1	CMR-62-28.1-CC
62.05	54.0	0	CMR-62.1-54
62.06	44.0	-1	CMR-62.1-44-CC
62.08	50.8	0	CMC-62.1-50.8
62.10	50.8	0	CMC-62.1-50.8
62.10	50.8	1	CMC-62.1-50.8-CX
62.30	54.7	0	CMR-62.3-54.7
62.33	54.5	0	CMR-62.3-54.5
62.38	76.2	0	CMA-62.4-76.2
62.41	63.5	0	CMC-62.4-63.5
62.47	58.5	1	CMR-62.5-58.5-CX
62.48	54.9	-1	CMR-62.5-54.9-CC
62.49	15.3	1	CMR-62.5-15.3-CX

Type Code: -1 = Concave, 1 = Convex, 0 = both Concave & Convex

Radius (mm)	Diameter (mm)	Type Code	CVI Melles Griot Part Number
62.49	25.2	0	CMR-62.5-25.2
62.71	51.3	0	CMR-62.7-51.3
62.71	22.2	0	CMC-62.7-22.2
62.73	77.0	0	CMK-62.7-77
62.79	69.9	0	CMC-62.8-69.9
62.82	55.0	0	CMR-62.8-55
62.82	102.2	0	CMR-62.8-102.2
62.88	45.0	0	CMR-62.9-45
62.97	63.5	0	CMC-63-63.5
63.02	23.0	1	CMR-63-23-CX
63.03	64.0	0	CMR-63-64
63.09	57.2	0	CMC-63.1-57.2
63.22	54.0	0	CMC-63.2-54
63.28	66.0	-1	CMR-63.3-66-CC
63.30	50.8	0	CMC-63.3-50.8
63.40	22.2	0	CMC-63.4-22.2
63.44	63.5	0	CMC-63.4-63.5
63.49	44.5	0	CMC-63.5-44.5
63.50	50.8	0	CMC-63.5-50.8
63.51	63.5	0	CMC-63.5-63.5
63.52	104.8	0	CMC-63.5-104.8
63.54	50.8	0	CMC-63.5-50.8
63.55	63.5	0	CMC-63.6-63.5
63.56	50.8	0	CMC-63.6-50.8
63.58	63.5	0	CMC-63.6-63.5
63.68	88.9	0	CMA-63.7-88.9
63.68	83.0	0	CMK-63.7-83
63.78	54.0	0	CMR-63.8-54
63.80	18.9	0	CMR-63.8-18.9
63.80	52.0	0	CMR-63.8-52
63.90	63.5	0	CMR-63.9-63.5
63.91	51.0	0	CMR-63.9-51
63.99	32.1	-1	CMR-64-32.1-CC
64.03	114.3	0	CMC-64-114.3
64.04	63.5	0	CMC-64-63.5
64.26	63.5	0	CMC-64.3-63.5
64.42	83.0	0	CMK-64.4-83
64.47	57.2	0	CMC-64.5-57.2
64.53	54.0	1	CMR-64.5-54-CX
64.64	63.6	0	CMR-64.6-63.6
64.71	57.2	0	CMC-64.7-57.2
64.72	63.5	0	CMC-64.7-63.5
64.74	40.2	0	CMR-64.7-40.2
64.74	31.8	0	CMC-64.7-31.8
64.75	54.5	-1	CMR-64.8-54.5-CC
64.75	50.8	0	CMC-64.8-50.8
64.83	54.9	0	CMR-64.8-54.9
64.83	67.3	1	CMR-64.8-67.3-CX
64.83	76.4	1	CMR-64.8-76.4-CX
64.85	63.5	0	CMC-64.8-63.5
64.90	48.6	0	CMR-64.9-48.6
64.94	57.6	0	CMR-64.9-57.6
64.97	74.3	0	CMR-65-74.3
64.97	83.2	-1	CMR-65-83.2-CC
65.00	63.5	0	CMC-65-63.5
65.00	63.6	0	CMR-65-63.6
65.02	63.8	1	CMR-65-63.8-CX
65.03	25.0	-1	CMR-65-25-CC
65.04	25.5	1	CMR-65-25.5-CX
65.11	76.2	0	CMA-65.1-76.2
65.33	54.0	0	CMR-65.3-54
65.40	76.2	0	CMA-65.4-76.2
65.44	83.0	0	CMK-65.4-83
65.49	63.8	0	CMR-65.5-63.8
65.54	54.5	0	CMR-65.5-54.5
65.65	63.5	-1	CMA-65.7-63.5-CC
65.66	69.9	0	CMC-65.7-69.9
65.67	57.2	0	CMC-65.7-57.2

Type Code: -1 = Concave, 1 = Convex, 0 = both Concave & Convex

Radius (mm)	Diameter (mm)	Type Code	CVI Melles Griot Part Number
65.67	66.7	0	CMC-65.7-66.7
65.71	76.2	0	CMC-65.7-76.2
65.79	60.3	0	CMC-65.8-60.3
65.79	63.5	0	CMC-65.8-63.5
65.87	76.2	-1	CMR-65.9-76.2-CC
65.88	76.3	0	CMR-65.9-76.3
65.89	76.7	1	CMR-65.9-76.7-CX
65.96	53.9	0	CMR-66-53.9
65.96	57.7	0	CMR-66-57.7
65.99	63.8	0	CMR-66-63.8
66.00	63.5	0	CMC-66-63.5
66.02	60.6	0	CMR-66-60.6
66.02	76.5	-1	CMR-66-76.5-CC
66.04	63.5	0	CMC-66-63.5
66.07	63.5	0	CMC-66.1-63.5
66.10	54.1	-1	CMR-66.1-54.1-CC
66.29	34.9	0	CMC-66.3-34.9
66.29	63.5	0	CMC-66.3-63.5
66.36	45.0	0	CMR-66.4-45
66.49	55.0	0	CMR-66.5-55
66.55	63.5	0	CMC-66.5-63.5
66.57	54.7	0	CMR-66.6-54.7
66.62	63.5	0	CMC-66.6-63.5
66.64	50.9	0	CMR-66.6-50.9
66.65	32.0	0	CMR-66.6-32
66.68	54.0	0	CMC-66.7-54
66.75	25.4	0	CMR-66.8-25.4
66.75	50.7	0	CMR-66.7-50.7
66.83	76.3	0	CMR-66.8-76.3
66.83	76.3	0	CMR-66.8-76.3
66.88	54.5	1	CMR-66.9-54.5-CX
66.88	56.2	-1	CMR-66.9-56.2-CC
66.90	54.0	0	CMC-66.9-54
67.01	77.0	0	CMK-67-77
67.09	55.9	-1	CMR-67.1-55.9-CC
67.10	54.7	0	CMR-67.1-54.7
67.10	55.6	-1	CMR-67.1-55.6-CC
67.16	64.1	0	CMR-67.2-64.1
67.21	44.5	0	CMC-67.2-44.5
67.21	63.5	0	CMC-67.2-63.5
67.43	57.7	0	CMR-67.4-57.7
67.45	54.8	0	CMR-67.4-54.8
67.45	55.8	-1	CMR-67.4-55.8-CC
67.45	55.9	-1	CMR-67.5-55.9-CC
67.48	55.0	1	CMR-67.5-55-CX
67.59	34.1	0	CMR-67.6-34.1
67.63	54.5	0	CMR-67.6-54.5
67.74	54.7	0	CMR-67.7-54.7
67.82	54.0	0	CMC-67.8-54
67.83	54.5	0	CMR-67.8-54.5
67.92	77.0	0	CMK-67.9-77
67.97	48.0	0	CMK-68-48
68.00	50.8	0	CMC-68-50.8
68.09	21.3	-1	CMR-68.1-21.3-CC
68.09	63.9	0	CMR-68.1-63.9
68.24	76.5	0	CMR-68.2-76.5
68.32	42.1	1	CMR-68.3-42.1-CX
68.32	33.0	0	CMK-68.3-33
68.40	76.2	0	CMA-68.4-76.2
68.42	25.5	0	CMR-68.4-25.5
68.42	76.5	1	CMR-68.4-76.5-CX
68.43	57.8	-1	CMR-68.4-57.8-CC
68.43	76.3	0	CMR-68.4-76.3
68.50	63.9	0	CMR-68.5-63.9
68.51	54.6	0	CMR-68.5-54.6
68.53	92.1	0	CMC-68.5-92.1
68.53	53.5	-1	CMR-68.5-53.5-CC
68.57	53.9	0	CMR-68.6-53.9

Type Code: -1 = Concave, 1 = Convex, 0 = both Concave & Convex

Radius (mm)	Diameter (mm)	Type Code	CVI Melles Griot Part Number
68.65	74.4	-1	CMR-68.7-74.4-CC
68.76	54.0	0	CMR-68.8-54
68.80	52.0	0	CMK-68.8-52
68.88	63.5	0	CMC-68.9-63.5
68.91	83.0	0	CMK-68.9-83
69.00	53.6	0	CMR-69-53.6
69.18	50.0	0	CMR-69.2-50
69.21	76.6	0	CMR-69.2-76.6
69.23	54.9	0	CMR-69.2-54.9
69.24	63.5	0	CMC-69.2-63.5
69.25	54.0	0	CMR-69.3-54
69.27	63.5	0	CMC-69.3-63.5
69.29	44.5	0	CMC-69.3-44.5
69.29	63.5	0	CMC-69.3-63.5
69.31	64.1	1	CMR-69.3-64.1-CX
69.31	76.2	0	CMA-69.3-76.2
69.40	83.0	0	CMK-69.4-83
69.43	63.0	0	CMR-69.4-63
69.51	83.0	0	CMK-69.5-83
69.56	54.5	0	CMR-69.6-54.5
69.57	25.5	0	CMR-69.6-25.5
69.90	54.0	0	CMC-69.9-54
69.95	55.0	0	CMR-69.9-55
69.96	25.5	0	CMR-70-25.5
69.96	64.2	0	CMR-70-64.2
70.02	57.3	0	CMR-70.5-57.3
70.03	63.5	0	CMC-70-63.5
70.28	54.0	0	CMC-70.3-54
70.33	64.0	0	CMR-70.3-64
70.33	63.5	0	CMC-70.3-63.5
70.44	57.2	0	CMR-70.4-57.2
70.47	20.0	0	CMR-70.5-20
70.49	88.9	0	CMC-70.5-88.9
70.60	83.0	0	CMK-70.6-83
70.69	50.8	0	CMC-70.7-50.8
70.70	38.1	0	CMC-70.7-38.1
70.72	12.7	0	CMC-70.7-12.7
70.76	82.6	0	CMC-70.8-82.6
70.86	63.5	0	CMC-70.9-63.5
70.88	50.0	0	CMR-70.9-50
70.88	75.0	-1	CMR-70.9-75-CC
70.99	50.8	0	CMC-71-50.8
71.12	57.2	0	CMC-71.1-57.2
71.17	74.3	0	CMR-71.2-74.3
71.17	82.0	1	CMR-71.2-82-CX
71.18	65.4	1	CMR-71.2-65.4-CX
71.27	57.2	0	CMC-71.3-57.2
71.29	36.0	0	CMR-71.3-36
71.32	63.9	0	CMR-71.3-63.9
71.34	57.2	-1	CMC-71.3-57.2-CC
71.42	63.5	0	CMC-71.4-63.5
71.50	63.5	0	CMC-71.5-63.5
71.51	50.8	0	CMC-71.5-50.8
71.63	83.0	0	CMK-71.6-83
71.71	63.9	0	CMR-71.7-63.9
71.74	57.2	0	CMC-71.7-57.2
71.75	83.0	0	CMK-71.8-83
72.03	50.8	0	CMC-72-50.8
72.09	76.2	-1	CMC-72.1-76.2-CC
72.15	53.9	0	CMR-72.2-53.9
72.15	63.0	0	CMR-72.2-63
72.15	80.1	1	CMR-72.1-80.1-CX
72.16	76.2	0	CMA-72.2-76.2
72.16	57.2	0	CMC-72.2-57.2
72.17	76.4	0	CMK-72.2-76.4
72.34	63.5	0	CMC-72.3-63.5
72.52	45.9	0	CMR-72.5-45.9
72.62	66.7	0	CMC-72.6-66.7

Type Code: -1 = Concave, 1 = Convex, 0 = both Concave & Convex

Radius (mm)	Diameter (mm)	Type Code	CVI Melles Griot Part Number
72.63	54.5	0	CMR-72.6-54.5
72.63	76.3	0	CMR-72.6-76.3
72.63	76.3	-1	CMR-72.6-76.3-CC
72.75	54.0	0	CMC-72.7-54
72.95	63.5	0	CMC-72.9-63.5
72.99	64.0	0	CMR-73-64
73.03	101.6	0	CMC-73-101.6
73.05	63.5	0	CMC-73-63.5
73.05	73.0	0	CMC-73.1-73
73.09	54.8	0	CMR-73.1-54.8
73.23	50.0	0	CMR-73.2-50
73.24	51.0	1	CMR-73.2-51-CX
73.24	51.5	0	CMR-73.2-51.5
73.46	50.8	0	CMR-73.5-50.8
73.66	77.0	0	CMK-73.7-77
73.86	63.9	0	CMR-73.9-63.9
73.86	64.0	1	CMR-73.9-64-CX
73.89	69.9	0	CMC-73.9-69.9
73.95	49.8	0	CMR-73.9-49.8
74.04	54.0	0	CMC-74-54
74.06	76.2	0	CMC-74.1-76.2
74.12	53.9	0	CMR-74.1-53.9
74.29	57.2	0	CMC-74.3-57.2
74.36	82.6	0	CMC-74.4-82.6
74.37	79.0	0	CMR-74.4-79
74.50	88.9	0	CMA-74.5-88.9
74.53	64.0	1	CMR-74.5-64-CX
74.54	0.0	-1	CMR-74.5-0-CC
74.68	76.2	0	CMC-74.7-76.2
74.69	25.4	0	CMC-74.7-25.4
74.74	25.4	0	CMC-74.7-25.4
74.75	104.0	0	CMR-74.8-104
74.78	63.5	-1	CMC-74.8-63.5-CC
74.84	25.4	0	CMC-74.8-25.4
74.97	57.0	0	CMR-75-57
74.97	61.0	0	CMR-75-61
74.97	75.0	-1	CMR-75-75-CC
75.00	83.0	0	CMK-75-83
75.03	82.6	0	CMC-75-82.6
75.04	76.2	0	CMC-75-76.2
75.08	76.2	0	CMA-75.1-76.2
75.28	57.3	0	CMR-75.3-57.3
75.29	76.7	-1	CMR-75.3-76.7-CC
75.36	50.8	0	CMC-75.4-50.8
75.39	79.4	0	CMC-75.4-79.4
75.47	25.4	0	CMC-75.5-25.4
75.54	63.5	0	CMC-75.5-63.5
75.54	50.6	0	CMR-75.5-50.6
75.63	63.8	0	CMR-75.6-63.8
75.67	64.9	0	CMR-75.7-64.9
75.87	57.2	0	CMC-75.9-57.2
76.00	83.0	0	CMK-76-83
76.01	59.4	1	CMR-76-59.4-CX
76.07	38.1	0	CMC-76.1-38.1
76.12	57.2	0	CMC-76.1-57.2
76.15	31.8	0	CMC-76.1-31.8
76.18	63.8	0	CMR-76.2-63.8
76.26	53.9	-1	CMR-76.3-53.9-CC
76.28	101.6	0	CMA-76.3-101.6
76.28	93.0	0	CMK-76.3-93
76.32	52.4	0	CMR-76.3-52.4
76.32	73.3	0	CMR-76.3-73.3
76.32	76.5	0	CMR-76.3-76.5
76.35	40.2	0	CMR-76.4-40.2
76.36	76.7	0	CMR-76.4-76.7
76.39	69.8	0	CMR-76.4-69.8
76.50	83.0	0	CMK-76.5-83
76.52	54.2	0	CMR-76.5-54.2

Type Code: -1 = Concave, 1 = Convex, 0 = both Concave & Convex

Radius (mm)	Diameter (mm)	Type Code	CVI Melles Griot Part Number
76.67	68.0	-1	CMR-76.7-68-CC
76.84	76.2	0	CMR-76.8-76.2
76.86	50.8	0	CMC-76.9-50.8
76.96	76.2	0	CMC-77-76.2
76.97	76.3	0	CMR-77-76.3
77.22	63.5	0	CMC-77.2-63.5
77.23	90.0	0	CMK-77.2-90
77.29	57.2	0	CMC-77.3-57.2
77.32	90.0	0	CMK-77.3-90
77.35	53.9	0	CMR-77.4-53.9
77.46	23.0	1	CMR-77.5-23-CX
77.47	38.1	0	CMC-77.5-38.1
77.50	60.8	1	CMR-77.5-60.8-CX
77.50	63.9	-1	CMR-77.5-63.9-CC
77.55	76.2	0	CMC-77.5-76.2
77.85	50.8	0	CMR-77.9-50.8
77.87	52.9	0	CMR-77.9-52.9
78.17	90.0	0	CMK-78.2-90
78.45	57.2	1	CMC-78.5-57.2-CX
78.47	57.4	0	CMR-78.5-57.4
78.49	50.0	0	CMR-78.5-50
78.49	82.6	0	CMC-78.5-82.6
78.50	90.0	0	CMK-78.5-90
78.59	50.8	0	CMC-78.6-50.8
78.62	55.4	1	CMR-78.6-55.4-CX
78.63	63.6	1	CMR-78.6-63.6-CX
78.77	90.0	0	CMK-78.8-90
78.78	63.0	0	CMR-78.8-63
78.79	54.5	0	CMR-78.8-54.5
78.85	76.3	0	CMR-78.9-76.3
78.93	50.6	0	CMR-78.9-50.6
78.93	63.8	0	CMR-78.9-63.8
78.93	63.9	1	CMR-78.9-63.9-CX
78.93	60.3	0	CMC-78.9-60.3
78.98	76.2	0	CMC-79-76.2
79.06	53.9	0	CMR-79.1-53.9
79.07	38.1	0	CMC-79.1-38.1
79.24	54.8	0	CMR-79.2-54.8
79.28	76.2	0	CMA-79.3-76.2
79.38	25.4	-1	CMC-79.4-25.4-CC
79.38	57.2	0	CMC-79.4-57.2
79.38	76.2	0	CMC-79.4-76.2
79.39	76.2	0	CMC-79.4-76.2
79.39	63.8	0	CMR-79.4-63.8
79.39	101.6	0	CMR-79.4-101.6
79.66	65.6	0	CMR-79.7-65.6
79.74	70.0	0	CMR-79.7-70
79.78	38.1	0	CMC-79.8-38.1
79.78	82.6	0	CMC-79.8-82.6
79.84	93.3	0	CMK-79.8-93.3
79.86	53.9	0	CMR-79.9-53.9
79.87	63.9	-1	CMR-79.9-63.9-CC
79.91	49.0	0	CMR-79.9-49
80.00	82.6	0	CMA-80-82.6
80.03	88.9	0	CMA-80-88.9
80.03	88.9	0	CMA-80-88.9
80.16	47.6	0	CMC-80.2-47.6
80.30	63.9	0	CMR-80.3-63.9
80.43	83.3	0	CMK-80.4-83.3
80.48	82.6	0	CMC-80.5-82.6
80.53	63.8	0	CMR-80.5-63.8
80.54	76.6	0	CMR-80.5-76.6
80.79	83.3	0	CMK-80.8-83.3
80.86	101.6	0	CMA-80.9-101.6
80.92	50.8	0	CMC-80.9-50.8
80.93	50.0	0	CMR-80.9-50
81.10	50.8	0	CMC-81.1-50.8
81.15	63.0	0	CMR-81.2-63

Type Code: -1 = Concave, 1 = Convex, 0 = both Concave & Convex

Radius (mm)	Diameter (mm)	Type Code	CVI Melles Griot Part Number
81.18	88.9	0	CMA-81.2-88.9
81.18	38.1	0	CMA-81.2-38.1
81.30	83.5	0	CMK-81.3-83.5
81.48	50.8	0	CMC-81.5-50.8
81.52	64.0	0	CMR-81.5-64
81.57	63.4	0	CMR-81.6-63.4
81.60	50.6	1	CMR-81.6-50.6-CX
81.60	54.3	-1	CMR-81.6-54.3-CC
81.60	64.0	0	CMR-81.6-64
81.60	76.9	1	CMR-81.6-76.9-CX
81.64	69.9	0	CMC-81.6-69.9
81.77	104.0	0	CMR-81.8-104
81.79	39.9	0	CMR-81.8-39.9
81.85	42.0	0	CMR-81.9-42
81.89	76.2	0	CMC-81.9-76.2
81.92	54.2	-1	CMR-81.9-54.2-CC
81.94	52.9	0	CMR-81.9-52.9
82.19	46.0	0	CMR-82.2-46
82.26	54.3	0	CMR-82.3-54.3
82.32	60.0	0	CMR-82.3-60
82.37	75.0	0	CMR-82.4-75
82.37	50.8	0	CMC-82.4-50.8
82.40	83.0	0	CMK-82.4-83
82.43	76.7	0	CMR-82.4-76.7
82.54	79.4	0	CMC-82.5-79.4
82.60	28.6	0	CMC-82.6-28.6
82.62	108.0	0	CMA-82.6-108
82.91	63.5	0	CMC-82.9-63.5
82.91	73.0	0	CMC-82.9-73
82.92	49.4	0	CMR-82.9-49.4
83.06	50.8	0	CMC-83.1-50.8
83.13	22.2	0	CMC-83.1-22.2
83.13	76.2	0	CMC-83.1-76.2
83.18	76.2	0	CMA-83.2-76.2
83.21	63.5	0	CMC-83.2-63.5
83.34	50.8	0	CMC-83.3-50.8
83.41	76.2	0	CMA-83.4-76.2
83.44	54.0	0	CMC-83.4-54
83.61	45.0	0	CMR-83.6-45
83.62	63.5	0	CMC-83.6-63.5
83.69	50.8	0	CMC-83.7-50.8
83.77	82.6	0	CMC-83.8-82.6
83.82	88.9	1	CMC-83.8-88.9-CX
83.85	101.6	0	CMA-83.8-101.6
83.87	50.8	1	CMC-83.9-50.8-CX
83.87	54.0	0	CMC-83.9-54
83.90	54.0	-1	CMC-83.9-54-CC
83.90	63.5	1	CMC-83.9-63.5-CX
83.92	82.6	0	CMC-83.9-82.6
84.02	66.7	0	CMC-84-66.7
84.04	54.7	1	CMR-84-54.7-CX
84.05	52.6	1	CMR-84-52.6-CX
84.05	54.7	0	CMR-84-54.7
84.07	57.2	0	CMC-84.1-57.2
84.11	76.2	0	CMC-84.1-76.2
84.12	133.4	0	CMC-84.1-133.4
84.16	76.2	0	CMC-84.2-76.2
84.25	69.9	0	CMC-84.3-69.9
84.28	50.8	0	CMC-84.3-50.8
84.45	50.0	0	CMR-84.5-50
84.48	77.0	0	CMK-84.5-77
84.49	101.6	0	CMA-84.5-101.6
84.63	101.6	0	CMA-84.6-101.6
84.66	79.4	0	CMC-84.7-79.4
84.79	54.7	0	CMR-84.8-54.7
84.93	31.8	0	CMR-84.9-31.8
84.93	76.7	0	CMR-84.9-76.7
85.04	60.1	0	CMR-85-60.1

Type Code: -1 = Concave, 1 = Convex, 0 = both Concave & Convex

Radius (mm)	Diameter (mm)	Type Code	CVI Melles Griot Part Number
85.06	82.6	0	CMC-85.1-82.6
85.12	50.8	0	CMC-85.1-50.8
85.20	50.7	0	CMR-85.2-50.7
85.20	63.9	0	CMR-85.2-63.9
85.20	64.0	0	CMR-85.2-64
85.23	54.5	0	CMR-85.2-54.5
85.24	25.5	0	CMR-85.2-25.5
85.25	76.6	1	CMR-85.3-76.6-CX
85.27	82.6	0	CMC-85.3-82.6
85.34	83.0	0	CMK-85.3-83
85.47	63.5	0	CMC-85.5-63.5
85.50	63.5	0	CMA-85.5-63.5
85.55	60.3	0	CMC-85.5-60.3
85.62	50.8	0	CMC-85.6-50.8
85.70	76.0	1	CMR-85.7-76-CX
85.70	76.4	0	CMR-85.7-76.4
85.79	63.7	0	CMR-85.8-63.7
85.90	60.3	0	CMC-85.9-60.3
86.15	53.8	0	CMR-86.2-53.8
86.21	82.6	0	CMC-86.2-82.6
86.33	50.8	-1	CMR-86.3-50.8-CC
86.33	55.0	0	CMR-86.3-55
86.36	50.8	0	CMC-86.4-50.8
86.63	53.8	0	CMR-86.6-53.8
86.64	63.0	0	CMR-86.6-63
86.64	64.0	0	CMR-86.6-64
86.77	44.5	0	CMC-86.8-44.5
86.85	66.7	0	CMC-86.9-66.7
86.87	82.6	0	CMC-86.9-82.6
86.97	63.5	0	CMC-87-63.5
87.40	53.9	0	CMR-87.4-53.9
87.45	57.2	0	CMC-87.5-57.2
87.52	86.3	0	CMR-87.5-86.3
87.57	50.6	0	CMR-87.6-50.6
87.57	83.0	0	CMK-87.6-83
87.68	57.2	0	CMC-87.7-57.2
87.78	76.2	0	CMC-87.8-76.2
87.85	48.0	-1	CMR-87.9-48-CC
87.89	40.0	0	CMR-87.9-40
87.90	25.5	1	CMR-87.9-25.5-CX
87.91	42.2	0	CMR-87.9-42.2
87.93	53.4	0	CMR-87.9-53.4
87.93	53.7	1	CMR-87.9-53.7-CX
88.01	82.6	0	CMC-88-82.6
88.06	83.0	0	CMK-88.1-83
88.14	82.6	0	CMC-88.1-82.6
88.17	128.0	0	CMR-88.2-128
88.23	76.0	0	CMR-88.2-76
88.33	74.8	0	CMR-88.3-74.8
88.37	47.6	0	CMC-88.4-47.6
88.57	76.2	0	CMC-88.6-76.2
88.60	55.0	0	CMR-88.6-55
88.73	50.8	0	CMA-88.7-50.8
88.80	50.8	0	CMC-88.8-50.8
88.85	82.6	0	CMC-88.8-82.6
88.87	79.4	0	CMC-88.9-79.4
88.88	39.9	0	CMR-88.9-39.9
88.90	63.5	0	CMC-88.9-63.5
88.90	82.6	0	CMC-88.9-82.6
88.90	98.4	0	CMC-88.9-98.4
88.90	133.4	0	CMC-88.9-133.4
88.93	76.2	0	CMC-88.9-76.2
88.93	133.4	0	CMC-88.9-133.4
88.95	60.3	0	CMC-89-60.3
88.98	57.2	0	CMC-89-57.2
89.06	100.0	0	CMR-89.1-100
89.11	63.3	0	CMR-89.1-63.3
89.11	75.8	0	CMR-89.1-75.8

Type Code: -1 = Concave, 1 = Convex, 0 = both Concave & Convex

Radius (mm)	Diameter (mm)	Type Code	CVI Melles Griot Part Number
89.11	76.5	0	CMR-89.1-76.5
89.11	76.9	1	CMR-89.1-76.9-CX
89.38	54.0	0	CMC-89.4-54
89.48	63.5	1	CMC-89.5-63.5-CX
89.49	76.9	0	CMR-89.5-76.9
89.53	63.5	0	CMC-89.5-63.5
89.69	73.0	0	CMC-89.7-73
89.73	50.6	0	CMR-89.7-50.6
89.97	64.0	0	CMR-90-64
89.99	44.5	0	CMC-90-44.5
90.00	55.0	0	CMR-90-55
90.22	28.6	0	CMC-90.2-28.6
90.36	75.0	0	CMR-90.4-75
90.36	83.0	0	CMR-90.4-83
90.45	57.2	0	CMC-90.4-57.2
90.57	63.8	0	CMR-90.6-63.8
90.57	63.9	0	CMR-90.6-63.9
90.59	76.2	0	CMC-90.6-76.2
90.62	74.3	0	CMR-90.6-74.3
90.65	57.2	0	CMC-90.7-57.2
90.68	92.1	0	CMC-90.7-92.1
90.69	83.0	0	CMR-90.7-83
90.80	64.0	0	CMK-90.8-64
90.81	57.2	1	CMC-90.8-57.2-CX
90.86	76.2	0	CMC-90.9-76.2
90.93	47.6	0	CMR-90.9-47.6
90.98	90.0	0	CMK-91-90
91.00	101.6	0	CMA-91-101.6
91.01	41.3	-1	CMC-91-41.3-CC
91.04	101.0	1	CMR-91-101-CX
91.05	50.0	-1	CMR-91.1-50-CC
91.05	75.0	0	CMR-91.1-75
91.05	76.6	-1	CMR-91.1-76.6-CC
91.34	73.0	0	CMC-91.3-73
91.35	53.5	0	CMR-91.4-53.5
91.49	50.8	0	CMC-91.5-50.8
91.54	64.0	1	CMR-91.5-64-CX
91.55	38.0	0	CMR-91.5-38
91.57	63.5	0	CMC-91.6-63.5
91.63	77.0	0	CMR-91.6-77
91.66	52.0	0	CMK-91.7-52
91.83	64.0	0	CMR-91.8-64
91.95	101.6	0	CMC-91.9-101.6
92.00	101.6	0	CMA-92-101.6
92.02	82.6	0	CMC-92-82.6
92.04	102.0	0	CMK-92-102
92.04	63.6	0	CMR-92-63.6
92.15	101.6	0	CMC-92.2-101.6
92.22	64.0	0	CMR-92.2-64
92.46	76.2	0	CMC-92.5-76.2
92.48	44.9	0	CMR-92.5-44.9
92.48	55.0	-1	CMR-92.5-55-CC
92.48	76.0	0	CMR-92.5-76
92.48	102.4	-1	CMR-92.5-102.4-CC
92.54	50.8	0	CMC-92.5-50.8
92.81	57.2	-1	CMR-92.8-57.2-CC
92.93	76.2	0	CMC-92.9-76.2
92.96	82.6	0	CMC-93-82.6
93.11	60.0	0	CMR-93.1-60
93.18	63.0	0	CMR-93.2-63
93.22	73.0	0	CMC-93.2-73
93.22	76.2	0	CMC-93.2-76.2
93.25	102.0	0	CMK-93.2-102
93.36	104.0	0	CMR-93.4-104
93.60	76.2	0	CMC-93.6-76.2
93.68	76.2	0	CMC-93.7-76.2
93.81	43.0	0	CMR-93.8-43
93.95	57.2	0	CMC-94-57.2

Type Code: -1 = Concave, 1 = Convex, 0 = both Concave & Convex

Radius (mm)	Diameter (mm)	Type Code	CVI Melles Griot Part Number
93.97	76.2	0	CMC-94-76.2
94.02	25.2	0	CMR-94-25.2
94.04	64.8	-1	CMR-94-64.8-CC
94.10	60.7	1	CMR-94.1-60.7-CX
94.18	50.8	0	CMC-94.2-50.8
94.20	50.8	0	CMC-94.2-50.8
94.24	50.8	0	CMC-94.2-50.8
94.36	76.2	0	CMC-94.4-76.2
94.36	82.6	0	CMC-94.4-82.6
94.38	38.1	0	CMC-94.4-38.1
94.39	63.0	0	CMR-94.4-63
94.40	63.0	0	CMR-94.4-63
94.79	54.0	0	CMC-94.8-54
94.95	69.9	0	CMC-94.9-69.9
94.97	82.6	0	CMC-95-82.6
95.00	57.2	0	CMC-95-57.2
95.00	76.2	0	CMA-95-76.2
95.04	102.0	0	CMK-95-102
95.11	101.6	0	CMA-95.1-101.6
95.14	54.0	0	CMR-95.1-54
95.17	114.3	0	CMC-95.2-114.3
95.17	38.1	0	CMC-95.2-38.1
95.24	60.3	0	CMC-95.2-60.3
95.35	82.6	0	CMC-95.4-82.6
95.37	76.2	0	CMC-95.4-76.2
95.41	58.2	0	CMR-95.4-58.2
95.55	53.3	0	CMR-95.6-53.3
95.57	76.0	0	CMR-95.6-76
95.58	76.0	0	CMR-95.6-76
95.63	76.2	0	CMC-95.6-76.2
95.78	73.0	0	CMC-95.8-73
96.00	102.0	0	CMK-96-102
96.07	50.8	0	CMA-96.1-50.8
96.49	101.6	0	CMC-96.5-101.6
96.52	9.5	0	CMC-96.5-9.5
96.54	82.6	0	CMC-96.5-82.6
96.54	54.1	-1	CMR-96.5-54.1-CC
96.60	73.0	0	CMC-96.6-73
96.67	76.3	0	CMR-96.7-76.3
96.76	40.0	-1	CMR-96.8-40-CC
96.77	58.0	0	CMR-96.8-58
96.78	75.0	0	CMR-96.8-75
96.79	101.6	0	CMC-96.8-101.6
96.93	57.4	0	CMR-96.9-57.4
96.96	60.9	-1	CMR-97-60.9-CC
96.97	64.9	-1	CMR-97-64.9-CC
96.98	55.5	-1	CMR-97-55.5-CC
97.01	75.0	0	CMR-97-75
97.11	63.6	0	CMR-97.1-63.6
97.13	66.7	0	CMC-97.1-66.7
97.23	63.5	0	CMC-97.2-63.5
97.28	101.6	0	CMC-97.3-101.6
97.54	102.0	0	CMK-97.5-102
97.69	25.4	-1	CMR-97.7-25.4-CC
97.69	51.0	-1	CMR-97.7-51-CC
97.69	55.9	0	CMR-97.7-55.9
97.70	79.4	0	CMC-97.7-79.4
97.75	64.0	0	CMR-97.8-64
97.83	79.4	-1	CMC-97.8-79.4-CC
97.83	80.0	-1	CMC-97.8-80-CC
97.89	50.8	0	CMC-97.9-50.8
97.90	76.0	0	CMR-97.9-76
98.05	38.5	1	CMR-98-38.5-CX
98.07	100.0	0	CMR-98.1-100
98.17	82.6	0	CMC-98.2-82.6
98.20	102.0	0	CMK-98.2-102
98.32	76.2	0	CMC-98.3-76.2
98.32	111.1	0	CMC-98.3-111.1

Type Code: -1 = Concave, 1 = Convex, 0 = both Concave & Convex

Radius (mm)	Diameter (mm)	Type Code	CVI Melles Griot Part Number
98.36	76.3	0	CMR-98.4-76.3
98.58	34.8	0	CMR-98.6-34.8
98.85	76.0	0	CMR-98.9-76
98.86	102.0	0	CMK-98.9-102
98.86	77.0	0	CMR-98.9-77
99.00	63.5	0	CMC-99-63.5
99.23	55.0	1	CMR-99.2-55-CX
99.24	101.6	0	CMA-99.2-101.6
99.25	54.2	0	CMR-99.2-54.2
99.31	76.2	0	CMC-99.3-76.2
99.48	76.2	0	CMC-99.5-76.2
99.59	51.0	0	CMR-99.6-51
99.59	76.2	0	CMC-99.6-76.2
99.76	73.0	0	CMC-99.8-73
99.80	41.3	0	CMC-99.8-41.3
99.80	75.0	0	CMR-99.8-75
99.87	65.0	0	CMR-99.9-65
99.97	76.2	0	CMC-100-76.2
100.00	50.8	0	CMA-100-50.8
100.02	101.6	0	CMA-100-101.6
100.02	102.0	0	CMK-100-102
100.04	63.7	0	CMR-100-63.7
100.12	58.0	0	CMR-100.1-58
100.13	57.3	-1	CMR-100.1-57.3-CC
100.18	79.4	0	CMC-100.2-79.4
100.28	76.2	0	CMC-100.3-76.2
100.36	38.1	0	CMC-100.4-38.1
100.41	34.9	0	CMC-100.4-34.9
100.49	46.7	-1	CMR-100.5-46.7-CC
100.51	82.6	0	CMC-100.5-82.6
100.65	76.2	0	CMC-100.6-76.2
100.66	50.8	0	CMC-100.7-50.8
100.74	38.1	0	CMC-100.7-38.1
100.79	63.5	0	CMA-100.8-63.5
100.79	76.2	0	CMC-100.8-76.2
100.81	76.2	0	CMC-100.8-76.2
100.86	76.2	0	CMC-100.9-76.2
100.88	101.6	1	CMA-100.9-101.6-CX
100.89	123.8	0	CMC-100.9-123.8
101.09	51.4	0	CMR-101.1-51.4
101.09	50.8	0	CMC-101.1-50.8
101.09	82.6	0	CMC-101.1-82.6
101.57	101.6	0	CMC-101.6-101.6
101.60	83.0	0	CMK-101.6-83
101.60	50.8	0	CMC-101.6-50.8
101.60	76.2	0	CMC-101.6-76.2
101.60	82.6	0	CMC-101.6-82.6
101.67	63.6	-1	CMR-101.7-63.6-CC
101.68	54.7	0	CMR-101.7-54.7
101.68	64.0	0	CMR-101.7-64
101.80	54.8	0	CMR-101.8-54.8
101.89	50.0	0	CMR-101.9-50
101.98	88.0	0	CMR-102-88
102.01	63.7	-1	CMR-102-63.7-CC
102.03	54.0	0	CMC-102-54
102.07	76.2	0	CMA-102.1-76.2
102.18	83.0	0	CMK-102.2-83
102.40	101.6	0	CMA-102.4-101.6
102.40	101.6	0	CMK-102.4-101.6
102.45	75.0	1	CMR-102.5-75-CX
102.45	76.3	1	CMR-102.5-76.3-CX
102.45	76.4	0	CMR-102.4-76.4
102.46	82.6	0	CMC-102.5-82.6
102.59	73.0	0	CMC-102.6-73
102.76	83.0	0	CMK-102.8-83
102.87	76.2	0	CMC-102.9-76.2
102.98	83.0	0	CMK-103-83
103.00	76.4	1	CMR-103-76.4-CX

Type Code: -1 = Concave, 1 = Convex, 0 = both Concave & Convex

Radius (mm)	Diameter (mm)	Type Code	CVI Melles Griot Part Number
103.00	76.5	0	CMR-103-76.5
103.25	76.2	0	CMC-103.3-76.2
103.28	63.8	0	CMR-103.3-63.8
103.33	111.0	0	CMK-103.3-111
103.33	45.0	0	CMR-103.3-45
103.37	76.0	0	CMR-103.4-76
103.38	64.0	0	CMR-103.4-64
103.39	23.5	0	CMR-103.4-23.5
103.40	33.0	0	CMK-103.4-33
103.51	88.9	0	CMA-103.5-88.9
103.68	76.2	0	CMA-103.7-76.2
103.83	69.2	0	CMR-103.8-69.2
103.84	76.2	0	CMA-103.8-76.2
103.84	54.0	0	CMR-103.8-54
103.89	79.4	0	CMC-103.9-79.4
104.01	76.2	0	CMA-104-76.2
104.24	38.1	0	CMC-104.2-38.1
104.26	101.6	0	CMA-104.3-101.6
104.38	101.6	0	CMA-104.4-101.6
104.41	79.4	0	CMC-104.4-79.4
104.60	50.0	1	CMR-104.6-50-CX
104.62	78.3	0	CMR-104.6-78.3
104.68	41.2	0	CMR-104.7-41.2
104.69	102.0	0	CMK-104.7-102
104.70	64.3	1	CMR-104.7-64.3-CX
104.75	64.0	0	CMR-104.7-64
104.78	82.6	0	CMC-104.8-82.6
105.03	63.5	0	CMC-105-63.5
105.38	76.2	0	CMC-105.4-76.2
105.47	50.0	0	CMR-105.5-50
105.49	63.5	0	CMC-105.5-63.5
105.80	63.0	0	CMR-105.8-63
105.85	76.0	0	CMR-105.8-76
105.97	38.1	0	CMC-106-38.1
106.19	52.0	0	CMR-106.2-52
106.31	52.0	0	CMR-106.3-52
106.31	54.0	0	CMR-106.3-54
106.50	82.6	0	CMC-106.5-82.6
106.75	54.1	0	CMR-106.7-54.1
106.76	63.7	0	CMR-106.8-63.7
106.76	63.7	1	CMR-106.8-63.7-CX
106.83	57.2	0	CMC-106.8-57.2
106.92	108.0	-1	CMA-106.9-108-CC
107.04	54.0	0	CMC-107-54
107.04	58.3	-1	CMR-107-58.3-CC
107.04	63.6	-1	CMR-107-63.6-CC
107.05	63.6	0	CMR-107-63.6
107.05	95.9	1	CMR-107-95.9-CX
107.06	108.2	-1	CMR-107.1-108.2-CC
107.11	79.4	0	CMC-107.1-79.4
107.19	101.6	0	CMA-107.2-101.6
107.66	49.2	0	CMR-107.7-49.2
107.67	33.0	0	CMK-107.7-33
107.69	55.4	0	CMR-107.7-55.4
107.70	53.5	1	CMR-107.7-53.5-CX
107.70	76.0	-1	CMR-107.7-76-CC
107.81	76.5	0	CMR-107.8-76.5
107.84	73.0	0	CMC-107.8-73
107.99	53.7	1	CMR-108-53.7-CX
107.99	64.0	0	CMR-108-64
108.08	55.0	0	CMR-108.1-55
108.11	59.5	0	CMR-108.1-59.5
108.33	54.0	0	CMC-108.3-54
108.80	43.0	0	CMR-108.8-43
108.80	120.5	0	CMR-108.8-120.5
108.86	82.6	0	CMC-108.9-82.6
108.97	63.9	0	CMR-109-63.9
109.03	46.0	-1	CMR-109-46-CC

Type Code: -1 = Concave, 1 = Convex, 0 = both Concave & Convex

Radius (mm)	Diameter (mm)	Type Code	CVI Melles Griot Part Number
109.09	82.6	0	CMC-109.1-82.6
109.11	50.0	0	CMR-109.1-50
109.12	82.6	0	CMC-109.1-82.6
109.24	68.0	0	CMR-109.2-68
109.40	63.5	0	CMC-109.4-63.5
109.53	102.0	0	CMK-109.5-102
109.54	50.8	0	CMC-109.5-50.8
109.61	50.0	0	CMR-109.6-50
109.62	57.4	-1	CMR-109.6-57.4-CC
109.73	50.8	-1	CMC-109.7-50.8-CC
109.76	92.0	0	CMR-109.8-92
109.78	57.2	0	CMC-109.8-57.2
109.92	82.6	0	CMC-109.9-82.6
109.96	63.5	0	CMR-110-63.5
109.96	63.6	-1	CMR-110-63.6-CC
110.10	55.0	1	CMR-110.1-55-CX
110.16	47.6	0	CMC-110.2-47.6
110.17	95.8	0	CMR-110.2-95.8
110.21	50.8	0	CMC-110.2-50.8
110.21	101.6	0	CMA-110.2-101.6
110.39	76.2	0	CMC-110.4-76.2
110.54	54.0	0	CMC-110.5-54
110.59	57.2	0	CMC-110.6-57.2
110.64	45.1	1	CMR-110.6-45.1-CX
110.65	75.0	-1	CMR-110.6-75-CC
110.65	100.0	-1	CMR-110.7-100-CC
110.66	77.0	0	CMR-110.7-77
110.75	55.7	0	CMR-110.8-55.7
110.79	95.0	-1	CMR-110.8-95-CC
111.00	59.9	0	CMR-111-59.9
111.02	50.8	1	CMC-111-50.8-CX
111.06	79.4	-1	CMC-111.1-79.4-CC
111.13	79.4	0	CMC-111.1-79.4
111.15	78.0	0	CMR-111.1-78
111.20	76.2	0	CMC-111.2-76.2
111.38	50.8	0	CMC-111.4-50.8
111.66	50.8	0	CMC-111.7-50.8
111.81	57.2	0	CMC-111.8-57.2
112.21	63.9	0	CMR-112.2-63.9
112.22	101.6	0	CMA-112.2-101.6
112.22	50.8	0	CMC-112.2-50.8
112.42	79.5	0	CMR-112.4-79.5
112.45	22.2	0	CMC-112.4-22.2
112.54	79.9	0	CMR-112.5-79.9
112.57	50.8	0	CMC-112.6-50.8
112.60	52.8	-1	CMR-112.6-52.8-CC
112.83	71.9	0	CMR-112.8-71.9
112.86	24.7	0	CMR-112.9-24.7
112.88	82.6	0	CMC-112.9-82.6
112.99	64.0	0	CMR-113-64
112.99	72.0	0	CMR-113-72
113.00	76.0	1	CMR-113-76-CX
113.03	101.6	0	CMA-113-101.6
113.23	101.6	0	CMC-113.2-101.6
113.39	22.2	0	CMC-113.4-22.2
113.39	76.2	0	CMC-113.4-76.2
113.51	69.9	0	CMC-113.5-69.9
113.54	82.6	0	CMC-113.5-82.6
113.56	50.8	0	CMC-113.6-50.8
113.56	63.6	0	CMR-113.6-63.6
113.68	71.3	0	CMR-113.7-71.3
113.70	55.0	-1	CMR-113.7-55-CC
113.72	32.2	-1	CMR-113.7-32.2-CC
113.75	31.7	-1	CMR-113.7-31.7-CC
113.75	102.0	0	CMK-113.8-102
113.76	101.6	0	CMA-113.8-101.6
113.86	44.0	-1	CMR-113.9-44-CC
113.86	64.0	0	CMR-113.9-64

Type Code: -1 = Concave, 1 = Convex, 0 = both Concave & Convex

Radius (mm)	Diameter (mm)	Type Code	CVI Melles Griot Part Number
113.96	76.2	0	CMC-114-76.2
114.25	79.4	0	CMC-114.2-79.4
114.29	25.4	0	CMC-114.3-25.4
114.30	53.8	0	CMR-114.3-53.8
114.30	57.3	-1	CMR-114.3-57.3-CC
114.45	82.6	0	CMC-114.5-82.6
114.48	79.4	0	CMC-114.5-79.4
114.53	76.2	0	CMC-114.5-76.2
114.55	50.8	-1	CMC-114.6-50.8-CC
114.62	50.0	0	CMK-114.6-50
114.64	50.0	0	CMK-114.6-50
114.66	76.2	0	CMC-114.7-76.2
114.80	50.0	0	CMR-114.8-50
114.86	82.6	0	CMC-114.9-82.6
114.91	79.4	0	CMC-114.9-79.4
114.91	85.7	0	CMC-114.9-85.7
114.92	53.8	0	CMR-114.9-53.8
114.94	79.4	0	CMC-114.9-79.4
114.96	82.6	0	CMC-115-82.6
114.97	79.4	1	CMC-115-79.4-CX
114.99	82.6	0	CMC-115-82.6
115.01	82.6	0	CMC-115-82.6
115.12	46.0	-1	CMR-115.1-46-CC
115.15	64.0	-1	CMR-115.2-64-CC
115.16	30.0	0	CMR-115.2-30
115.16	50.0	1	CMR-115.2-50-CX
115.17	64.0	0	CMR-115.2-64
115.19	76.2	0	CMC-115.2-76.2
115.39	108.0	0	CMC-115.4-108
115.39	101.6	0	CMC-115.4-101.6
115.49	63.7	0	CMR-115.5-63.7
115.54	44.5	0	CMC-115.5-44.5
115.68	91.1	0	CMR-115.7-91.1
115.75	57.2	0	CMC-115.7-57.2
115.77	60.0	0	CMR-115.8-60
115.78	102.0	-1	CMR-115.8-102-CC
116.13	50.8	0	CMC-116.1-50.8
116.13	76.2	0	CMC-116.1-76.2
116.36	57.2	0	CMC-116.4-57.2
116.36	76.5	1	CMR-116.4-76.5-CX
116.37	25.0	-1	CMR-116.4-25-CC
116.37	25.5	0	CMR-116.4-25.5
116.38	63.8	1	CMR-116.4-63.8-CX
116.39	63.8	0	CMR-116.4-63.8
116.41	79.4	0	CMC-116.4-79.4
116.46	101.6	0	CMA-116.5-101.6
116.69	44.5	0	CMC-116.7-44.5
116.70	102.0	0	CMK-116.7-102
116.72	63.0	0	CMR-116.7-63
117.07	76.0	0	CMR-117.1-76
117.10	75.0	0	CMR-117.1-75
117.13	63.8	1	CMR-117.1-63.8-CX
117.25	127.0	0	CMC-117.2-127
117.63	63.9	1	CMR-117.6-63.9-CX
117.63	101.7	0	CMR-117.6-101.7
117.65	82.6	0	CMC-117.7-82.6
117.96	50.8	0	CMC-118-50.8
117.98	101.6	0	CMA-118-101.6
118.00	60.9	0	CMR-118-60.9
118.03	77.0	0	CMR-118-77
118.03	83.2	1	CMR-118-83.2-CX
118.04	53.8	1	CMR-118-53.8-CX
118.04	76.7	0	CMR-118-76.7
118.06	102.0	0	CMK-118.1-102
118.11	76.2	0	CMC-118.1-76.2
118.29	101.6	0	CMA-118.3-101.6
118.47	63.8	0	CMR-118.5-63.8
118.51	102.0	0	CMK-118.5-102

Type Code: -1 = Concave, 1 = Convex, 0 = both Concave & Convex

Radius (mm)	Diameter (mm)	Type Code	CVI Melles Griot Part Number
118.51	35.0	0	CMK-118.5-35
118.53	63.5	0	CMC-118.5-63.5
118.91	76.2	0	CMC-118.9-76.2
118.96	43.0	0	CMR-119-43
119.00	38.1	0	CMC-119-38.1
119.03	100.0	0	CMR-119-100
119.08	64.0	0	CMK-119.1-64
119.09	64.0	0	CMR-119.1-64
119.19	63.0	0	CMR-119.2-63
119.43	57.2	0	CMC-119.4-57.2
119.56	50.0	0	CMR-119.6-50
119.57	63.5	0	CMA-119.6-63.5
119.70	102.0	0	CMK-119.7-102
119.89	57.2	0	CMC-119.9-57.2
119.94	79.4	0	CMC-119.9-79.4
119.99	57.2	0	CMC-120-57.2
119.99	76.0	1	CMR-120-76-CX
120.00	101.6	0	CMA-120-101.6
120.00	76.0	0	CMR-120-76
120.02	54.0	0	CMR-120-54
120.02	76.0	0	CMR-120-76
120.03	76.4	-1	CMR-120-76.4-CC
120.36	76.2	0	CMC-120.4-76.2
120.52	57.2	0	CMC-120.5-57.2
120.58	64.0	0	CMR-120.6-64
120.59	38.0	1	CMR-120.6-38-CX
120.59	75.0	0	CMR-120.6-75
120.59	76.5	-1	CMR-120.6-76.5-CC
120.59	113.0	0	CMR-120.6-113
120.65	50.8	0	CMC-120.7-50.8
120.80	55.9	0	CMR-120.8-55.9
120.88	101.6	0	CMA-120.9-101.6
121.00	80.0	0	CMK-121-80
121.03	63.5	0	CMC-121-63.5
121.19	44.9	0	CMR-121.2-44.9
121.19	76.0	0	CMR-121.2-76
121.19	76.3	1	CMR-121.2-76.3-CX
121.75	63.5	-1	CMR-121.8-63.5-CC
121.77	63.9	0	CMR-121.8-63.9
121.87	63.5	0	CMC-121.9-63.5
121.89	88.9	0	CMA-121.9-88.9
121.90	126.0	0	CMR-121.9-126
121.98	63.6	0	CMR-122-63.6
122.05	76.2	0	CMC-122-76.2
122.20	63.5	0	CMC-122.2-63.5
122.37	100.2	1	CMR-122.4-100.2-CX
122.38	73.5	-1	CMR-122.4-73.5-CC
122.38	77.4	-1	CMR-122.4-77.4-CC
122.56	54.0	0	CMC-122.6-54
122.61	82.6	0	CMC-122.6-82.6
122.63	101.8	0	CMK-122.6-101.8
122.74	76.3	0	CMR-122.7-76.3
122.76	82.6	0	CMC-122.8-82.6
122.85	60.3	0	CMC-122.8-60.3
123.04	54.0	0	CMC-123-54
123.16	73.0	0	CMC-123.2-73
123.35	63.6	0	CMR-123.4-63.6
123.75	82.6	0	CMC-123.7-82.6
124.00	50.8	0	CMC-124-50.8
124.12	27.8	0	CMR-124.1-27.8
124.19	102.0	0	CMK-124.2-102
124.31	73.0	0	CMC-124.3-73
124.31	50.8	0	CMA-124.3-50.8
124.31	101.6	0	CMA-124.3-101.6
124.32	54.0	0	CMR-124.3-54
124.33	57.2	0	CMC-124.3-57.2
124.36	79.4	1	CMC-124.4-79.4-CX
124.41	82.6	0	CMC-124.4-82.6

Type Code: -1 = Concave, 1 = Convex, 0 = both Concave & Convex

Radius (mm)	Diameter (mm)	Type Code	CVI Melles Griot Part Number
124.43	82.6	0	CMC-124.4-82.6
124.46	82.6	0	CMC-124.5-82.6
124.47	102.0	0	CMK-124.5-102
124.51	50.8	0	CMC-124.5-50.8
124.51	82.6	0	CMC-124.5-82.6
124.53	82.6	0	CMC-124.5-82.6
124.56	76.6	0	CMR-124.6-76.6
124.58	72.6	1	CMR-124.6-72.6-CX
124.59	123.8	-1	CMC-124.6-123.8-CC
124.59	53.8	1	CMR-124.6-53.8-CX
124.63	76.2	0	CMC-124.6-76.2
124.64	50.9	0	CMR-124.6-50.9
124.70	63.5	0	CMR-124.7-63.5
124.82	63.5	0	CMC-124.8-63.5
124.82	76.2	0	CMC-124.8-76.2
124.93	101.6	0	CMA-124.9-101.6
124.95	110.8	0	CMR-124.9-110.8
124.96	120.0	0	CMR-125-120
125.02	102.0	0	CMK-125-102
125.04	82.6	0	CMC-125-82.6
125.12	66.7	0	CMC-125.1-66.7
125.25	82.6	0	CMC-125.2-82.6
125.30	64.0	0	CMR-125.3-64
125.30	64.0	0	CMR-125.3-64
125.30	95.9	-1	CMR-125.3-95.9-CC
125.31	50.0	-1	CMR-125.3-50-CC
125.32	79.4	0	CMC-125.3-79.4
125.53	50.6	0	CMR-125.5-50.6
125.60	76.2	0	CMC-125.6-76.2
125.60	82.6	0	CMC-125.6-82.6
126.03	57.3	0	CMR-126-57.3
126.03	76.4	-1	CMR-126-76.4-CC
126.27	76.6	1	CMR-126.3-76.6-CX
126.28	76.0	0	CMR-126.3-76
126.49	101.6	0	CMA-126.5-101.6
126.51	102.0	0	CMK-126.5-102
126.54	57.2	0	CMC-126.5-57.2
126.59	79.4	0	CMC-126.6-79.4
126.59	108.0	0	CMC-126.6-108
126.72	106.7	0	CMA-126.7-106.7
126.72	88.9	0	CMA-126.7-88.9
126.78	76.5	0	CMR-126.8-76.5
126.79	76.7	-1	CMR-126.8-76.7-CC
126.80	38.1	0	CMC-126.8-38.1
127.00	50.3	1	CMR-127-50.3-CX
127.00	76.2	0	CMC-127-76.2
127.00	127.0	0	CMC-127-127
127.01	63.0	0	CMR-127-63
127.08	54.7	0	CMR-127.1-54.7
127.08	60.3	0	CMR-127.1-60.3
127.25	38.1	0	CMC-127.3-38.1
127.25	54.0	0	CMC-127.3-54
127.40	76.2	0	CMC-127.4-76.2
127.56	53.6	1	CMR-127.6-53.6-CX
127.57	54.6	0	CMR-127.6-54.6
127.59	54.6	1	CMR-127.6-54.6-CX
127.61	79.4	0	CMC-127.6-79.4
127.70	60.7	0	CMR-127.7-60.7
127.83	102.0	0	CMK-127.8-102
128.23	126.4	0	CMR-128.2-126.4
128.25	102.0	0	CMR-128.2-102
128.46	76.4	1	CMR-128.5-76.4-CX
128.46	76.5	0	CMR-128.5-76.5
128.50	63.5	0	CMC-128.5-63.5
128.83	82.6	0	CMC-128.8-82.6
128.84	102.0	0	CMK-128.8-102
128.97	63.5	0	CMR-129-63.5
129.18	102.0	0	CMK-129.2-102

Type Code: -1 = Concave, 1 = Convex, 0 = both Concave & Convex

Radius (mm)	Diameter (mm)	Type Code	CVI Melles Griot Part Number
129.18	101.6	0	CMC-129.2-101.6
129.51	51.0	0	CMR-129.5-51
129.54	57.2	0	CMC-129.5-57.2
129.56	54.0	0	CMR-129.6-54
129.56	76.0	0	CMR-129.6-76
129.57	102.0	0	CMR-129.6-102
129.58	85.8	0	CMR-129.6-85.8
129.71	54.0	0	CMC-129.7-54
129.72	76.2	0	CMC-129.7-76.2
129.79	82.6	0	CMC-129.8-82.6
129.89	77.5	0	CMR-129.9-77.5
129.96	80.0	0	CMK-130-80
129.96	101.6	0	CMA-130-101.6
130.18	50.8	0	CMC-130.2-50.8
130.21	53.8	0	CMR-130.2-53.8
130.22	47.6	-1	CMC-130.2-47.6-CC
130.53	50.8	0	CMC-130.5-50.8
130.77	108.0	0	CMK-130.8-108
130.99	101.6	0	CMA-131-101.6
131.15	63.7	0	CMR-131.1-63.7
131.47	54.0	0	CMC-131.5-54
131.59	80.0	0	CMR-131.6-80
131.72	98.4	0	CMC-131.7-98.4
132.05	39.9	-1	CMR-132.1-39.9-CC
132.11	82.6	0	CMC-132.1-82.6
132.11	63.0	-1	CMR-132.1-63-CC
132.12	63.0	0	CMR-132.1-63
132.12	74.0	-1	CMR-132.1-74-CC
132.26	76.2	0	CMC-132.3-76.2
132.34	64.0	-1	CMR-132.3-64-CC
132.55	101.6	0	CMA-132.6-101.6
132.61	56.0	0	CMR-132.6-56
132.72	57.2	0	CMC-132.7-57.2
132.81	109.3	0	CMR-132.8-109.3
133.27	102.0	0	CMK-133.3-102
133.31	62.8	0	CMR-133.3-62.8
133.35	101.6	0	CMA-133.4-101.6
133.40	76.4	-1	CMR-133.4-76.4-CC
133.41	64.0	1	CMR-133.4-64-CX
133.42	55.6	-1	CMR-133.4-55.6-CC
133.68	85.9	0	CMR-133.7-85.9
133.68	82.6	0	CMC-133.7-82.6
133.87	76.6	1	CMR-133.9-76.6-CX
133.88	76.4	0	CMR-133.9-76.4
133.89	76.5	0	CMR-133.9-76.5
133.99	76.2	0	CMC-134-76.2
134.12	80.0	0	CMK-134.1-80
134.21	38.1	0	CMC-134.2-38.1
134.21	57.2	0	CMC-134.2-57.2
134.23	76.6	1	CMR-134.2-76.6-CX
134.24	134.2	0	CMR-134.2-134.2
134.29	78.0	0	CMR-134.3-78
134.52	104.1	0	CMA-134.5-104.1
134.62	76.2	0	CMC-134.6-76.2
134.75	63.5	0	CMC-134.7-63.5
134.84	80.0	-1	CMR-134.8-80-CC
134.93	75.0	-1	CMR-134.9-75-CC
135.03	83.0	1	CMR-135-83-CX
135.38	76.2	0	CMC-135.4-76.2
135.46	77.0	0	CMR-135.5-77
135.65	78.0	0	CMR-135.7-78
135.67	100.0	0	CMR-135.7-100
135.71	75.0	1	CMR-135.7-75-CX
135.79	101.6	0	CMA-135.8-101.6
135.88	63.7	1	CMR-135.9-63.7-CX
135.90	102.0	0	CMR-135.9-102
135.90	102.2	-1	CMR-135.9-102.2-CC
136.02	50.8	0	CMC-136-50.8

Type Code: -1 = Concave, 1 = Convex, 0 = both Concave & Convex

Radius (mm)	Diameter (mm)	Type Code	CVI Melles Griot Part Number
136.04	64.0	0	CMK-136-64
136.12	98.4	0	CMC-136.1-98.4
136.30	50.0	0	CMR-136.3-50
136.32	76.2	0	CMC-136.3-76.2
136.34	100.0	0	CMR-136.3-100
136.65	82.6	0	CMC-136.7-82.6
136.93	76.2	0	CMC-136.9-76.2
137.29	57.2	0	CMC-137.3-57.2
137.48	53.0	0	CMK-137.5-53
137.74	80.0	0	CMR-137.7-80
138.07	57.2	0	CMC-138.1-57.2
138.84	79.4	0	CMC-138.8-79.4
138.99	55.0	0	CMR-139-55
139.04	82.6	0	CMC-139-82.6
139.07	63.0	0	CMR-139.1-63
139.09	76.2	0	CMC-139.1-76.2
139.13	75.0	0	CMR-139.1-75
139.21	101.6	0	CMC-139.2-101.6
139.27	101.6	0	CMC-139.3-101.6
139.50	101.6	0	CMA-139.5-101.6
139.52	75.0	0	CMR-139.5-75
139.55	50.0	0	CMR-139.6-50
139.78	64.0	0	CMK-139.8-64
139.83	82.6	0	CMC-139.8-82.6
139.98	101.6	0	CMA-140-101.6
140.08	76.2	0	CMC-140.1-76.2
140.30	82.6	0	CMC-140.3-82.6
140.36	101.6	0	CMA-140.4-101.6
140.49	73.0	0	CMC-140.5-73
140.49	76.2	0	CMC-140.5-76.2
140.89	76.2	0	CMC-140.9-76.2
140.91	50.0	0	CMR-140.9-50
140.93	75.0	0	CMR-140.9-75
141.05	83.0	0	CMR-141-83
141.17	76.2	0	CMC-141.2-76.2
141.25	57.2	0	CMC-141.2-57.2
141.25	101.6	0	CMA-141.3-101.6
141.30	82.6	0	CMC-141.3-82.6
141.43	76.2	0	CMC-141.4-76.2
141.67	25.0	0	CMR-141.7-25
141.69	16.0	0	CMR-141.7-16
141.71	38.1	0	CMC-141.7-38.1
141.89	64.0	0	CMR-141.9-64
141.90	77.0	0	CMR-141.9-77
142.24	101.6	0	CMA-142.2-101.6
142.44	50.8	0	CMC-142.4-50.8
142.62	54.0	0	CMC-142.6-54
142.62	102.0	0	CMK-142.6-102
142.74	69.9	0	CMC-142.7-69.9
142.80	25.0	0	CMR-142.8-25
142.80	50.0	0	CMR-142.8-50
142.93	79.4	0	CMC-142.9-79.4
142.95	54.0	-1	CMC-143-54-CC
142.95	57.2	1	CMC-143-57.2-CX
143.03	33.7	1	CMC-143-33.7-CX
143.14	75.0	0	CMR-143.1-75
143.40	60.0	0	CMR-143.4-60
143.43	76.2	0	CMC-143.4-76.2
143.82	82.6	0	CMC-143.8-82.6
143.95	76.2	0	CMC-143.9-76.2
144.18	76.2	0	CMC-144.2-76.2
144.25	101.6	0	CMA-144.3-101.6
144.28	102.0	0	CMK-144.3-102
144.65	63.5	0	CMC-144.7-63.5
145.03	82.6	0	CMC-145-82.6
145.06	57.2	0	CMC-145.1-57.2
145.09	100.0	-1	CMR-145.1-100-CC
145.16	79.4	0	CMC-145.2-79.4

Type Code: -1 = Concave, 1 = Convex, 0 = both Concave & Convex

Radius (mm)	Diameter (mm)	Type Code	CVI Melles Griot Part Number
145.42	76.2	0	CMC-145.4-76.2
145.62	50.8	0	CMC-145.6-50.8
146.33	38.1	0	CMC-146.3-38.1
146.33	1.0	0	CMR-146.3-1
146.33	54.0	0	CMR-146.3-54
146.33	77.0	0	CMR-146.3-77
146.61	54.0	0	CMC-146.6-54
146.86	100.0	-1	CMR-146.9-100-CC
146.87	64.0	0	CMR-146.9-64
146.87	76.0	0	CMR-146.9-76
146.88	29.8	-1	CMR-146.9-29.8-CC
146.88	69.0	0	CMR-146.9-69
146.88	101.0	1	CMR-146.9-101-CX
147.32	76.2	1	CMC-147.3-76.2-CX
147.32	114.3	0	CMC-147.3-114.3
147.34	35.0	0	CMK-147.3-35
147.91	55.0	0	CMR-147.9-55
147.93	76.2	0	CMC-147.9-76.2
148.15	55.0	0	CMR-148.2-55
148.29	101.6	0	CMA-148.3-101.6
148.41	31.8	0	CMC-148.4-31.8
148.41	34.9	0	CMC-148.4-34.9
148.41	63.5	0	CMC-148.4-63.5
148.56	57.2	0	CMC-148.6-57.2
149.03	101.6	1	CMC-149-101.6-CX
149.05	101.6	-1	CMC-149-101.6-CC
149.23	17.1	0	CMC-149.2-17.1
149.30	50.0	0	CMR-149.3-50
149.35	76.2	0	CMC-149.4-76.2
149.73	50.0	0	CMR-149.7-50
149.78	57.2	0	CMC-149.8-57.2
149.99	76.2	0	CMA-150-76.2
150.00	101.6	0	CMA-150-101.6
150.01	102.0	0	CMK-150-102
150.42	82.6	0	CMC-150.4-82.6
150.50	76.2	0	CMC-150.5-76.2
150.90	101.6	0	CMA-150.9-101.6
151.20	63.0	0	CMR-151.2-63
151.21	76.0	0	CMR-151.2-76
151.26	79.4	0	CMC-151.3-79.4
151.31	76.2	0	CMC-151.3-76.2
151.35	110.0	0	CMK-151.4-110
151.54	95.3	0	CMC-151.5-95.3
151.69	82.6	0	CMC-151.7-82.6
151.79	50.8	0	CMC-151.8-50.8
151.89	76.3	0	CMR-151.9-76.3
151.99	79.4	0	CMC-152-79.4
152.07	82.6	0	CMC-152.1-82.6
152.23	101.6	0	CMC-152.2-101.6
152.40	76.2	0	CMC-152.4-76.2
152.50	76.2	0	CMC-152.5-76.2
152.83	64.0	0	CMR-152.8-64
152.83	80.0	0	CMR-152.8-80
152.84	104.0	0	CMR-152.8-104
153.01	76.2	0	CMC-153-76.2
153.36	110.0	0	CMK-153.4-110
153.39	76.2	0	CMC-153.4-76.2
154.32	101.0	0	CMK-154.3-101
154.40	101.6	0	CMA-154.4-101.6
154.45	25.5	0	CMR-154.4-25.5
154.46	64.0	0	CMR-154.5-64
154.47	63.0	0	CMR-154.5-63
154.51	76.2	0	CMC-154.5-76.2
155.14	63.5	0	CMC-155.1-63.5
155.22	63.5	0	CMC-155.2-63.5
155.26	82.6	0	CMA-155.3-82.6
155.31	63.0	0	CMR-155.3-63
155.75	79.4	0	CMC-155.8-79.4

Type Code: -1 = Concave, 1 = Convex, 0 = both Concave & Convex

Radius (mm)	Diameter (mm)	Type Code	CVI Melles Griot Part Number
155.91	50.8	0	CMC-155.9-50.8
155.96	50.8	0	CMC-156-50.8
156.00	101.5	0	CMK-156-101.5
156.21	82.6	-1	CMC-156.2-82.6-CC
156.29	57.2	0	CMC-156.3-57.2
156.33	101.6	0	CMA-156.3-101.6
156.59	79.4	0	CMC-156.6-79.4
156.91	84.0	0	CMR-156.9-84
157.07	82.6	0	CMC-157.1-82.6
157.25	55.0	0	CMR-157.2-55
157.28	101.0	0	CMR-157.3-101
157.35	76.2	0	CMC-157.4-76.2
157.48	47.6	0	CMC-157.5-47.6
157.54	76.0	0	CMR-157.5-76
157.55	55.0	0	CMR-157.5-55
157.57	50.0	0	CMR-157.6-50
157.59	100.0	0	CMR-157.6-100
157.68	120.7	-1	CMC-157.7-120.7-CC
157.71	101.6	0	CMA-157.7-101.6
158.12	79.4	0	CMC-158.1-79.4
158.68	63.6	0	CMR-158.7-63.6
158.68	82.9	1	CMR-158.7-82.9-CX
158.75	76.2	0	CMC-158.8-76.2
158.80	98.4	0	CMC-158.8-98.4
158.89	100.0	0	CMR-158.9-100
158.90	50.0	0	CMR-158.9-50
158.95	76.0	0	CMR-159-76
159.00	57.2	0	CMC-159-57.2
159.31	98.4	0	CMC-159.3-98.4
159.41	101.6	0	CMC-159.4-101.6
160.00	101.6	0	CMA-160-101.6
160.02	82.6	0	CMC-160-82.6
160.12	127.0	0	CMC-160.1-127
160.15	100.0	0	CMR-160.2-100
160.58	52.0	0	CMK-160.6-52
160.67	101.6	0	CMA-160.7-101.6
161.01	82.6	0	CMC-161-82.6
161.56	64.0	0	CMR-161.6-64
161.84	100.0	0	CMR-161.8-100
161.98	101.6	0	CMC-162-101.6
162.04	101.6	0	CMA-162-101.6
162.04	102.0	0	CMK-162-102
162.05	101.6	0	CMA-162.1-101.6
162.61	76.2	0	CMC-162.6-76.2
162.77	57.0	0	CMR-162.8-57
163.27	82.6	0	CMC-163.3-82.6
163.36	31.0	0	CMR-163.4-31
163.36	104.0	1	CMR-163.4-104-CX
163.49	1.0	0	CMR-163.5-1
163.49	63.0	0	CMR-163.5-63
163.78	63.5	0	CMC-163.8-63.5
163.78	139.7	0	CMC-163.8-139.7
164.63	76.2	0	CMC-164.6-76.2
164.77	60.0	0	CMR-164.8-60
164.78	60.0	0	CMR-164.8-60
164.97	54.0	0	CMC-165-54
165.38	65.0	0	CMR-165.4-65
165.40	38.0	0	CMR-165.4-38
165.40	75.0	0	CMR-165.4-75
165.41	56.0	0	CMR-165.4-56
165.56	127.0	0	CMC-165.6-127
165.70	76.2	0	CMA-165.7-76.2
165.70	102.0	0	CMK-165.7-102
166.07	54.0	0	CMC-166.1-54
166.45	57.2	0	CMC-166.4-57.2
166.88	81.3	0	CMC-166.9-81.3
167.16	82.6	0	CMC-167.2-82.6
167.28	75.0	0	CMR-167.3-75

Type Code: -1 = Concave, 1 = Convex, 0 = both Concave & Convex

Radius (mm)	Diameter (mm)	Type Code	CVI Melles Griot Part Number
167.44	100.0	0	CMR-167.4-100
167.44	100.0	0	CMR-167.4-100
167.74	82.6	0	CMC-167.7-82.6
167.77	66.7	0	CMC-167.8-66.7
167.91	76.0	0	CMR-167.9-76
167.96	64.0	0	CMR-168-64
168.22	50.0	0	CMR-168.2-50
168.24	102.0	0	CMK-168.2-102
168.32	102.0	0	CMK-168.3-102
168.40	102.0	0	CMK-168.4-102
169.06	100.0	0	CMR-169.1-100
169.24	82.6	0	CMC-169.2-82.6
169.85	101.6	0	CMC-169.9-101.6
169.93	108.0	0	CMK-169.9-108
170.00	82.6	0	CMC-170-82.6
170.36	101.6	0	CMC-170.4-101.6
170.45	100.0	0	CMR-170.4-100
170.48	50.0	0	CMR-170.5-50
170.66	44.5	0	CMC-170.7-44.5
171.24	54.0	0	CMR-171.2-54
171.26	76.0	0	CMR-171.3-76
171.63	57.2	0	CMC-171.6-57.2
171.71	102.0	0	CMR-171.7-102
171.93	57.2	0	CMC-171.9-57.2
172.06	102.0	0	CMK-172.1-102
172.14	101.6	-1	CMR-172.1-101.6-CC
172.15	50.0	-1	CMR-172.1-50-CC
172.17	102.0	0	CMR-172.2-102
172.39	50.0	0	CMR-172.4-50
172.59	76.2	0	CMC-172.6-76.2
172.87	82.6	0	CMC-172.9-82.6
172.88	64.0	0	CMR-172.9-64
172.89	64.0	0	CMR-172.9-64
172.90	76.2	0	CMC-172.9-76.2
173.08	63.5	0	CMC-173.1-63.5
173.51	108.0	0	CMC-173.5-108
173.51	104.8	0	CMC-173.5-104.8
174.09	50.8	0	CMC-174.1-50.8
174.75	76.2	0	CMC-174.8-76.2
174.84	76.5	0	CMR-174.8-76.5
175.00	101.6	0	CMA-175-101.6
175.06	44.5	0	CMC-175.1-44.5
175.10	50.6	0	CMR-175.1-50.6
175.59	55.7	-1	CMR-175.6-55.7-CC
175.62	55.7	-1	CMR-175.6-55.7-CC
175.63	43.2	0	CMR-175.6-43.2
175.68	54.6	0	CMR-175.7-54.6
175.77	76.2	0	CMC-175.8-76.2
175.92	101.6	0	CMA-175.9-101.6
175.92	102.0	0	CMK-175.9-102
176.17	82.6	0	CMC-176.2-82.6
176.43	75.9	0	CMR-176.4-75.9
176.59	63.9	0	CMR-176.6-63.9
176.61	76.2	0	CMC-176.6-76.2
176.61	64.0	1	CMR-176.6-64-CX
177.72	57.2	0	CMC-177.7-57.2
177.77	82.6	0	CMC-177.8-82.6
178.16	76.2	0	CMA-178.2-76.2
178.18	73.0	0	CMC-178.2-73
178.44	101.6	0	CMC-178.4-101.6
178.54	76.2	0	CMC-178.5-76.2
178.57	102.0	0	CMK-178.6-102
179.13	63.5	0	CMC-179.1-63.5
179.80	63.7	0	CMR-179.8-63.7
179.81	79.1	1	CMR-179.8-79.1-CX
179.82	64.0	0	CMR-179.8-64
179.85	77.0	-1	CMR-179.8-77-CC
179.86	82.6	0	CMC-179.9-82.6

Type Code: -1 = Concave, 1 = Convex, 0 = both Concave & Convex

Radius (mm)	Diameter (mm)	Type Code	CVI Melles Griot Part Number
180.24	101.6	0	CMA-180.2-101.6
180.31	53.9	0	CMR-180.3-53.9
180.33	102.1	0	CMR-180.3-102.1
180.35	82.6	0	CMC-180.4-82.6
180.39	102.0	0	CMK-180.4-102
180.47	82.6	0	CMC-180.5-82.6
180.62	108.0	0	CMC-180.6-108
180.94	109.0	0	CMK-180.9-109
181.18	76.2	0	CMC-181.2-76.2
181.51	82.6	0	CMC-181.5-82.6
181.84	53.6	-1	CMR-181.8-53.6-CC
182.39	76.2	0	CMR-182.4-76.2
182.68	108.0	0	CMC-182.7-108
182.88	101.6	0	CMC-182.9-101.6
183.17	152.4	0	CMA-183.2-152.4
183.41	101.0	0	CMK-183.4-101
183.46	50.0	0	CMR-183.5-50
183.46	76.0	0	CMR-183.5-76
183.57	47.6	0	CMC-183.6-47.6
183.61	63.0	0	CMR-183.6-63
183.79	50.0	0	CMR-183.8-50
184.38	76.2	0	CMC-184.4-76.2
184.38	50.0	0	CMR-184.4-50
184.43	101.6	0	CMA-184.4-101.6
184.79	34.9	0	CMC-184.8-34.9
185.04	50.8	0	CMC-185-50.8
185.14	50.0	0	CMR-185.1-50
185.43	82.6	0	CMC-185.4-82.6
185.50	50.0	0	CMR-185.5-50
185.78	101.6	0	CMC-185.8-101.6
186.18	108.0	0	CMC-186.2-108
186.44	50.0	0	CMR-186.4-50
186.84	60.0	0	CMR-186.8-60
186.86	60.0	0	CMR-186.9-60
186.92	152.4	0	CMC-186.9-152.4
187.03	102.0	0	CMK-187-102
187.05	101.6	0	CMA-187.1-101.6
187.69	110.0	0	CMR-187.7-110
187.73	82.6	0	CMC-187.7-82.6
188.04	54.0	0	CMC-188-54
188.14	76.0	0	CMR-188.1-76
188.14	100.0	0	CMR-188.1-100
188.25	101.6	0	CMA-188.2-101.6
188.25	102.0	0	CMK-188.2-102
188.43	76.2	0	CMC-188.4-76.2
188.82	63.5	0	CMC-188.8-63.5
189.37	50.6	0	CMR-189.4-50.6
189.71	101.9	0	CMR-189.7-101.9
189.72	50.0	0	CMR-189.7-50
189.84	82.6	0	CMC-189.8-82.6
189.84	101.6	0	CMC-189.8-101.6
189.93	102.0	0	CMK-189.9-102
190.50	101.6	0	CMA-190.5-101.6
191.07	50.0	0	CMR-191.1-50
191.23	75.0	0	CMR-191.2-75
191.31	63.5	0	CMC-191.3-63.5
191.37	50.0	0	CMR-191.4-50
191.44	101.6	0	CMA-191.4-101.6
191.57	100.0	0	CMR-191.6-100
191.90	79.4	0	CMC-191.9-79.4
192.10	60.3	0	CMC-192.1-60.3
192.38	50.8	0	CMC-192.4-50.8
192.43	82.6	0	CMC-192.4-82.6
192.58	54.0	0	CMC-192.6-54
192.71	101.6	0	CMA-192.7-101.6
192.79	127.0	0	CMC-192.8-127
193.37	161.3	0	CMC-193.4-161.3
193.47	41.3	0	CMC-193.5-41.3

Type Code: -1 = Concave, 1 = Convex, 0 = both Concave & Convex

Radius (mm)	Diameter (mm)	Type Code	CVI Melles Griot Part Number
193.70	101.6	0	CMC-193.7-101.6
194.01	125.0	0	CMR-194-125
194.51	76.2	0	CMC-194.5-76.2
194.65	101.6	0	CMA-194.7-101.6
194.79	76.2	0	CMC-194.8-76.2
195.02	57.2	0	CMC-195-57.2
195.10	42.5	0	CMC-195.1-42.5
195.86	63.5	1	CMR-195.9-63.5-CX
195.86	100.0	1	CMR-195.9-100-CX
195.87	63.5	-1	CMR-195.9-63.5-CC
196.00	50.0	1	CMR-196-50-CX
196.30	152.4	0	CMA-196.3-152.4
196.52	79.4	0	CMC-196.5-79.4
196.80	50.0	0	CMR-196.8-50
196.80	76.0	0	CMR-196.8-76
196.88	102.0	0	CMK-196.9-102
197.05	79.4	0	CMC-197.1-79.4
197.33	1.0	0	CMR-197.3-1
197.47	23.0	0	CMR-197.5-23
197.55	84.0	-1	CMR-197.5-84-CC
197.55	100.0	0	CMR-197.6-100
197.56	100.0	0	CMR-197.6-100
198.79	55.0	0	CMR-198.8-55
199.13	100.0	0	CMR-199.1-100
199.15	100.0	0	CMR-199.2-100
199.26	101.6	0	CMC-199.3-101.6
200.00	101.6	0	CMA-200-101.6
200.00	53.0	0	CMR-200-53
200.03	64.0	1	CMR-200-64-CX
200.04	102.0	0	CMK-200-102
200.13	78.1	0	CMC-200.1-78.1
201.05	76.2	0	CMC-201.1-76.2
201.07	76.2	0	CMC-201.1-76.2
201.27	76.0	0	CMR-201.3-76
201.33	70.0	0	CMR-201.3-70
201.46	82.6	0	CMC-201.5-82.6
201.75	76.2	0	CMC-201.8-76.2
201.93	69.9	0	CMC-201.9-69.9
202.29	76.0	0	CMR-202.3-76
202.57	76.2	0	CMC-202.6-76.2
202.62	76.2	1	CMC-202.6-76.2-CX
202.82	108.0	0	CMK-202.8-108
202.95	76.2	0	CMA-202.9-76.2
203.11	40.0	-1	CMR-203.1-40-CC
203.20	79.4	0	CMC-203.2-79.4
203.48	76.2	0	CMC-203.5-76.2
203.89	54.0	0	CMC-203.9-54
204.24	123.8	0	CMC-204.2-123.8
204.50	102.0	0	CMK-204.5-102
204.86	102.0	1	CMR-204.9-102-CX
204.88	80.0	0	CMR-204.9-80
204.90	76.5	0	CMR-204.9-76.5
204.90	118.0	-1	CMR-204.9-118-CC
204.91	53.0	0	CMR-204.9-53
204.91	102.0	0	CMR-204.9-102
205.11	31.8	0	CMC-205.1-31.8
205.18	76.2	0	CMC-205.2-76.2
205.19	102.0	0	CMK-205.2-102
205.58	100.0	0	CMR-205.6-100
205.95	50.0	0	CMR-206-50
206.00	76.2	0	CMA-206-76.2
206.05	98.4	0	CMC-206-98.4
206.09	102.0	0	CMK-206.1-102
206.09	103.0	0	CMR-206.1-103
206.31	75.0	0	CMR-206.3-75
206.45	9.5	0	CMC-206.5-9.5
206.45	12.7	0	CMC-206.5-12.7
206.55	76.2	0	CMC-206.6-76.2

Type Code: -1 = Concave, 1 = Convex, 0 = both Concave & Convex

Radius (mm)	Diameter (mm)	Type Code	CVI Melles Griot Part Number
206.62	102.0	0	CMK-206.6-102
206.91	76.2	0	CMC-206.9-76.2
206.96	101.6	0	CMC-207-101.6
207.01	82.6	0	CMC-207-82.6
208.79	76.2	0	CMC-208.8-76.2
209.81	70.0	0	CMR-209.8-70
209.88	100.0	0	CMR-209.9-100
209.88	63.5	0	CMC-209.9-63.5
210.01	101.6	0	CMA-210-101.6
210.01	50.0	0	CMR-210-50
210.02	60.0	0	CMR-210-60
211.15	63.5	0	CMC-211.2-63.5
211.18	50.0	0	CMR-211.2-50
211.42	102.0	0	CMK-211.4-102
211.43	54.0	0	CMC-211.4-54
211.50	101.6	0	CMA-211.5-101.6
211.53	73.0	0	CMC-211.5-73
211.81	101.6	0	CMC-211.8-101.6
212.01	76.2	0	CMC-212-76.2
212.29	76.2	0	CMC-212.3-76.2
213.11	82.6	0	CMC-213.1-82.6
213.52	116.0	0	CMR-213.5-116
213.55	59.0	0	CMR-213.6-59
213.55	60.0	0	CMR-213.6-60
213.55	75.0	0	CMR-213.6-75
213.55	75.0	0	CMR-213.6-75
215.82	63.5	0	CMC-215.8-63.5
216.74	76.2	0	CMC-216.7-76.2
216.97	102.0	0	CMK-217-102
217.27	101.6	-1	CMC-217.3-101.6-CC
217.42	50.8	0	CMC-217.4-50.8
218.07	99.0	0	CMR-218.1-99
218.42	101.6	0	CMC-218.4-101.6
219.15	59.9	0	CMR-219.1-59.9
219.25	82.6	0	CMC-219.3-82.6
219.61	101.6	0	CMC-219.6-101.6
219.72	127.0	0	CMC-219.7-127
219.89	50.8	0	CMC-219.9-50.8
219.89	57.2	0	CMC-219.9-57.2
219.91	152.4	0	CMA-219.9-152.4
219.92	102.0	0	CMK-219.9-102
220.09	31.8	0	CMC-220.1-31.8
220.21	76.2	0	CMC-220.2-76.2
220.33	101.6	0	CMA-220.3-101.6
220.48	88.9	0	CMA-220.5-88.9
220.72	75.0	0	CMR-220.7-75
220.73	75.0	0	CMR-220.7-75
221.01	101.6	0	CMC-221-101.6
221.20	67.0	0	CMR-221.2-67
221.64	101.6	0	CMC-221.6-101.6
221.87	54.0	0	CMC-221.9-54
222.36	82.6	0	CMC-222.4-82.6
222.94	102.0	0	CMK-222.9-102
222.99	101.6	0	CMA-223-101.6
223.06	73.0	0	CMC-223.1-73
223.09	101.6	0	CMC-223.1-101.6
223.35	64.0	0	CMR-223.3-64
223.39	75.0	0	CMR-223.4-75
223.39	100.0	0	CMR-223.4-100
223.50	102.0	0	CMR-223.5-102
223.50	103.7	0	CMR-223.5-103.7
224.71	152.4	0	CMA-224.7-152.4
225.09	55.9	0	CMC-225.1-55.9
225.48	85.7	0	CMC-225.5-85.7
225.55	76.2	0	CMC-225.6-76.2
225.90	101.0	0	CMR-225.9-101
226.33	100.0	0	CMR-226.3-100
227.00	82.6	0	CMC-227-82.6

Type Code: -1 = Concave, 1 = Convex, 0 = both Concave & Convex

Radius (mm)	Diameter (mm)	Type Code	CVI Melles Griot Part Number
228.00	101.6	0	CMA-228-101.6
228.12	57.2	0	CMC-228.1-57.2
228.14	50.0	0	CMR-228.1-50
229.15	102.0	0	CMK-229.2-102
230.00	101.6	0	CMA-230-101.6
230.73	76.2	0	CMC-230.7-76.2
230.84	101.6	0	CMA-230.8-101.6
231.05	76.2	0	CMC-231.1-76.2
231.22	57.2	0	CMC-231.2-57.2
231.37	69.9	0	CMC-231.4-69.9
231.52	50.8	0	CMC-231.5-50.8
231.80	102.0	0	CMK-231.8-102
231.82	63.9	0	CMR-231.8-63.9
231.83	55.3	0	CMR-231.8-55.3
231.85	101.7	0	CMR-231.8-101.7
232.26	79.4	0	CMC-232.3-79.4
232.54	100.0	0	CMR-232.5-100
232.55	100.0	0	CMR-232.6-100
234.44	101.6	0	CMA-234.4-101.6
234.57	76.2	0	CMC-234.6-76.2
234.59	102.0	0	CMR-234.6-102
234.89	110.0	0	CMR-234.9-110
235.74	79.4	0	CMC-235.7-79.4
236.02	100.0	0	CMR-236-100
236.03	50.0	0	CMR-236-50
236.22	108.0	0	CMC-236.2-108
236.22	104.8	0	CMC-236.2-104.8
236.66	75.0	0	CMR-236.7-75
236.68	50.0	0	CMR-236.7-50
236.96	63.5	0	CMC-237-63.5
237.30	55.0	0	CMR-237.3-55
237.31	60.0	0	CMR-237.3-60
237.57	82.6	0	CMC-237.6-82.6
237.76	80.0	0	CMR-237.8-80
238.41	102.0	0	CMK-238.4-102
238.43	101.6	0	CMA-238.4-101.6
238.53	54.0	0	CMC-238.5-54
238.61	101.6	0	CMA-238.6-101.6
239.14	76.2	0	CMC-239.1-76.2
240.26	76.2	0	CMC-240.3-76.2
240.54	50.8	0	CMC-240.5-50.8
240.68	100.0	0	CMR-240.7-100
241.53	82.6	0	CMC-241.5-82.6
241.74	55.0	0	CMR-241.7-55
241.77	63.0	0	CMR-241.8-63
242.13	108.0	0	CMK-242.1-108
242.65	76.2	0	CMC-242.6-76.2
242.75	50.0	0	CMR-242.7-50
242.79	226.0	0	CMA-242.8-226
242.88	82.6	0	CMC-242.9-82.6
243.28	50.0	0	CMR-243.3-50
243.33	57.2	0	CMC-243.3-57.2
243.46	40.0	0	CMR-243.5-40
244.37	80.0	0	CMR-244.4-80
244.98	101.6	0	CMA-245-101.6
245.47	75.0	0	CMR-245.5-75
245.69	63.5	0	CMC-245.7-63.5
246.41	101.6	0	CMC-246.4-101.6
246.96	101.6	0	CMC-247-101.6
247.07	101.6	0	CMC-247.1-101.6
247.55	37.0	0	CMR-247.5-37
247.67	126.8	0	CMR-247.7-126.8
247.83	101.6	0	CMA-247.8-101.6
248.46	82.6	0	CMC-248.5-82.6
249.45	76.2	0	CMC-249.5-76.2
249.81	60.0	0	CMR-249.8-60
249.94	108.0	0	CMK-249.9-108
250.00	101.6	0	CMA-250-101.6

Type Code: -1 = Concave, 1 = Convex, 0 = both Concave & Convex

Radius (mm)	Diameter (mm)	Type Code	CVI Melles Griot Part Number
250.09	82.6	0	CMC-250.1-82.6
250.38	63.0	0	CMR-250.4-63
250.41	75.0	0	CMR-250.4-75
250.41	82.4	0	CMR-250.4-82.4
250.42	111.0	0	CMR-250.4-111
251.08	127.0	0	CMC-251.1-127
252.34	50.0	0	CMR-252.3-50
252.55	71.0	0	CMR-252.5-71
252.59	75.0	0	CMR-252.6-75
252.65	68.0	0	CMR-252.7-68
252.81	123.8	0	CMC-252.8-123.8
253.49	82.6	0	CMC-253.5-82.6
254.00	60.3	0	CMC-254-60.3
254.10	101.6	0	CMA-254.1-101.6
254.20	108.0	0	CMK-254.2-108
255.73	104.8	0	CMC-255.7-104.8
256.13	97.0	0	CMR-256.1-97
256.15	50.0	0	CMR-256.2-50
256.18	64.0	0	CMR-256.2-64
256.34	63.5	0	CMC-256.3-63.5
256.69	101.6	0	CMC-256.7-101.6
257.15	108.0	0	CMK-257.1-108
257.50	101.6	0	CMA-257.5-101.6
258.47	108.0	0	CMK-258.5-108
258.50	14.4	0	CMC-258.5-14.4
258.52	73.0	0	CMC-258.5-73
258.74	101.6	0	CMA-258.7-101.6
258.78	101.6	0	CMC-258.8-101.6
258.85	76.2	0	CMC-258.9-76.2
258.95	75.0	0	CMR-259-75
258.95	101.7	0	CMR-258.9-101.7
259.39	50.8	0	CMC-259.4-50.8
260.55	111.1	0	CMC-260.6-111.1
260.96	75.0	0	CMR-261-75
261.47	79.4	0	CMC-261.5-79.4
261.47	82.6	0	CMC-261.5-82.6
261.78	102.0	0	CMK-261.8-102
261.87	50.0	0	CMR-261.9-50
262.04	103.0	0	CMR-262-103
262.40	102.0	0	CMK-262.4-102
263.17	127.0	0	CMA-263.2-127
263.37	101.6	0	CMC-263.4-101.6
263.80	66.7	0	CMC-263.8-66.7
263.88	66.7	0	CMC-263.9-66.7
264.02	40.0	0	CMR-264-40
264.29	104.8	0	CMC-264.3-104.8
265.53	101.6	0	CMC-265.5-101.6
265.89	127.0	0	CMC-265.9-127
265.98	76.0	0	CMR-266-76
266.02	76.0	0	CMR-266-76
266.05	102.0	1	CMR-266.1-102-CX
266.06	76.0	0	CMR-266.1-76
266.06	102.0	-1	CMR-266.1-102-CC
267.26	85.7	0	CMC-267.3-85.7
267.90	0.0	0	CMR-267.9-0
267.90	124.9	0	CMR-267.9-124.9
268.00	101.6	0	CMA-268-101.6
268.09	102.0	0	CMK-268.1-102
268.12	101.6	0	CMC-268.1-101.6
268.56	109.3	0	CMR-268.6-109.3
268.57	64.0	0	CMR-268.6-64
269.85	82.6	0	CMC-269.9-82.6
270.79	79.4	0	CMC-270.8-79.4
270.81	102.0	0	CMK-270.8-102
271.23	83.0	0	CMR-271.2-83
271.25	50.0	0	CMR-271.2-50
271.32	25.0	0	CMR-271.3-25
271.86	76.2	0	CMC-271.9-76.2

Type Code: -1 = Concave, 1 = Convex, 0 = both Concave & Convex

Radius (mm)	Diameter (mm)	Type Code	CVI Melles Griot Part Number
272.02	63.5	0	CMC-272-63.5
272.45	101.6	1	CMR-272.4-101.6-CX
272.45	125.0	0	CMR-272.4-125
272.49	82.4	1	CMR-272.5-82.4-CX
272.51	54.1	-1	CMR-272.5-54.1-CC
272.57	100.0	0	CMR-272.6-100
272.75	76.2	0	CMC-272.7-76.2
274.11	127.0	-1	CMC-274.1-127-CC
274.33	76.2	0	CMC-274.3-76.2
274.47	127.0	0	CMC-274.5-127
275.34	102.0	0	CMK-275.3-102
275.72	79.4	0	CMC-275.7-79.4
275.72	75.0	0	CMR-275.7-75
276.48	82.6	0	CMC-276.5-82.6
276.58	79.4	0	CMC-276.6-79.4
278.98	76.5	0	CMR-279-76.5
279.01	76.6	0	CMR-279-76.6
279.32	102.0	0	CMR-279.3-102
279.35	79.4	0	CMC-279.3-79.4
279.55	102.0	0	CMK-279.6-102
279.68	104.1	0	CMA-279.7-104.1
279.82	50.0	0	CMR-279.8-50
280.57	76.2	0	CMC-280.6-76.2
280.67	63.5	0	CMC-280.7-63.5
280.88	102.0	0	CMK-280.9-102
281.92	104.8	0	CMC-281.9-104.8
282.14	79.4	-1	CMC-282.1-79.4-CC
282.14	104.8	0	CMC-282.1-104.8
283.13	64.0	0	CMR-283.1-64
283.15	59.0	0	CMR-283.2-59
283.16	76.0	0	CMR-283.2-76
283.17	102.0	0	CMR-283.2-102
283.95	82.6	0	CMC-283.9-82.6
285.00	101.0	0	CMR-285-101
285.00	102.1	1	CMR-285-102.1-CX
285.55	73.0	0	CMC-285.5-73
286.04	43.7	1	CMR-286-43.7-CX
286.06	101.9	0	CMR-286.1-101.9
286.23	82.6	0	CMC-286.2-82.6
287.87	82.6	0	CMC-287.9-82.6
289.23	165.1	0	CMA-289.2-165.1
289.24	102.1	0	CMR-289.2-102.1
289.25	75.0	0	CMR-289.2-75
289.71	98.4	-1	CMC-289.7-98.4-CC
290.29	64.0	0	CMR-290.3-64
290.55	104.8	0	CMC-290.6-104.8
290.58	104.8	0	CMC-290.6-104.8
290.93	50.0	0	CMR-290.9-50
292.09	76.0	0	CMR-292.1-76
292.79	102.0	0	CMK-292.8-102
293.27	98.4	0	CMC-293.3-98.4
293.34	75.0	0	CMR-293.3-75
293.82	64.0	0	CMR-293.8-64
294.27	101.6	0	CMC-294.3-101.6
295.10	99.0	0	CMR-295.1-99
297.28	101.6	0	CMA-297.3-101.6
297.31	127.0	0	CMC-297.3-127
297.40	102.0	0	CMK-297.4-102
298.98	100.0	0	CMR-299-100
300.00	76.2	0	CMA-300-76.2
300.00	76.2	0	CMC-300-76.2
300.05	102.0	0	CMK-300-102
300.08	50.0	0	CMR-300.1-50
300.88	63.0	0	CMR-300.9-63
300.99	101.6	0	CMC-301-101.6
301.07	100.0	0	CMR-301.1-100
301.59	100.0	0	CMR-301.6-100
301.63	75.0	0	CMR-301.6-75

Type Code: -1 = Concave, 1 = Convex, 0 = both Concave & Convex

Radius (mm)	Diameter (mm)	Type Code	CVI Melles Griot Part Number
301.72	101.0	0	CMR-301.7-101
302.97	101.6	0	CMA-303-101.6
302.99	100.0	0	CMR-303-100
303.00	152.4	0	CMC-303-152.4
303.08	102.0	0	CMK-303.1-102
304.55	102.0	0	CMK-304.6-102
304.57	98.4	0	CMC-304.6-98.4
305.03	104.8	0	CMC-305-104.8
305.08	54.0	1	CMC-305.1-54-CX
305.15	109.0	-1	CMR-305.1-109-CC
305.19	76.0	0	CMR-305.2-76
305.36	50.0	0	CMR-305.4-50
305.59	79.4	0	CMC-305.6-79.4
306.17	102.0	0	CMK-306.2-102
306.20	101.6	0	CMA-306.2-101.6
306.69	84.5	0	CMR-306.7-84.5
306.79	175.0	0	CMR-306.8-175
306.96	149.2	0	CMC-307-149.2
308.22	73.0	0	CMC-308.2-73
308.31	98.4	0	CMC-308.3-98.4
308.59	76.2	0	CMC-308.6-76.2
309.10	101.6	0	CMA-309.1-101.6
309.33	101.6	0	CMA-309.3-101.6
309.33	102.0	0	CMK-309.3-102
309.57	76.0	-1	CMR-309.6-76-CC
309.59	76.0	0	CMR-309.6-76
309.60	72.4	0	CMC-309.6-72.4
310.77	50.8	0	CMC-310.8-50.8
311.15	70.7	0	CMC-311.2-70.7
311.49	101.6	0	CMA-311.5-101.6
312.15	102.0	0	CMC-312.2-102
312.27	127.0	0	CMC-312.3-127
312.29	101.6	0	CMC-312.3-101.6
312.32	63.5	0	CMC-312.3-63.5
312.93	101.6	0	CMC-312.9-101.6
313.13	92.1	0	CMC-313.1-92.1
313.73	59.0	1	CMR-313.7-59-CX
313.75	48.0	1	CMR-313.7-48-CX
313.99	98.0	1	CMR-314-98-CX
314.15	75.0	0	CMR-314.2-75
314.17	54.0	0	CMR-314.2-54
314.20	75.0	0	CMR-314.2-75
314.30	63.5	0	CMC-314.3-63.5
314.43	98.4	0	CMC-314.4-98.4
315.01	76.2	0	CMC-315-76.2
315.54	101.6	0	CMC-315.5-101.6
317.48	101.6	0	CMC-317.5-101.6
318.64	73.0	0	CMC-318.6-73
318.97	101.6	0	CMC-319-101.6
319.76	102.0	0	CMK-319.8-102
320.42	101.6	0	CMC-320.4-101.6
320.68	57.2	0	CMC-320.7-57.2
320.70	76.2	0	CMC-320.7-76.2
321.01	101.6	0	CMC-321-101.6
321.65	50.8	0	CMR-321.6-50.8
322.24	101.6	0	CMA-322.2-101.6
322.38	79.4	0	CMC-322.4-79.4
322.62	102.0	0	CMR-322.6-102
322.66	64.0	0	CMR-322.7-64
322.68	64.0	0	CMR-322.7-64
322.81	63.0	0	CMR-322.8-63
323.77	54.0	0	CMC-323.8-54
324.47	102.0	0	CMK-324.5-102
324.87	102.4	0	CMR-324.9-102.4
326.05	104.1	0	CMA-326.1-104.1
326.90	102.0	0	CMR-326.9-102
327.05	101.6	0	CMC-327.1-101.6
327.77	118.0	0	CMR-327.8-118

Type Code: -1 = Concave, 1 = Convex, 0 = both Concave & Convex

Radius (mm)	Diameter (mm)	Type Code	CVI Melles Griot Part Number
328.28	91.0	0	CMR-328.3-91
329.85	146.1	0	CMC-329.8-146.1
331.18	63.8	0	CMR-331.2-63.8
331.37	102.0	0	CMK-331.4-102
332.69	76.0	0	CMR-332.7-76
332.70	75.0	1	CMR-332.7-75-CX
332.70	76.0	0	CMR-332.7-76
333.10	76.2	0	CMC-333.1-76.2
333.20	76.2	0	CMC-333.2-76.2
333.25	79.4	1	CMC-333.2-79.4-CX
334.57	76.0	0	CMR-334.6-76
335.18	98.4	0	CMC-335.2-98.4
335.50	177.8	0	CMA-335.5-177.8
335.72	101.6	0	CMA-335.7-101.6
336.29	101.6	0	CMA-336.3-101.6
336.29	102.0	0	CMK-336.3-102
336.40	101.6	0	CMA-336.4-101.6
337.21	30.0	0	CMR-337.2-30
337.82	25.4	0	CMC-337.8-25.4
337.92	63.5	0	CMC-337.9-63.5
341.10	98.4	0	CMC-341.1-98.4
341.18	102.0	0	CMR-341.2-102
341.21	50.0	0	CMR-341.2-50
341.45	76.2	0	CMC-341.5-76.2
341.52	102.0	0	CMK-341.5-102
341.73	69.9	0	CMC-341.7-69.9
341.91	104.8	0	CMC-341.9-104.8
342.90	63.5	0	CMC-342.9-63.5
344.99	102.0	0	CMK-345-102
345.00	101.6	0	CMA-345-101.6
345.14	101.6	0	CMA-345.1-101.6
345.24	76.2	0	CMC-345.2-76.2
346.58	50.8	0	CMC-346.6-50.8
348.49	82.6	0	CMC-348.5-82.6
350.01	102.0	0	CMK-350-102
350.23	63.5	0	CMC-350.2-63.5
351.33	76.2	0	CMC-351.3-76.2
352.19	25.0	-1	CMR-352.2-25-CC
352.20	127.0	0	CMC-352.2-127
352.36	114.3	0	CMA-352.4-114.3
353.20	101.6	0	CMA-353.2-101.6
354.48	63.5	0	CMC-354.5-63.5
355.02	50.8	0	CMC-355-50.8
355.40	50.0	0	CMR-355.4-50
355.44	75.0	0	CMR-355.4-75
355.60	108.0	0	CMC-355.6-108
355.65	82.6	0	CMC-355.7-82.6
356.31	101.6	0	CMA-356.3-101.6
356.79	101.6	0	CMC-356.8-101.6
356.84	102.0	0	CMR-356.8-102
356.86	55.0	0	CMR-356.9-55
356.94	98.0	0	CMR-356.9-98
357.08	101.7	-1	CMR-357.1-101.7-CC
357.53	76.2	0	CMC-357.5-76.2
358.39	17.8	-1	CMA-358.4-17.8-CC
358.47	101.6	0	CMA-358.5-101.6
359.33	69.9	0	CMC-359.3-69.9
360.34	101.0	0	CMR-360.3-101
360.68	102.0	0	CMK-360.7-102
360.81	50.8	0	CMC-360.8-50.8
360.97	101.6	0	CMA-361-101.6
363.17	54.0	0	CMC-363.2-54
363.55	102.0	0	CMK-363.6-102
365.85	114.3	0	CMA-365.8-114.3
367.69	79.4	0	CMC-367.7-79.4
367.87	31.8	0	CMC-367.9-31.8
367.87	69.9	0	CMC-367.9-69.9
368.11	102.0	0	CMK-368.1-102

Type Code: -1 = Concave, 1 = Convex, 0 = both Concave & Convex

Radius (mm)	Diameter (mm)	Type Code	CVI Melles Griot Part Number
369.16	50.8	0	CMC-369.2-50.8
369.40	101.6	0	CMA-369.4-101.6
369.93	101.6	0	CMC-369.9-101.6
370.15	64.0	0	CMR-370.1-64
370.73	75.0	0	CMR-370.7-75
371.89	100.0	0	CMR-371.9-100
372.69	101.6	0	CMC-372.7-101.6
372.76	75.0	0	CMR-372.8-75
373.63	75.0	0	CMR-373.6-75
373.63	75.0	0	CMR-373.6-75
375.77	73.0	0	CMC-375.8-73
376.37	76.7	0	CMR-376.4-76.7
377.67	79.4	0	CMC-377.7-79.4
378.47	53.0	0	CMR-378.5-53
378.85	102.1	0	CMR-378.8-102.1
379.00	101.6	0	CMA-379.101.6
379.04	102.0	0	CMK-379-102
379.63	76.2	0	CMA-379.6-76.2
379.91	101.6	0	CMC-379.9-101.6
380.11	50.8	0	CMC-380.1-50.8
380.90	50.8	0	CMC-380.9-50.8
380.98	50.0	0	CMR-381-50
381.00	69.9	0	CMC-381-69.9
381.20	101.6	0	CMA-381.2-101.6
382.02	79.4	0	CMC-382-79.4
382.02	85.7	0	CMC-382-85.7
382.34	24.0	0	CMR-382.3-24
382.34	75.0	0	CMR-382.3-75
382.97	98.4	0	CMC-383-98.4
383.73	152.4	0	CMA-383.7-152.4
384.24	101.8	0	CMR-384.2-101.8
385.27	101.6	0	CMC-385.3-101.6
385.50	76.2	0	CMC-385.5-76.2
385.79	43.0	1	CMR-385.8-43-CX
386.41	98.4	0	CMC-386.4-98.4
387.05	82.6	0	CMC-387-82.6
388.95	50.5	0	CMR-389-50.5
390.18	101.6	0	CMA-390.2-101.6
390.25	102.0	0	CMK-390.2-102
391.26	50.0	0	CMR-391.3-50
392.75	76.0	0	CMR-392.8-76
392.80	75.0	0	CMR-392.8-75
393.04	1.0	0	CMR-393-1
394.74	103.0	0	CMR-394.7-103
395.43	127.0	0	CMC-395.4-127
395.58	127.0	0	CMC-395.6-127
395.80	24.0	0	CMR-395.8-24
397.66	75.0	0	CMR-397.7-75
398.04	50.0	0	CMR-398-50
398.44	98.4	0	CMC-398.4-98.4
399.26	98.4	0	CMC-399.3-98.4
400.00	101.6	0	CMA-400-101.6
400.06	102.0	0	CMK-400.1-102
402.13	63.0	0	CMR-402.1-63
405.64	98.4	0	CMC-405.6-98.4
406.25	160.0	0	CMR-406.3-160
406.70	79.4	0	CMC-406.7-79.4
406.93	75.0	0	CMR-406.9-75
407.34	101.6	0	CMC-407.3-101.6
407.95	152.4	0	CMA-407.9-152.4
409.29	127.9	1	CMR-409.3-127.9-CX
409.32	76.0	0	CMR-409.3-76
411.59	102.0	0	CMK-411.6-102
412.17	76.2	0	CMC-412.2-76.2
412.17	101.6	0	CMC-412.2-101.6
412.82	75.0	0	CMR-412.8-75
412.82	76.0	0	CMR-412.8-76
413.05	100.0	0	CMR-413.1-100

Type Code: -1 = Concave, 1 = Convex, 0 = both Concave & Convex

Radius (mm)	Diameter (mm)	Type Code	CVI Melles Griot Part Number
413.18	76.2	0	CMC-413.2-76.2
414.90	55.0	0	CMR-414.9-55
416.35	63.0	0	CMR-416.4-63
417.54	108.0	0	CMC-417.5-108
417.60	1.0	0	CMR-417.6-1
417.65	101.6	0	CMA-417.7-101.6
417.68	50.8	0	CMC-417.7-50.8
418.31	100.0	0	CMR-418.3-100
418.61	101.6	0	CMC-418.6-101.6
419.46	82.6	0	CMC-419.5-82.6
419.84	60.0	0	CMR-419.8-60
422.20	101.6	0	CMA-422.2-101.6
422.91	76.2	0	CMC-422.9-76.2
426.34	50.8	-1	CMC-426.3-50.8-CC
428.43	102.0	0	CMK-428.4-102
429.06	50.8	0	CMC-429.1-50.8
429.64	79.4	0	CMC-429.6-79.4
430.44	102.0	0	CMK-430.4-102
431.52	82.6	0	CMC-431.5-82.6
431.87	165.1	0	CMA-431.9-165.1
431.97	84.1	-1	CMR-432-84.1-CC
433.25	101.6	0	CMC-433.2-101.6
433.87	101.6	0	CMA-433.9-101.6
433.98	102.0	0	CMK-434-102
434.59	73.0	0	CMC-434.6-73
434.62	100.0	0	CMR-434.6-100
437.20	100.0	0	CMR-437.2-100
440.42	83.9	0	CMR-440.4-83.9
441.06	1.0	0	CMR-441.1-1
442.24	101.6	0	CMC-442.2-101.6
443.89	50.0	0	CMR-443.9-50
444.95	102.0	0	CMK-444.9-102
446.69	101.6	0	CMA-446.7-101.6
447.88	102.0	0	CMR-447.9-102
448.95	101.6	0	CMC-448.9-101.6
450.00	101.6	0	CMA-450-101.6
450.01	98.4	0	CMC-450-98.4
450.12	102.0	0	CMK-450.1-102
450.47	101.6	0	CMC-450.5-101.6
451.36	82.6	0	CMC-451.4-82.6
452.53	101.6	0	CMC-452.5-101.6
453.14	98.4	0	CMC-453.1-98.4
454.60	75.0	0	CMR-454.6-75
456.01	101.6	0	CMC-456-101.6
456.69	102.0	0	CMK-456.7-102
457.00	101.6	0	CMA-457-101.6
457.02	63.5	0	CMC-457-63.5
457.20	79.4	0	CMC-457.2-79.4
457.20	104.8	0	CMC-457.2-104.8
458.15	102.0	0	CMK-458.1-102
458.47	127.0	0	CMA-458.5-127
458.99	101.6	0	CMC-459-101.6
460.18	77.0	1	CMR-460.2-77-CX
460.24	77.0	0	CMR-460.2-77
462.24	102.0	0	CMK-462.2-102
462.28	101.6	0	CMC-462.3-101.6
464.08	101.6	0	CMC-464.1-101.6
465.65	59.8	0	CMR-465.6-59.8
465.76	59.9	1	CMR-465.8-59.9-CX
466.85	76.2	0	CMC-466.9-76.2
467.14	102.0	0	CMK-467.1-102
467.67	101.6	0	CMC-467.7-101.6
469.27	50.0	0	CMR-469.3-50
469.51	127.0	-1	CMA-469.5-127-CC
469.85	63.0	0	CMR-469.9-63
470.21	63.5	0	CMC-470.2-63.5
470.33	82.6	0	CMC-470.3-82.6
470.43	102.0	0	CMK-470.4-102

Type Code: -1 = Concave, 1 = Convex, 0 = both Concave & Convex

Radius (mm)	Diameter (mm)	Type Code	CVI Melles Griot Part Number
473.30	101.6	0	CMC-473.3-101.6
474.51	101.6	0	CMR-474.5-101.6
474.62	76.0	0	CMR-474.6-76
478.64	63.0	0	CMR-478.6-63
479.08	76.2	0	CMC-479.1-76.2
479.87	100.0	0	CMR-479.9-100
480.06	76.2	0	CMC-480.1-76.2
480.50	102.0	0	CMK-480.5-102
482.85	127.0	0	CMC-482.9-127
485.02	118.0	0	CMR-485-118
486.77	101.6	0	CMC-486.8-101.6
486.84	54.0	-1	CMC-486.8-54-CC
487.20	54.0	1	CMC-487.2-54-CX
487.96	53.0	0	CMR-488-53
490.26	101.6	0	CMC-490.3-101.6
491.54	82.6	0	CMC-491.5-82.6
491.98	102.0	0	CMK-492-102
492.51	31.8	-1	CMC-492.5-31.8-CC
493.00	101.6	0	CMA-493-101.6
496.64	105.0	-1	CMR-496.6-105-CC
496.67	64.0	1	CMR-496.7-64-CX
497.03	101.6	0	CMC-497-101.6
497.74	63.5	0	CMC-497.7-63.5
499.82	50.0	0	CMR-499.8-50
499.97	101.6	0	CMC-500-101.6
500.00	152.4	0	CMA-500-152.4
500.35	98.0	0	CMK-500.4-98
500.66	63.5	1	CMC-500.7-63.5-CX
502.92	203.2	0	CMA-502.9-203.2
506.43	101.6	0	CMC-506.4-101.6
506.48	57.2	0	CMC-506.5-57.2
507.92	100.0	0	CMR-507.9-100
507.93	100.0	-1	CMR-507.9-100-CC
508.20	82.6	0	CMC-508.2-82.6
508.60	101.6	0	CMA-508.6-101.6
508.69	101.6	0	CMC-508.7-101.6
510.05	76.2	0	CMC-510-76.2
512.00	139.7	0	CMA-512-139.7
512.87	100.0	0	CMR-512.9-100
513.61	76.2	0	CMC-513.6-76.2
514.66	108.0	0	CMK-514.7-108
515.10	101.6	0	CMA-515.1-101.6
515.19	69.9	0	CMC-515.2-69.9
515.19	73.0	0	CMC-515.2-73
515.22	102.0	0	CMK-515.2-102
516.69	108.0	0	CMK-516.7-108
516.80	108.0	0	CMA-516.8-108
521.06	101.6	0	CMC-521.1-101.6
521.97	101.6	0	CMC-522-101.6
522.00	98.4	0	CMC-522-98.4
524.59	152.4	0	CMA-524.6-152.4
525.66	102.0	0	CMK-525.7-102
527.36	34.9	0	CMC-527.4-34.9
527.94	100.0	-1	CMR-527.9-100-CC
532.72	102.0	0	CMK-532.7-102
534.24	73.0	0	CMC-534.2-73
539.84	127.7	0	CMR-539.8-127.7
540.00	82.6	0	CMA-540-82.6
540.79	75.0	0	CMR-540.8-75
540.81	75.0	1	CMR-540.8-75-CX
541.08	102.0	0	CMK-541.1-102
546.13	79.4	0	CMC-546.1-79.4
546.43	101.6	0	CMC-546.4-101.6
547.33	100.0	0	CMR-547.3-100
549.38	82.6	0	CMC-549.4-82.6
550.77	34.9	0	CMC-550.8-34.9
555.29	50.0	-1	CMR-555.3-50-CC
555.45	63.0	0	CMR-555.5-63

Type Code: -1 = Concave, 1 = Convex, 0 = both Concave & Convex

Radius (mm)	Diameter (mm)	Type Code	CVI Melles Griot Part Number
555.83	101.6	0	CMC-555.8-101.6
558.80	101.6	0	CMA-558.8-101.6
562.81	54.0	0	CMC-562.8-54
563.70	50.6	0	CMR-563.7-50.6
564.77	48.9	0	CMC-564.8-48.9
565.02	50.0	0	CMR-565.0-50.0
565.13	47.6	0	CMC-565.1-47.6
566.72	102.0	0	CMK-566.7-102
569.06	50.0	0	CMR-569.1-50
570.10	100.0	0	CMR-570.1-100
571.50	88.9	0	CMC-571.5-88.9
571.65	177.8	0	CMA-571.7-177.8
572.59	79.4	0	CMC-572.6-79.4
573.25	82.6	0	CMC-573.3-82.6
573.79	100.0	0	CMR-573.8-100
574.10	102.0	0	CMK-574.1-102
575.73	50.6	0	CMR-575.7-50.6
575.89	130.0	0	CMR-575.9-130
576.12	125.0	0	CMR-576.1-125
576.43	50.8	0	CMC-576.4-50.8
577.15	55.5	0	CMR-577.1-55.5
580.79	118.7	0	CMC-580.8-118.7
583.78	76.7	-1	CMR-583.8-76.7-CC
583.88	76.7	1	CMR-583.9-76.7-CX
583.96	126.2	0	CMR-584-126.2
585.37	114.3	0	CMR-585.4-114.3
586.70	120.4	0	CMR-586.7-120.4
591.89	98.4	0	CMC-591.9-98.4
592.61	76.5	0	CMR-592.6-76.5
594.35	102.0	0	CMK-594.4-102
594.41	101.6	0	CMA-594.4-101.6
596.70	101.6	0	CMC-596.7-101.6
599.70	54.0	0	CMC-599.7-54
600.17	98.0	0	CMK-600.2-98
600.20	101.6	0	CMA-600.2-101.6
600.28	101.6	0	CMA-600.3-101.6
601.95	75.0	0	CMR-602-75
603.00	63.5	0	CMC-603-63.5
603.90	108.0	0	CMA-603.9-108
606.05	76.2	0	CMC-606-76.2
608.68	98.0	0	CMK-608.7-98
609.63	82.6	0	CMC-609.6-82.6
609.91	60.3	0	CMC-609.9-60.3
616.10	76.2	0	CMC-616.1-76.2
616.70	101.6	0	CMA-616.7-101.6
616.70	98.0	0	CMK-616.7-98
617.03	107.0	0	CMR-617-107
617.15	101.6	0	CMC-617.1-101.6
617.30	101.6	0	CMC-617.3-101.6
622.05	57.2	0	CMC-622-57.2
622.86	75.0	0	CMR-622.9-75
623.55	101.6	0	CMC-623.5-101.6
624.23	50.0	0	CMR-624.2-50
629.67	11.4	-1	CMC-629.7-11.4-CC
631.14	79.4	0	CMC-631.1-79.4
632.76	64.0	0	CMR-632.8-64
632.86	77.0	0	CMR-632.9-77
633.96	101.6	0	CMC-634-101.6
635.00	152.4	0	CMA-635-152.4
635.43	102.0	0	CMK-635.4-102
638.75	102.0	0	CMK-638.7-102
641.02	101.6	0	CMC-641-101.6
644.64	152.4	0	CMA-644.6-152.4
644.70	88.9	0	CMC-644.7-88.9
646.13	101.6	0	CMA-646.1-101.6
654.18	95.3	0	CMC-654.2-95.3
655.63	98.4	0	CMC-655.6-98.4
657.13	152.4	0	CMA-657.1-152.4

Type Code: -1 = Concave, 1 = Convex, 0 = both Concave & Convex

Radius (mm)	Diameter (mm)	Type Code	CVI Melles Griot Part Number
657.71	76.2	0	CMC-657.7-76.2
657.71	85.7	0	CMC-657.7-85.7
658.39	110.0	0	CMK-658.4-110
659.74	50.0	0	CMR-659.7-50
663.31	45.0	0	CMR-663.3-45
665.41	57.2	0	CMC-665.4-57.2
668.12	76.2	0	CMC-668.1-76.2
668.29	75.0	0	CMR-668.3-75
668.43	82.6	0	CMC-668.4-82.6
668.55	101.6	0	CMC-668.6-101.6
668.58	92.1	0	CMR-668.6-92.1
669.74	50.0	0	CMR-669.7-50
675.05	102.0	0	CMK-675-102
677.22	101.6	0	CMA-677.2-101.6
677.87	74.0	0	CMR-677.9-74
677.99	104.0	0	CMR-678-104
679.12	60.3	0	CMC-679.1-60.3
679.12	76.2	0	CMC-679.1-76.2
679.51	102.0	0	CMK-679.5-102
682.86	79.0	0	CMR-682.9-79
690.37	102.0	0	CMR-690.4-102
690.68	127.0	0	CMC-690.7-127
694.84	100.0	0	CMR-694.8-100
696.37	50.0	0	CMR-696.4-50
698.91	108.0	0	CMK-698.9-108
704.44	101.6	0	CMA-704.4-101.6
707.39	61.0	0	CMC-707.4-61
709.27	61.0	0	CMC-709.3-61
710.63	40.0	0	CMR-710.6-40
711.20	92.3	0	CMA-711.2-92.3
712.04	101.6	0	CMC-712-101.6
713.28	101.6	0	CMC-713.3-101.6
714.40	82.6	0	CMC-714.4-82.6
715.17	91.8	0	CMR-715.2-91.8
716.28	63.5	0	CMC-716.3-63.5
727.01	102.0	0	CMK-727-102
729.09	50.0	0	CMR-729.1-50
729.29	76.2	0	CMC-729.3-76.2
730.67	64.0	0	CMR-730.7-64
730.70	63.7	0	CMR-730.7-63.7
730.71	75.0	0	CMR-730.7-75
734.19	76.2	0	CMC-734.2-76.2
735.24	102.0	0	CMK-735.2-102
737.06	88.9	0	CMC-737.1-88.9
741.72	50.0	0	CMR-741.7-50
741.78	50.8	0	CMC-741.8-50.8
741.79	102.0	0	CMR-741.8-102
742.52	127.0	0	CMC-742.5-127
747.31	102.0	0	CMK-747.3-102
748.84	102.0	0	CMK-748.8-102
749.10	44.5	0	CMA-749.1-44.5
750.00	101.6	0	CMA-750-101.6
750.00	152.4	0	CMA-750-152.4
751.51	127.0	0	CMC-751.5-127
753.62	101.6	0	CMC-753.6-101.6
754.56	127.0	0	CMC-754.6-127
758.82	100.0	0	CMR-758.8-100
758.82	100.0	0	CMR-758.8-100
758.86	50.0	0	CMR-758.9-50
760.81	152.4	0	CMA-760.8-152.4
761.29	79.4	0	CMC-761.3-79.4
762.00	101.6	0	CMA-762-101.6
763.50	101.6	0	CMC-763.5-101.6
766.45	101.6	0	CMC-766.4-101.6
767.08	101.6	0	CMC-767.1-101.6
769.47	101.6	0	CMC-769.5-101.6
770.37	76.0	0	CMR-770.4-76
770.88	102.0	0	CMK-770.9-102

Type Code: -1 = Concave, 1 = Convex, 0 = both Concave & Convex

Radius (mm)	Diameter (mm)	Type Code	CVI Melles Griot Part Number
771.78	127.0	0	CMC-771.8-127
778.66	101.6	0	CMC-778.7-101.6
779.90	102.0	0	CMK-779.9-102
782.80	63.5	0	CMC-782.8-63.5
784.00	76.2	0	CMC-784-76.2
785.12	101.6	0	CMC-785.1-101.6
786.49	101.6	0	CMC-786.5-101.6
786.60	100.0	0	CMR-786.6-100
788.32	108.0	0	CMA-788.3-108
790.84	102.0	0	CMK-790.8-102
791.67	41.3	0	CMC-791.7-41.3
791.94	76.5	-1	CMR-791.9-76.5-CC
792.10	152.4	0	CMC-792.1-152.4
795.17	100.0	0	CMR-795.2-100
795.45	100.0	0	CMR-795.5-100
795.59	55.0	0	CMR-795.6-55
796.67	152.4	0	CMA-796.7-152.4
797.50	98.0	0	CMK-797.5-98
799.80	101.6	0	CMC-799.8-101.6
799.95	101.6	0	CMC-799.9-101.6
800.00	101.6	0	CMA-800-101.6
800.10	114.3	0	CMC-800.1-114.3
803.62	60.3	0	CMC-803.6-60.3
803.66	63.5	0	CMC-803.7-63.5
807.81	101.6	0	CMC-807.8-101.6
812.80	101.6	0	CMA-812.8-101.6
813.18	98.4	0	CMC-813.2-98.4
814.02	70.0	0	CMR-814-70
818.39	50.0	0	CMR-818.4-50
819.41	57.2	0	CMC-819.4-57.2
820.63	64.0	0	CMK-820.6-64
820.80	63.5	0	CMC-820.8-63.5
825.59	108.0	0	CMK-825.6-108
832.30	50.6	-1	CMR-832.3-50.6-CC
834.19	101.6	0	CMC-834.2-101.6
834.21	57.2	0	CMC-834.2-57.2
837.45	50.0	0	CMR-837.5-50
837.45	100.0	0	CMR-837.5-100
838.07	104.0	0	CMR-838.1-104
839.45	100.0	0	CMR-839.5-100
842.01	101.6	0	CMC-842-101.6
845.40	152.4	0	CMA-845.4-152.4
856.90	69.9	0	CMC-856.9-69.9
857.56	76.2	0	CMC-857.6-76.2
863.08	75.0	0	CMR-863.1-75
865.06	130.0	0	CMR-865.1-130
865.82	66.7	0	CMC-865.8-66.7
868.67	101.6	0	CMA-868.7-101.6
868.67	102.0	0	CMK-868.7-102
869.49	101.6	0	CMA-869.5-101.6
869.70	102.0	0	CMK-869.7-102
871.13	98.4	0	CMC-871.1-98.4
872.18	101.6	0	CMA-872.2-101.6
872.75	79.4	0	CMC-872.7-79.4
886.10	101.6	0	CMC-886.1-101.6
888.90	102.0	0	CMK-888.9-102
896.74	75.0	0	CMR-896.7-75
896.79	76.0	0	CMR-896.8-76
896.82	75.0	0	CMR-896.8-75
897.81	101.6	0	CMA-897.8-101.6
902.92	101.6	0	CMC-902.9-101.6
902.96	102.0	0	CMK-903-102
909.80	73.0	0	CMC-909.8-73
913.20	100.0	0	CMR-913.2-100
913.30	101.6	0	CMA-913.3-101.6
916.12	177.8	0	CMA-916.1-177.8
916.31	63.5	0	CMC-916.3-63.5
918.55	102.0	0	CMK-918.6-102

Type Code: -1 = Concave, 1 = Convex, 0 = both Concave & Convex

Radius (mm)	Diameter (mm)	Type Code	CVI Melles Griot Part Number
923.11	100.0	0	CMR-923.1-100
930.09	152.4	0	CMA-930.1-152.4
932.00	101.6	0	CMA-932-101.6
932.49	98.4	0	CMC-932.5-98.4
935.07	50.0	0	CMR-935.1-50
935.07	100.0	0	CMR-935.1-100
935.40	82.0	0	CMR-935.4-82
936.87	152.4	0	CMA-936.9-152.4
946.20	76.2	0	CMC-946.2-76.2
949.50	101.6	0	CMA-949.5-101.6
952.43	101.6	0	CMC-952.4-101.6
958.53	102.0	0	CMK-958.5-102
958.53	152.4	0	CMA-958.5-152.4
958.72	101.6	0	CMC-958.7-101.6
960.62	104.0	0	CMR-960.6-104
968.36	33.0	0	CMK-968.4-33
968.36	101.6	0	CMA-968.4-101.6
975.18	57.2	0	CMC-975.2-57.2
980.52	63.5	0	CMC-980.5-63.5
987.88	98.4	0	CMC-987.9-98.4
994.37	76.0	0	CMR-994.4-76
994.37	80.0	0	CMR-994.4-80
995.36	58.0	0	CMR-995.4-58
995.43	58.0	1	CMR-995.4-58-CX
998.96	28.6	0	CMC-999-28.6
999.42	98.4	0	CMC-999.4-98.4
1000.00	152.4	0	CMA-1000-152.4
1001.06	102.0	0	CMK-1001.1-102
1004.58	104.6	0	CMR-1004.6-104.6
1005.84	98.4	0	CMC-1005.8-98.4
1025.00	127.0	0	CMA-1025-127
1027.18	101.6	0	CMC-1027.2-101.6
1030.11	102.0	0	CMK-1030.1-102
1031.29	108.0	0	CMC-1031.3-108
1048.94	101.6	0	CMA-1048.9-101.6
1052.07	101.6	0	CMC-1052.1-101.6
1054.84	44.5	1	CMC-1054.8-44.5-CX
1058.00	108.0	0	CMA-1058-108
1058.67	44.5	0	CMC-1058.7-44.5
1058.70	123.8	0	CMC-1058.7-123.8
1063.25	95.3	0	CMC-1063.2-95.3
1066.54	101.6	0	CMC-1066.5-101.6
1066.80	63.5	0	CMC-1066.8-63.5
1077.04	152.4	0	CMA-1077-152.4
1077.09	57.2	0	CMC-1077.1-57.2
1083.49	66.7	0	CMC-1083.5-66.7
1089.61	152.4	0	CMA-1089.6-152.4
1098.52	102.0	0	CMK-1098.5-102
1100.00	50.8	0	CMA-1100-50.8
1108.31	79.4	0	CMC-1108.3-79.4
1144.68	102.0	0	CMK-1144.7-102
1150.00	101.6	0	CMA-1150-101.6
1156.29	63.5	0	CMC-1156.3-63.5
1157.38	102.0	0	CMK-1157.4-102
1168.33	152.4	0	CMC-1168.3-152.4
1180.30	101.6	0	CMA-1180.3-101.6
1180.43	102.0	0	CMK-1180.4-102
1193.01	152.4	0	CMC-1193-152.4
1199.19	108.0	0	CMK-1199.2-108
1208.41	76.2	0	CMC-1208.4-76.2
1226.49	101.6	0	CMC-1226.5-101.6
1230.65	101.6	0	CMA-1230.7-101.6
1232.87	104.0	0	CMR-1232.9-104
1250.54	102.0	0	CMK-1250.5-102
1257.18	102.0	0	CMK-1257.2-102
1260.66	101.6	0	CMC-1260.7-101.6
1261.85	101.6	0	CMC-1261.8-101.6
1295.40	152.4	0	CMA-1295.4-152.4

Type Code: -1 = Concave, 1 = Convex, 0 = both Concave & Convex

Radius (mm)	Diameter (mm)	Type Code	CVI Melles Griot Part Number
1300.53	102.0	0	CMK-1300.5-102
1300.53	76.2	0	CMC-1300.5-76.2
1305.97	82.6	0	CMA-1306-82.6
1310.11	41.3	0	CMC-1310.1-41.3
1350.00	152.4	0	CMA-1350-152.4
1370.59	50.8	-1	CMC-1370.6-50.8-CC
1370.59	54.0	0	CMC-1370.6-54
1373.51	104.8	0	CMC-1373.5-104.8
1390.00	101.6	0	CMA-1390-101.6
1393.78	101.6	0	CMA-1393.8-101.6
1400.00	152.4	0	CMA-1400-152.4
1401.88	102.0	0	CMK-1401.9-102
1440.54	101.6	0	CMC-1440.5-101.6
1446.96	101.6	0	CMC-1447-101.6
1450.00	152.4	0	CMA-1450-152.4
1493.57	102.0	0	CMK-1493.6-102
1500.00	101.6	0	CMA-1500-101.6
1503.00	108.0	0	CMK-1503-108
1527.46	127.0	0	CMC-1527.5-127
1530.00	102.0	0	CMK-1530-102
1541.00	101.6	0	CMA-1541-101.6
1541.96	66.7	0	CMC-1542-66.7
1545.24	102.0	0	CMK-1545.2-102
1555.30	101.6	0	CMC-1555.3-101.6
1590.55	101.6	0	CMA-1590.5-101.6
1600.00	101.6	0	CMA-1600-101.6
1602.07	102.0	0	CMK-1602.1-102
1611.05	104.8	0	CMC-1611-104.8
1614.27	101.6	0	CMC-1614.3-101.6
1634.11	101.6	0	CMA-1634.1-101.6
1654.05	73.0	0	CMC-1654.1-73
1660.00	76.2	0	CMA-1660-76.2
1675.70	152.4	0	CMA-1675.7-152.4
1675.74	102.0	0	CMK-1675.7-102
1679.45	73.0	0	CMC-1679.5-73
1684.15	127.0	0	CMC-1684.2-127
1700.80	102.0	0	CMK-1700.8-102
1737.36	101.6	0	CMC-1737.4-101.6
1760.22	101.6	0	CMC-1760.2-101.6
1765.40	114.3	0	CMA-1765.4-114.3
1777.95	102.0	0	CMK-1778-102
1799.91	102.0	0	CMK-1799.9-102
1800.00	127.0	0	CMA-1800-127
1800.00	139.7	0	CMA-1800-139.7
1827.25	101.6	0	CMA-1827.3-101.6
1838.20	40.6	0	CMC-1838.2-40.6
1879.60	101.6	0	CMC-1879.6-101.6
1883.68	102.0	0	CMK-1883.7-102
1889.99	152.4	0	CMC-1890-152.4
1905.00	152.4	0	CMC-1905-152.4
1907.00	102.0	0	CMK-1907-102
1927.67	152.4	0	CMA-1927.7-152.4
1995.17	235.0	0	CMC-1995.2-235
1997.31	98.0	0	CMK-1997.3-98
2000.00	152.4	0	CMA-2000-152.4
2000.18	98.4	0	CMC-2000.2-98.4
2007.90	127.0	0	CMC-2007.9-127
2043.48	47.6	0	CMC-2043.5-47.6
2053.63	108.0	0	CMK-2053.6-108
2060.00	101.6	0	CMA-2060-101.6
2082.80	101.6	0	CMA-2082.8-101.6
2095.67	128.0	0	CMR-2095.7-128
2182.92	102.0	0	CMK-2182.9-102
2183.50	152.4	0	CMA-2183.5-152.4
2188.98	50.8	-1	CMC-2189-50.8-CC
2191.52	82.6	0	CMC-2191.5-82.6
2196.09	102.0	0	CMK-2196.1-102
2204.72	101.6	0	CMC-2204.7-101.6

Type Code: -1 = Concave, 1 = Convex, 0 = both Concave & Convex

Radius (mm)	Diameter (mm)	Type Code	CVI Melles Griot Part Number
2247.90	177.8	0	CMA-2247.9-177.8
2247.90	76.2	0	CMC-2247.9-76.2
2248.00	101.6	0	CMA-2248-101.6
2251.04	102.0	0	CMK-2251-102
2278.13	127.0	0	CMC-2278.1-127
2283.00	101.6	-1	CMA-2283-101.6-CC
2363.73	101.6	0	CMC-2363.7-101.6
2367.50	102.0	0	CMK-2367.5-102
2368.00	101.6	0	CMA-2368-101.6
2368.89	102.0	0	CMC-2368.9-102
2400.00	152.4	0	CMA-2400-152.4
2400.24	102.0	0	CMK-2400.2-102
2412.62	101.6	0	CMC-2412.6-101.6
2412.75	79.4	0	CMC-2412.8-79.4
2423.65	108.0	0	CMC-2423.6-108
2432.06	102.0	0	CMK-2432.1-102
2436.12	127.0	0	CMC-2436.1-127
2442.39	152.4	0	CMC-2442.4-152.4
2480.46	102.0	0	CMK-2480.5-102
2480.50	152.4	0	CMA-2480.5-152.4
2500.00	101.6	0	CMA-2500-101.6
2532.24	102.0	0	CMK-2532.2-102
2540.01	95.3	0	CMC-2540-95.3
2575.00	152.4	0	CMA-2575-152.4
2575.00	152.4	0	CMA-2575-152.4
2575.21	102.0	0	CMK-2575.2-102
2641.61	79.4	0	CMC-2641.6-79.4
2648.26	47.6	-1	CMC-2648.3-47.6-CC
2648.26	101.6	0	CMC-2648.3-101.6
2650.00	101.6	0	CMA-2650-101.6
2697.78	114.3	0	CMA-2697.8-114.3
2800.00	101.6	0	CMA-2800-101.6
2828.76	102.0	0	CMK-2828.8-102
2953.60	152.4	0	CMA-2953.6-152.4
2960.63	95.3	0	CMC-2960.6-95.3
2990.32	44.5	0	CMC-2990.3-44.5
2996.14	130.0	0	CMK-2996.1-130
2996.60	152.4	0	CMC-2996.6-152.4
3000.00	152.4	0	CMA-3000-152.4
3002.48	98.0	0	CMK-3002.5-98
3048.00	152.4	0	CMA-3048-152.4
3065.74	102.0	0	CMK-3065.7-102
3073.15	146.1	0	CMC-3073.2-146.1
3200.00	152.4	0	CMA-3200-152.4
3255.89	127.0	0	CMA-3255.9-127
3300.00	101.6	0	CMA-3300-101.6
3300.42	102.0	0	CMK-3300.4-102
3373.13	76.2	0	CMC-3373.1-76.2
3378.21	50.8	0	CMC-3378.2-50.8
3380.00	152.4	0	CMA-3380-152.4
3400.15	102.0	0	CMK-3400.2-102
3444.23	102.0	0	CMK-3444.2-102
3448.95	146.1	0	CMC-3448.9-146.1
3492.71	102.0	0	CMK-3492.7-102
3500.00	152.4	0	CMA-3500-152.4
3500.00	152.4	0	CMA-3500-152.4
3657.61	152.4	0	CMC-3657.6-152.4
3661.77	152.4	0	CMC-3661.8-152.4
3763.90	102.0	0	CMK-3763.9-102
3783.49	102.0	0	CMK-3783.5-102
3894.08	152.4	0	CMC-3894.1-152.4
3997.97	101.6	0	CMC-3998-101.6
4000.00	152.4	0	CMA-4000-152.4
4013.23	101.6	0	CMA-4013.2-101.6
4013.23	102.0	0	CMK-4013.2-102
4127.14	102.0	0	CMK-4127.1-102
4178.31	108.0	0	CMC-4178.3-108
4241.00	101.6	0	CMA-4241-101.6

Type Code: -1 = Concave, 1 = Convex, 0 = both Concave & Convex

Radius (mm)	Diameter (mm)	Type Code	CVI Melles Griot Part Number
4291.61	102.0	0	CMK-4291.6-102
4375.56	102.0	0	CMK-4375.6-102
4438.12	101.6	0	CMC-4438.1-101.6
4457.53	152.4	0	CMA-4457.5-152.4
4495.81	76.2	0	CMC-4495.8-76.2
4560.00	108.0	0	CMA-4560-108
4590.00	101.6	0	CMA-4590-101.6
4700.00	152.4	0	CMA-4700-152.4
4876.80	177.8	0	CMA-4876.8-177.8
5000.00	76.2	0	CMC-5000-76.2
5000.00	152.4	0	CMA-5000-152.4
5002.45	102.0	0	CMK-5002.5-102
5124.45	254.0	0	CMA-5124.5-254
5150.79	102.0	0	CMK-5150.8-102
5179.07	127.0	0	CMC-5179.1-127
5187.47	88.9	0	CMA-5187.5-88.9
5260.00	152.4	0	CMA-5260-152.4
5300.15	102.0	0	CMK-5300.2-102
5306.07	104.8	0	CMC-5306.1-104.8
5394.97	76.2	0	CMC-5395-76.2
5510.15	90.0	0	CMR-5510.2-90
5700.00	152.4	0	CMA-5700-152.4
5880.11	108.0	0	CMC-5880.1-108
5900.35	102.0	0	CMK-5900.4-102
5995.24	102.0	0	CMK-5995.2-102
5997.97	101.6	0	CMC-5998-101.6
6000.00	152.4	0	CMA-6000-152.4
6100.00	152.4	0	CMA-6100-152.4
6294.87	101.6	0	CMC-6294.9-101.6
6346.00	101.6	0	CMA-6346-101.6

Type Code: -1 = Concave, 1 = Convex, 0 = both Concave & Convex

Radius (mm)	Diameter (mm)	Type Code	CVI Melles Griot Part Number
6743.71	76.2	0	CMC-6743.7-76.2
6982.07	102.0	0	CMK-6982.1-102
7000.00	101.6	0	CMA-7000-101.6
7315.20	177.8	0	CMA-7315.2-177.8
7485.71	102.0	0	CMC-7485.7-102
7614.93	76.2	0	CMC-7614.9-76.2
8000.00	101.6	0	CMA-8000-101.6
8001.02	101.6	0	CMC-8001-101.6
8061.37	102.0	0	CMK-8061.4-102
8578.59	133.4	0	CMC-8578.6-133.4
8963.76	102.0	0	CMK-8963.8-102
9000.00	101.6	0	CMA-9000-101.6
9042.42	98.4	0	CMC-9042.4-98.4
9120.00	108.0	0	CMA-9120-108
9525.02	101.6	0	CMC-9525-101.6
9538.00	177.8	0	CMA-9538-177.8
9674.85	101.6	0	CMC-9674.9-101.6
9674.85	104.8	0	CMC-9674.9-104.8
9906.02	104.8	0	CMC-9906-104.8
10000.00	152.4	0	CMA-10000-152.4
10000.00	152.4	0	CMA-10000-152.4
10077.50	102.0	0	CMK-10077.5-102
10500.12	102.0	0	CMK-10500.1-102
10795.02	50.8	-1	CMC-10795-50.8-CC
11517.60	102.0	0	CMK-11517.6-102
12153.82	158.8	0	CMC-12153.8-158.8
12170.33	38.1	0	CMC-12170.3-38.1
12399.00	165.1	0	CMA-12399-165.1
13500.00	152.4	1	CMA-13500-152.4-CX
13960.80	102.0	0	CMK-13960.8-102

Type Code: -1 = Concave, 1 = Convex, 0 = both Concave & Convex

Radius (mm)	Diameter (mm)	Type Code	CVI Melles Griot Part Number
14000.00	152.4	0	CMA-14000-152.4
14500.00	152.4	0	CMA-14500-152.4
15000.00	152.4	0	CMA-15000-152.4
15124.00	102.0	0	CMK-15124-102
15240.03	76.2	0	CMC-15240-76.2
17185.67	50.8	0	CMC-17185.7-50.8
19500.00	152.4	0	CMA-19500-152.4
19619.40	131.0	0	CMK-19619.4-131
20000.00	152.4	0	CMC-20000-152.4
20000.00	50.8	0	CMA-20000-50.8
20000.00	152.4	0	CMA-20000-152.4
20158.10	102.0	0	CMK-20158.1-102
25000.00	101.6	-1	CMA-25000-101.6-CC
30000.00	101.6	0	CMA-30000-101.6
30000.00	152.4	0	CMA-30000-152.4
30224.90	102.0	0	CMK-30224.9-102
40000.00	152.4	0	CMC-40000-152.4
50000.00	102.0	0	CMK-50000-102
50000.00	152.4	0	CMA-50000-152.4
60000.00	152.4	0	CMC-60000-152.4
62000.00	101.6	-1	CMA-62000-101.6-CC
90000.00	152.4	0	CMA-90000-152.4
100000.00	152.4	-1	CMA-100000-152.4-CC
120000.00	152.4	-1	CMA-120000-152.4-CC
134999.90	101.6	0	CMA-134999.9-101.6
155223.00	101.6	0	CMA-155223-101.6

Type Code: -1 = Concave, 1 = Convex, 0 = both Concave & Convex

CVI Melles Griot Test Plate Numbers are coded for worldwide geographical locations (e.g. CMA, CMK, CMC, CMR...)

Typically 6 tools need to be made for each surface with a radius

Convex/Concave TP = 2 tools

Convex/Concave Grinding Tools = 2 tools

A pick-up tool & A polishing tool = 2 tools

This list does not imply that CVI Melles Griot has the remaining 4 tools

The precision indicated for ROC (mm) is for marketing purposes only.

Type Code is for the curvature: -1 is Concave, 1 is Convex, 0 is both Concave and Convex

All individual test plates interferometrically measured to 0.1 micron.

If a diameter is shown as 1.0, then that half of the test plate does not exist.

It is still acceptable to specify it, however, as the other half will be used as the master to produce a new mating half.